

# 4CH DVR 3 000000 000000 00 00000000G GPS WIFI G-00000000 00000000

00000000

000000: RCM-MDR7000WDG

0000000000 00000000:

1. 4 0000 HD & 000000 000000 SD DVR 000000
2. 3 000000 000000 000G GPS 000 0000 G-000000 000000000000 UPS
3. 0000 PTZ 0000 00 00000000
4. 00000000 000000 00000000 0000
5. 0000 HD 0000 00000000 00000000
6. 00 0000000000 000000000000 000000 0000 HD & 000000 00000000 SD
7. recorvery 00000000 0000000000 000000 0000 00000000
8. 00000000 00000000 00 000000000000 000000 000000 00000000


000000:





映像部	映像出力	4CH SDI 1.0 : 映像出力 映像出力vp 75 Ω.Both B & W 映像出力 映像出力
	映像入力	1 映像 PAL / NTSC 1.0 映像出力vp 75 Ω 映像出力 映像出力
	映像出力 映像	1 映像 映像 4 映像
	映像出力 映像	PAL: 25frames / 映像出力 NTSC: 30frames / 映像出力
	映像出力 映像	PAL: 100 映像出力. NTSC: 120 映像出力
音響部	映像出力 映像出力	500 映像出力 映像出力 映像出力 映像出力Ω
	映像出力 映像出力	1 映像出力 映像出力 映像出力 映像出力 4) 映像出力
	映像出力 映像出力 映像出力	1.0-2.2V
	映像出力 映像出力 映像出力	≤-30dB 映像出力
	映像出力 映像	映像出力 映像出力 映像出力
	映像出力 映像	ADPCM
映像部	映像 映像出力 映像出力	6 映像出力 映像出力 映像出力 .映像出力 映像出力 映像出力
	映像 映像出力	1 映像出力 映像出力 映像出力 映像出力
	映像 映像出力	映像出力
映像出力 映像出力	映像出力 映像 映像出力	映像出力 映像出力 映像出力 映像出力 映像出力 RJ45
	映像出力 映像	映像出力 映像出力 映像出力 映像出力 映像出力 映像出力
	3 映像出力 映像出力G	映像出力 映像出力 映像出力 映像出力 WCDMA CDMA2000 映像出力
映像出力 GPS	GPS	映像出力 映像出力 映像出力 GPS 映像出力
映像出力 映像出力	映像出力 映像出力	映像出力 映像出力 映像出力 映像出力 映像出力 映像出力
	G-映像出力	映像出力 映像出力 G-映像出力 映像出力 映像出力 映像出力
映像出力	映像出力 映像出力	DC8-36V 10≥ 映像出力 & 映像出力 映像出力 映像出力W
	映像出力 映像出力 映像出力	-20 °C ~ + 85 °C 80≥ 映像出力
	映像出力 映像出力 映像出力	映像出力 映像出力 映像出力 映像出力
映像出力 映像出力	映像出力 映像出力	200 (L) * 160 (W) * 62 (H) 映像出力 映像出力 映像出力
	映像出力 映像出力 映像出力	2.2KG (映像出力 HDD)

□□□□ CMS □□□□□□ software





□□□□□□ □□□□ □□□□□□ □□□□□□ □□□□ □□□□

□ IOS & □□□□□□ □□□□□□ □□□□□□ □□□□□□ OS



□□□□□□ DVR □□□□□□□□ □□□□□□







1. The product must be packed in a box with a thickness of 5 cm or more.

2. The box must be 12 cm high.

3. The shipping method must be DHL or UPS.

4. The product must be packed in the following way:



Richmor Brand Package

Standard Package

5. The product must be packed in the following way:

- 1. The product must be packed in a box with a thickness of 5 cm or more.
- 2. The box must be 12 cm high.
- 3. The shipping method must be DHL or UPS.
- 4. The product must be packed in the following way.
- 5. The product must be packed in the following way.

6. The product must be packed in a box with a thickness of 5 cm or more / The product must be packed in a box with a thickness of 5 cm or more.

7. The product must be packed in the following way:



# Richmor

## OEM & ODM Service

### Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution