

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
Video Record System	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
	compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time
		Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%

Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show;



OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



Factory Audit

SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card



RICHMOR TECH

Mobile DVR

USB IR AV OUT

PWR CPU HDD SD REC ALM NET








SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq






AV Input Cables



AV Output Cable



Power Cable



IO Cables



Remote Control



GPS Antenna



CD (Manual & Software Inside)



SD Mobile DVR



Richmor Brand Package



Standard Package

Client User Graph Interface



Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

[illegible]

VERIFICATION OF CONFORMITY  Verification of Conformity Reference No.: LCC0300000719	
Responsible Party	Shenzhen Wuxinor Technology Development Co., LTD.
Address	37 No.1 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile USB
Model No.	WXC-M00000, WXC-M00001, WXC-M00002, WXC-M00003, WXC-M00004, WXC-M00005, WXC-M00006, WXC-M00007, WXC-M00008, WXC-M00009, WXC-M00010
Trade Mark	Shenzhen
Standards	CCC, EMC, EN PART 1 EN 55022, EN 55024, EN 55025, EN 55026, EN 55027, EN 55028, EN 55029, EN 55030, EN 55031, EN 55032, EN 55033, EN 55034, EN 55035, EN 55036, EN 55037, EN 55038, EN 55039, EN 55040, EN 55041, EN 55042, EN 55043, EN 55044, EN 55045, EN 55046, EN 55047, EN 55048, EN 55049, EN 55050, EN 55051, EN 55052, EN 55053, EN 55054, EN 55055, EN 55056, EN 55057, EN 55058, EN 55059, EN 55060, EN 55061, EN 55062, EN 55063, EN 55064, EN 55065, EN 55066, EN 55067, EN 55068, EN 55069, EN 55070, EN 55071, EN 55072, EN 55073, EN 55074, EN 55075, EN 55076, EN 55077, EN 55078, EN 55079, EN 55080, EN 55081, EN 55082, EN 55083, EN 55084, EN 55085, EN 55086, EN 55087, EN 55088, EN 55089, EN 55090, EN 55091, EN 55092, EN 55093, EN 55094, EN 55095, EN 55096, EN 55097, EN 55098, EN 55099, EN 55100, EN 55101, EN 55102, EN 55103, EN 55104, EN 55105, EN 55106, EN 55107, EN 55108, EN 55109, EN 55110, EN 55111, EN 55112, EN 55113, EN 55114, EN 55115, EN 55116, EN 55117, EN 55118, EN 55119, EN 55120, EN 55121, EN 55122, EN 55123, EN 55124, EN 55125, EN 55126, EN 55127, EN 55128, EN 55129, EN 55130, EN 55131, EN 55132, EN 55133, EN 55134, EN 55135, EN 55136, EN 55137, EN 55138, EN 55139, EN 55140, EN 55141, EN 55142, EN 55143, EN 55144, EN 55145, EN 55146, EN 55147, EN 55148, EN 55149, EN 55150, EN 55151, EN 55152, EN 55153, EN 55154, EN 55155, EN 55156, EN 55157, EN 55158, EN 55159, EN 55160, EN 55161, EN 55162, EN 55163, EN 55164, EN 55165, EN 55166, EN 55167, EN 55168, EN 55169, EN 55170, EN 55171, EN 55172, EN 55173, EN 55174, EN 55175, EN 55176, EN 55177, EN 55178, EN 55179, EN 55180, EN 55181, EN 55182, EN 55183, EN 55184, EN 55185, EN 55186, EN 55187, EN 55188, EN 55189, EN 55190, EN 55191, EN 55192, EN 55193, EN 55194, EN 55195, EN 55196, EN 55197, EN 55198, EN 55199, EN 55200, EN 55201, EN 55202, EN 55203, EN 55204, EN 55205, EN 55206, EN 55207, EN 55208, EN 55209, EN 55210, EN 55211, EN 55212, EN 55213, EN 55214, EN 55215, EN 55216, EN 55217, EN 55218, EN 55219, EN 55220, EN 55221, EN 55222, EN 55223, EN 55224, EN 55225, EN 55226, EN 55227, EN 55228, EN 55229, EN 55230, EN 55231, EN 55232, EN 55233, EN 55234, EN 55235, EN 55236, EN 55237, EN 55238, EN 55239, EN 55240, EN 55241, EN 55242, EN 55243, EN 55244, EN 55245, EN 55246, EN 55247, EN 55248, EN 55249, EN 55250, EN 55251, EN 55252, EN 55253, EN 55254, EN 55255, EN 55256, EN 55257, EN 55258, EN 55259, EN 55260, EN 55261, EN 55262, EN 55263, EN 55264, EN 55265, EN 55266, EN 55267, EN 55268, EN 55269, EN 55270, EN 55271, EN 55272, EN 55273, EN 55274, EN 55275, EN 55276, EN 55277, EN 55278, EN 55279, EN 55280, EN 55281, EN 55282, EN 55283, EN 55284, EN 55285, EN 55286, EN 55287, EN 55288, EN 55289, EN 55290, EN 55291, EN 55292, EN 55293, EN 55294, EN 55295, EN 55296, EN 55297, EN 55298, EN 55299, EN 55300, EN 55301, EN 55302, EN 55303, EN 55304, EN 55305, EN 55306, EN 55307, EN 55308, EN 55309, EN 55310, EN 55311, EN 55312, EN 55313, EN 55314, EN 55315, EN 55316, EN 55317, EN 55318, EN 55319, EN 55320, EN 55321, EN 55322, EN 55323, EN 55324, EN 55325, EN 55326, EN 55327, EN 55328, EN 55329, EN 55330, EN 55331, EN 55332, EN 55333, EN 55334, EN 55335, EN 55336, EN 55337, EN 55338, EN 55339, EN 55340, EN 55341, EN 55342, EN 55343, EN 55344, EN 55345, EN 55346, EN 55347, EN 55348, EN 55349, EN 55350, EN 55351, EN 55352, EN 55353, EN 55354, EN 55355, EN 55356, EN 55357, EN 55358, EN 55359, EN 55360, EN 55361, EN 55362, EN 55363, EN 55364, EN 55365, EN 55366, EN 55367, EN 55368, EN 55369, EN 55370, EN 55371, EN 55372, EN 55373, EN 55374, EN 55375, EN 55376, EN 55377, EN 55378, EN 55379, EN 55380, EN 55381, EN 55382, EN 55383, EN 55384, EN 55385, EN 55386, EN 55387, EN 55388, EN 55389, EN 55390, EN 55391, EN 55392, EN 55393, EN 55394, EN 55395, EN 55396, EN 55397, EN 55398, EN 55399, EN 55400, EN 55401, EN 55402, EN 55403, EN 55404, EN 55405, EN 55406, EN 55407, EN 55408, EN 55409, EN 55410, EN 55411, EN 55412, EN 55413, EN 55414, EN 55415, EN 55416, EN 55417, EN 55418, EN 55419, EN 55420, EN 55421, EN 55422, EN 55423, EN 55424, EN 55425, EN 55426, EN 55427, EN 55428, EN 55429, EN 55430, EN 55431, EN 55432, EN 55433, EN 55434, EN 55435, EN 55436, EN 55437, EN 55438, EN 55439, EN 55440, EN 55441, EN 55442, EN 55443, EN 55444, EN 55445, EN 55446, EN 55447, EN 55448, EN 55449, EN 55450, EN 55451, EN 55452, EN 55453, EN 55454, EN 55455, EN 55456, EN 55457, EN 55458, EN 55459, EN 55460, EN 55461, EN 55462, EN 55463, EN 55464, EN 55465, EN 55466, EN 55467, EN 55468, EN 55469, EN 55470, EN 55471, EN 55472, EN 55473, EN 55474, EN 55475,

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-0475	
	Applicant	Shenzhen Elicitor Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Shenke 3000
	Model(s)	HCN-M0000A, HCN-M0000B, HCN-M0000C, HCN-M0000D, HCN-M0000E, HCN-M0000F, HCN-M0000G, HCN-M0000H
	Trade Mark	Shenke
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 55022, EN 55024, EN 55034, EN 55035	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of satisfactory documentary evidence.		
(Shut relevant Directives have to be observed)		
		
 Manager April 16, 2013		
(Shenzhen) UKAS Compliance Testing Laboratory Ltd 17, Engineer Industrial Park, Xingye Road, Nan-shi, Bao-an District, Shenzhen Guangdong, China Tel: 86(755) 83297153 Fax: 86(755) 83297153 E-mail: ukas@ukas-ct.com.cn Web: www.ukas-ct.com.cn		

CERTIFICATE OF CONFORMITY	 CERTIFICATE <i>of Conformity</i> Reference No.: (CEC/04/000001)	
	Applicant	Shenzhen Mission Technology Development Co., Ltd.
	Address	2/F South West Longgang Road, Longgang New District, Shenzhen, China
	Product	Speakers
	Model(s)	RCM-IP2010, RCM-IP210, RCM-LC210, RCM-IP210S, RCM-IP210R, RCM-IP210L, RCM-AL210, RCM-AL210S, RCM-AL210R, RCM-AL210L, RCM-AL210S, RCM-AL210R, RCM-AL210L, RCM-AL210S, RCM-AL210R, RCM-AL210L
Trade Mark	Belosonic	
The submitted products have been tested by us with the related standards and found in compliance with the following European Directive: The EMC Directive 2004/108/EC (EN 55022, EN 55024, EN 55035, EN 55036) The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies exclusively to the sample investigated in our test reference number 2010. The CE markings are allowed to be affixed on the product after inspection of necessary technical documentation. (This relevant Declaration form is to be attached)		
  April 10, 2010 Shenzhen CEC Conformity Testing Laboratory Ltd. 27, Jingdong Industrial Park, Jingdong Road, Bao'an Dist., Shenzhen, Guangdong, China Tel: 86(0)755 26201020 Fax: 86(0)755 26201022 E-mail: info@cec-csl.com.cn http://www.cec-csl.com.cn		

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity (S/10000) Declaration of Testimony Evidence	
	Reference No.: LCF 0010000278	
	When issued as specified, the certificate carries standing with the requirements of Commission Order of P.T. 2017 amending Decree (S/10000).	
	Applicant	Shenzhen Etektron Technology Development Co., Ltd.
Address	3F Huaili West Longgang Road, Longgang New District, Shenzhen, China	
Trade Mark	Etektron	
Product	Camera	
Model(s)	RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H	
This test report is issued by the Company subject to the General Conditions of Service printed hereon. Intention is drawn to the limitations of liability, identification and professional services defined therein. This certificate cannot be used as legal evidence in any litigation without written permission of the Company.		
Other relevant declaration form to be attached		
		
April 18, 2017		
RoHS		
Shenzhen Etektron Technology Development Co., Ltd. 3F Huaili West Longgang Road, Longgang New District, Shenzhen, Guangdong, China Tel: 0086-755-8100-0000 Fax: 0086-755-8100-0000		

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity ISSUED BY: Notifier of Notified Bodies Reference No.: LU0104103818	
When tested as specified, the submitted sample complies with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU.	
Applicant	Shenzhen Pictorial Technology Development Co., LTD.
Address	3F 3F 34 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark	Pictorial
Product	Monitor D20K
Model(s)	W06-IND0005, W06-IND0006, W06-IND0007, W06-IND0008, W06-IND0009, W06-IND0010, W06-IND0011, W06-IND0012
The test report is issued on the Applicant's behalf in its General Conditions of Service printed on each certificate. Attention is drawn to the limitations of liability, indemnification and confidentiality undertakings referred therein. The results shown in this test report refer only to the sample(s) tested under defined conditions. This Test Report cannot be reproduced, copied or full, without prior written permission of the Notifier.	
Other relevant details have to be obtained.	
RoHS	
 <i>John Lee</i> Manager April 06, 2012	
Shenzhen UL21 Compliance Testing Laboratory Ltd. 28/F, Hing Fong Industrial Park, Tsinghua Road, Nanshan Dist., Shenzon District, Shenzhen, Guangdong, China Tel: +86-(0)755-82591100 www.szhul.com.cn	
Fax: +86-(0)755-82591101 E-mail: shenzhen@szul.com.cn	

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Welcome to contact **Susie** for more details

By Email/wechat, Wechat: Jobs2lovers

By Skype: rcmccvtsales4

By Trademanager: cn1001765398

By Mobile phone/Whatsapp: +86-18126263832 (Susie Zhou)