

H.264 四路视频 四路音频 SD 3G DVR 网络 报警 红外 防雷 G-报警四路视频 GPS 四路视频 DVR 四路视频

型号: RCM-MDR301WDG

主要特点:

1. 4 路视频 SD 四路 DVR 四路视频
2. 3 路报警 报警 报警 G GPS 报警 报警 G-报警 报警 UPS
3. 报警 PTZ 报警 报警 报警
4. 报警报警 报警报警 报警报警 报警
5. 报警 SD 报警 报警报警 报警报警
6. 报警报警 报警报警报警 报警报警报警 报警报警 SD
7. recovery 报警报警 报警报警 报警报警 报警报警
8. 报警报警 报警报警 报警报警报警报警 报警报警 报警报警

接口:





□□□□□□□□□□:

□□□□□□	□□□□□□□□ □□□□	□□□□ □□□□
□□□□	□□□□□□ □□□□	4 □□□□ DVR □□□□□□ (SD □□□□□□□□)
□□□□□	□□□□□□ □□□□	□□□□□□
	□□□□□□□□ □□□□□□	□□□□□□□□ □□□□□□□□□□ / □□□□□□□□□□ □□□□□□□□
	□□□□□□□□ □□□□	□□□□□□□□ □□□□
	□□□□□□□□ □□□□□□□□□□	□□□□□□□□ □□□□ □□□□□□□□□□
□□□□□□	□□□□□□□□ □□□□□□□□	4CH SDI 1.0 :□□□□□□□□ □□□□□□□□vp 75 □□Ω.Both B & □□□□□□□□ W □□□□□□□□ □□□□□□□□
	□□□□□□□□ □□□□□□	1 □□□□□□ PAL / NTSC 1.0 □□□□□□□□vp 75 □□Ω □□□□□□ □□□□□□□□□□□□
	□□□□□□□□ □□□□	1 □□□□ □□□□ 4 □□
	□□□□□□ □□□□□□	PAL: 25frames / □□□□□□□□ NTSC: 30frames / □□□□□□
	□□□□□□ □□□□□□	PAL: 100 □□□□□□□□. NTSC: 120 □□□□□□

Power	Power Consumption	500 mW (max) @ 1.0V
	Power Efficiency	1 (max) @ 1.0V
	Power Regulation	1.0-2.2V
	Power Noise	≤-30dB
	Power Mode	ADPCM
	Temperature	Temperature Range
Temperature Accuracy		2 (max) @ 1.0V
Temperature Resolution		0.1 (max) @ 1.0V
Connectivity	Connectivity Type	RJ45
	Connectivity Speed	10/100/1000 Mbps
	Connectivity Protocol	WCDMA CDMA2000
GPS	GPS Accuracy	5m (max)
	GPS Frequency	1575.42 MHz
Storage	Storage Capacity	32GB (max)
	Storage Type	Flash
Environment	Operating Voltage	DC8-36V 10A
	Operating Temperature	-20 °C ~ + 85 °C
	Operating Humidity	80% (max)
Dimensions	Dimensions (L x W x H)	138 (L) * 112 (W) * 36 (H) mm
	Weight	360G

CMS


The screenshot displays a vehicle monitoring software interface. At the top, a blue banner reads "Vehicle with device for test in AC Coach Lahore to Sadiq Abad near motorway @ 86Km/h". Below this, there is a map of Lahore, Pakistan, with a vehicle icon labeled "ALI01" at "Katar Bund Road, Lahore, Pakistan". A pop-up window shows the following details: "ALI01 Time:2013-11-02 21:59:50 Speed:86.00 km/h(South) Position:Katar Bund Road, Lahore, Pakistan Alarm: Status:ACC ON,SD CardExist,3G Signal Normal Video Intercom Monitor Snapshot More". To the right of the map, there is a video feed showing the interior of the vehicle. At the bottom, there is a status bar with the following information: "Monitor:1 Online:1 Alarm:0 Offline:0 Idling:0". The interface also includes a "Monitoring" tab and a "System Event" section.

Monitoring / Alarm Information / System Event

IOS & Android 系统支持 OS



DVR 系统组成



□□□□ □□ □□□□□□□□:



SD Mobile DVR with 3G GPS



HD Mobile DVR with 3G GPS

□□□□□□ □□□□:

□□□□ □□□□: T / T□ □□ □□ □□□□ □□□□ □□□□□□ □□□□□□

□□□□ □□□□ □□ □□□□ 5 □□□□ □□□□ :□□□□□□ □□□□ □□ □□□□□□□□.

□□□□ 12 :□□□□□□□□

□□□□□□ □□□□□□: DHL □ UPS □ □□□ □□ □□ □□ □□□□□□□□ □□□□□□□□ □□□ □□□□□□□□

□□□□□□□□ □□□□□□□□ □□□□:



Richmor Brand Package



Standard Package

:□□□□□□ □□□□ □□ □□□□□□

□□□□□□□□□□ □□□□□□ □□□□□□ □□□□ □□□□□□ □□□□ □□□□ □□□□□□□□□□ □□□□ □□□□ .1.

2. □□□□□□□□ □□□□□□ □□□□ □□□□ □□□□□□□□ □□ □□□□ DVR □□□□□□.

3. □□□□□□□□ □□□□ □□□□ □□□□

□□□□ □□□□ □□□□□□ □□ □□□□ □□□□□□ □□ □□□□ □□□□ □□□□ □□□□□□ □□□□□□ .4 □□□□□□.

Richmor 公司 2014 年 1-6 月 5 日。

Richmor 公司 2014 年 1-6 月 5 日 / 2014 年 1-6 月 5 日 : Richmor 公司 2014 年 1-6 月 5 日。

Richmor 公司 :



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution