

3 **g Gps** **RCM D360S / IR** **420TVL / 480TVL / 540TVL / 600TVL**

1/3 3.6 mm **RCM D360S / IR** **420TVL / 480TVL / 540TVL / 600TVL** **mm /**

2.8mm **RCM D360S / IR**

RCM D360S / IR

1. **RCM D360S / IR**
2. **RCM D360S / IR**
3. **1/3 Sony CCD**
4. **3.6mm / 2.8mm**
5. **420TVL / 480TVL / 540TVL / 600TVL**







□□□□□□□□□□ □□ □□□□□ □□□□□□:

□□□□□□ □□□□□□:	□□□" 1/3 □□□□ CCD
□□□□□□:	420TVL / 480TVL / 540TVL / 600TVL □□□□□□□□
□□□□□ □□□□□.	50HZ
□□□□□ □□□□□:	1LUX
□□□□:	3.6mm 2.8 /□MM

شدة إضاءة الكاميرا:	1/50 ~ 1 / 10000sec
شدة إضاءة الكاميرا:	15 ثانية
شدة إضاءة:	100
شدة إضاءة:	شدة إضاءة الكاميرا شدة إضاءة الكاميرا شدة إضاءة الكاميرا
شدة إضاءة الكاميرا:	-20 ~ 60
شدة إضاءة الكاميرا:	DC12V
شدة إضاءة الكاميرا:	110mA
شدة إضاءة الكاميرا:	RXH: 93X65mm
شدة إضاءة الكاميرا:	0.6KG
شدة إضاءة الكاميرا:	شدة إضاءة الكاميرا / BNC

ذات صلة كاميرا سيارة



- 3. 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%.
- 4. 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%.
- 5. 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% / 100% 100% / 100%.



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰



lecturer for Execution

