

DVR 4 Channel Real-time AHD Mobile DVR

Product Description

720P AHD SD Card Mobile DVR-MDR 210 Series.

H.264 Compression mode, support 4ch real-time 960p Mega pixels HD input and analog standard Definition camera input;
 8-36V adaptive wide Voltage input, high reliability Aviation connectors, high cost performance with reliable stability.
 Super low consumption Design;
 SD card storage (Dual SD cards, each maximum support 128GB)
 It can be completely resist car vibration, dust and others cause data corruption.

: 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **HIS** H.264 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
AHD 4 / CH HD + 2CH SD 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
720P 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **P / CIF / HD1 / D1** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
36-8 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **V** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
12 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **VDC / 3Amp** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **Max 2TB HDD + 128GB SD** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **DVR** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **ACC** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **UPS** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **15-10** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **24** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.
 ◆ **24** 4 Channel Real-time AHD Mobile DVR-MDR 210 Series.

□ 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 / 雙鏡頭

□ 雙 ◆ **GPS / BD** □ **3G / 4G** 雙鏡頭 雙鏡頭 □ **WIFI** □ 雙鏡頭

□ 雙鏡頭 雙鏡頭 □ 雙鏡頭 雙鏡頭 ◆ **IE** 雙鏡頭 □ 雙鏡頭 **SMS** 雙鏡頭 雙鏡頭
□ 雙鏡頭 雙鏡頭 雙鏡頭

□ 雙鏡頭 雙鏡頭 □ 雙鏡頭 雙鏡頭 ◆ □ **PTZ** □ 雙鏡頭 □ 雙鏡頭

. 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 □ 雙鏡頭

8 ◆ **CH** □ 雙鏡頭 雙鏡頭 □ 雙鏡頭 □ 雙鏡頭 雙鏡頭) 雙鏡頭 雙鏡頭

□ 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 □ (雙鏡頭 雙鏡頭 □ 雙鏡頭

2 ◆ **CH** / 雙鏡頭 □ 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭

. 雙鏡頭 雙鏡頭 雙鏡頭

□ 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 □ 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 ◆

. 雙鏡頭 雙鏡頭

. 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 ◆

□ 雙鏡頭 雙鏡頭 □ 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 ◆

. 雙鏡頭 雙鏡頭

3 雙鏡頭 □ 雙鏡頭 雙鏡頭 雙鏡頭 ◆ **G / 4G** □ 雙鏡頭 □ 雙鏡頭 雙鏡頭 雙鏡頭

. 雙鏡頭 雙鏡頭 □ 雙鏡頭 □ 雙鏡頭

□ 雙鏡頭 雙鏡頭 ◆ **SD** □ **OTA** 雙鏡頭 □ 雙鏡頭 雙鏡頭 雙鏡頭

□ 雙鏡頭 雙鏡頭

3 雙鏡頭 雙鏡頭 □ 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 ◆ **G** □ 雙鏡頭

□ 雙 ◆ **ptz / pos** / 雙鏡頭 雙鏡頭 / **led** □ 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭

雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 雙鏡頭 ◆

□ 雙鏡頭 雙鏡頭 雙鏡頭 ◆

Item		Parameter
OS		Linux
Language		Chinese/English/Customized
Video Compression		H.264
OSD		Overlays information such as date time and vehicle ID
GUI	Graphical User Interface	Setup system parameters with the remote control.
Video Record System	Video Input	4CH 720P AHD input/SD input/mixed video input,aviation connector, 1.0Vp-p, 75Ω
	Video Output	1CH CVBS+1CH VGA output, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen
	Preview	Support 1 channel and 4 channels preview.,Support Manual/Alarm Trigger full screen preview
	Resolution	720P/D1/HD1/CIF, MAX:4 channels 720P
	Video Quality	0-7 levels, 0 is the highest level.
	Video Standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	Record Mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	Audio Input	4CH ,Aviation Plug
	Audio Output	1CH,Aviation Plug
	Compression	G.726 compression, 8KB/s speed
Alarm Input		4Ch Alarm Input, kinds of alarmlinkage support
Alarm Output		1CH Alarm Output
Communication interface		1CH RS232 or 1CHRS485 for optional
Position		Support Built GPS/BD Module, built in G-sensor, can repaly and analyse vehicle driven route.
wireless transmission		Support Built-in 3G/4G wireless transmission function, WCDMA, CDMA2000, TDD-LTE, FDD-LTE....
Motion Detection		Support motion detection alarm. (Can set the video recording duration time after alarm on platform.)
G-Sensor		Support G-sensor
Storage	SD	Dual SD Card,each max 128GB SD Card loop recording
	Upgrade	Support SD Card remote updating

	File Format	.264
	File System	Special FAT32 File System
Video Playback	Video Search	Search By Record Time/Record Type etc
	Playback	Max support 4CH Replay /Stop/Fast/Slow at same time Support forward and backward play at the speed of: x 2,x4,x8,x16.
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Voltage Input	DC:+8V ~ +36V
	Voltage Output	+12V@2.5A, +5V@2.5A
	Power Consumption	Normal Working <14W , Stand-by status < 0.5W
Working Environment	Temperature	-20°C to +70°C
	Humidity	20% to 80%
Security	Password	User/Admin 2 Level Different Password
others	Size	112(W) x36(H) x138(D) mm
	Net Weight	360g

Our Company

Shenzhen **Richmor** Science & Technology Development Co.,Ltd

Shenzhen Richmor Science & Technology Development Co.,Ltd, is a high-tech corporation specialized in developing,producing and selling intelligitized digital CCTV systems.

Our products mainly include 3G/4G mobile DVR, network /analog million pixels High definition SD card/HDD mobile DVRs, 3G/4G portable DVRs for Law enforcement;

And many kinds of cameras;Including CCTV night viewing HD PTZ Camera,analog car cameras,car high definition cameras and other professional car CCTV equipment.



Richmor Brazil, Sao Paulo

EXPOSEC
FEIRA INTERNACIONAL DE SEGURANÇA

10 a 12 maio de 2016
das 13h às 20h
São Paulo Expo - Exhibition & Convention Center



21th TO 24th, March 2016 **Moscow, Russia**

securika
Mips Moscow 2016

IFSEC International
SECURING PEOPLE, PROPERTY & ASSETS
21-23 JUNE 2016 EXCEL LONDON UK

Excel London, UK



Packing & Delivery



Box with Richmor



Neutral Box

Professional Packing

We can offer brand box or as you request.

Offer all standard accessories.

We offer customized service.

12 months warranty.

24 hours service and aftersale service



Container Loading



Ocean Carriage



Air Transportation

Support all vehicles

Omnibearing Viewing and Total Vision Protection



School Bus



Transit Bus



Taxi & Cab



Trucks



Enforcement



Vessel



Our Service

Excellent Support

- *Powerful R&D team
- *Complete product range
- *Customized service(ODM and OEM are welcome)
- *Excellent quality and competitive price
- *Industry experience for Several years



We Are Looking For You !!!

Join Richmor



Customer Satisfaction

- *High efficiency to meet your requirements
- *Professional 24 hours customer service and after-sale service
- *12 months warranty
- *We understand the importance of our customer



We have already served so many drivers and vehicle companies in worldwide!

التعليمات

س: هل مصنع مصنع أو شركة تجارية؟

حل المشاكل ، D أمبير ؛ R & نحن مصنع المصنع ، لدينا مصنع الخاصة بنا ودعم التكنولوجيا / المهارة ، لدينا مهندسين لدعم / تحمل المسؤولية عن المنتج.

SD؟ القرص الصلب وبطاقة MDVR س: هل يدعم

SD الحد الأقصى لبطاقة MDVR SD يدعم إصدار بطاقة SD، HDD و SSD من الأقراص الصلبة محركات أقراص MDDR نعم ، يدعم الإصدار يمكن أن تكون سعة التخزين من 32 جيجابايت إلى 2 تيرابايت.

في السيارة؟ MDVR س: هل من الصعب تثبيت

في الواقع من السهل تثبيته في السيارة. يمكن لمعظم السائقين معرفة كيفية توصيل كبلات الطاقة وتركيب الكاميرا أكثر سهولة. مجرد برغي ، وتوصيل وتركيب على المكان المستهدف داخل السيارة.

س: إذا كنت بحاجة إلى إنذار فتح وإغلاق الباب ، أو إنذار السرعة الزائدة ، أو الفيديو العكسي ، أو الفيديو المكعب ، أو الفيديو في اليسار ، أو الفيديو في اليمين ، إلخ ، فهل هذا متاح؟

و 485 هو لكافة الأغراض الموسعة ، بما في ذلك الوظائف السابقة. في الواقع ، هناك المزيد من RS232 / O 1 قطعاً نعم! إن منفذ التمديد وما إلى ذلك ، PTZ الوظائف المخصصة التي يمكن توصيلها عبر هذا المنفذ ، مثل مستشعر الوقود ، نظام العداد ، كاميرا

أو يمكنك عمل SDK الخاص بك؟ هل لديك MDVR س: لدينا نظامنا وخادمتنا الخاص ، هل يمكننا استخدام منصة مخصصة لنا؟

المخصص الخاص بك! OEM جاهزة ونرحب بأمر SDK نعم ، لدينا

ميكروفون ، كاميرا ، تمديد ، SD مثل الأقراص الصلبة ، وبطاقة ، accessroy مع MDVR س: هل يأتي الكابلات الخ؟

لذلك من accessroy أي MDVR لدينا جميع الملحقات جاهزة. يمكنك أن تطلب منا تقديم العرض الكامل لمجموعة كاملة. عادة لا يتضمن المستحسن إبلاغنا عن الملحق المستهدف الخاص بك. كل ما يمكن القيام به هنا. شرائية وقفة واحدة.

س: هل يمكنني الحصول على عينة لاختبار قبل النظام الرسمي؟

نعم ، يمكنك. يمكننا تقديم عينة مع 1 شهر فترة الاختبار. فإنه سيطلب بعض الودائع ومن المفترض أن يكون التسليم (سواء إرسال أو إعادة إرسال) التكلفة على الجانب الخاص بك. إذا كانت تكلفة تسليم ليست عالية جدا ، نوصي بهذه الطريقة. إذا لم يكن الأمر كذلك ، فنحن لا ننصحك بذلك. لا تنس ضريبة الاستيراد كذلك.

س: كم عدد الكاميرات في مجموعة واحدة؟ هل يمكنني استخدام الملحق الخاص بي؟

ا:

لاستخدام OK فقط. لن يتم اقتباس الملصق حتى تسأل عنه. وهو MDVR الملحق يعتمد عليك. ويستند الاقتباس العادي على في العمل؟ MDVR ملحق خاص بك. وهو متوافق. س: ماذا أفعل إذا فشل

ا:

يمكنك إرسالها إلينا. تذكر أننا نقدم ضمان جودة 12 شهرا تحت الاستخدام العادي. إذا قمت بإرسالها مرة أخرى ، سوف نقوم معيبة. الجودة جيدة إلى حد ما MDVR في التفاصيل وإصلاحه لك. ومع ذلك نادرا ما عاونا MDVR بفحص



Richmor

Welcome to contact **Sylvia** for more details

By Skype: [rcmcctvsales4](#)

By Trade manager: [cn1001765398](#)

By We chat: **Jobslovers**

By What's app: [+86 18126263832](#)

By E-mail: overseasales-4@rcmcctv.com