

# H.264 四路高清 SD 3G DVR 网络 报警 红外 夜视 摄像头 G-报警摄像头 GPS 报警摄像头 DVR 报警摄像头

型号: RCM-MDR301WDG

产品特点:

1. 4 路高清 SD 报警 DVR 报警摄像头
2. 3 路报警摄像头 报警 G GPS 报警 报警 G-报警摄像头 报警摄像头 UPS
3. 报警 PTZ 报警 报警 报警摄像头
4. 报警摄像头 报警摄像头 报警摄像头 报警
5. 报警 SD 报警 报警摄像头 报警摄像头
6. 报警摄像头 报警 报警摄像头 报警摄像头 报警摄像头 SD
7. recovery 报警摄像头 报警摄像头 报警摄像头 报警 报警摄像头
8. 报警摄像头 报警摄像头 报警 报警摄像头 报警摄像头 报警摄像头

报警:





□□□□□□□□□□:

□□□□□□	□□□□□□□□ □□□□	□□□□ □□□□
□□□□	□□□□□□ □□□□	4 □□□□ DVR □□□□□□ (SD □□□□□□□□)
□□□□□	□□□□□□ □□□□	□□□□□□
	□□□□□□□□ □□□□□□	□□□□□□□□ □□□□□□□□□□ / □□□□□□□□□□ □□□□□□□□
	□□□□□□□□ □□□□	□□□□□□□□ □□□□
	□□□□□□□□ □□□□□□□□	□□□□□□□□ □□□□ □□□□□□□□□□
□□□□□□	□□□□□□□□ □□□□□□□□	4CH SDI 1.0 :□□□□□□□□ □□□□□□□□vp 75 □□Ω.Both B & □□□□□□□□ W □□□□□□□□ □□□□□□□□
	□□□□□□□□ □□□□□□	1 □□□□□□ PAL / NTSC 1.0 □□□□□□□□vp 75 □□Ω □□□□□□ □□□□□□□□□□□□
	□□□□□□□□ □□□□	1 □□□□ □□□□ 4 □□
	□□□□□□ □□□□□□	PAL: 25frames / □□□□□□□□ NTSC: 30frames / □□□□□□
	□□□□□□□□ □□□□□□	PAL: 100 □□□□□□□□. NTSC: 120 □□□□□□

Power	Power Consumption	500 mW (max) @ 1.0V
	Power Efficiency	1 (max) @ 1.0V
	Power Regulation	1.0-2.2V
	Power Noise	≤-30dB
	Power Mode	ADPCM
	Temperature	Temperature Range
Temperature Accuracy		2 (max) @ 1.0V
Temperature Resolution		0.1 (max) @ 1.0V
Connectivity	Connectivity Type	RJ45
	Connectivity Speed	10/100/1000 Mbps
	Connectivity Protocol	WCDMA CDMA2000
GPS	GPS	GPS
Storage	Storage Type	Flash
	Storage Capacity	32GB
Environment	Operating Voltage	DC8-36V 10A
	Operating Temperature	-20 °C ~ + 85 °C
	Operating Humidity	80% RH
Dimensions	Dimensions (L x W x H)	138 (L) * 112 (W) * 36 (H) mm
	Weight	360G

**CMS**

The screenshot displays a vehicle monitoring software interface. At the top, a blue banner reads "Vehicle with device for test in AC Coach Lahore to Sadiq Abad near motorway @ 86Km/h". Below this, a map of Lahore, Pakistan, is shown with a vehicle icon and a pop-up window displaying the following information:

- Device: ALI01
- Time: 2013-11-02 21:59:50
- Speed: 86.00 km/h(South)
- Position: Katar Bund Road, Lahore, Pakistan
- Alarm: ACC ON, SD Card Exist, 3G Signal Normal
- Video Intercom Monitor Snapshot More

On the right side of the interface, there is a video feed showing the interior of the vehicle. Below the video feed, there is a play button icon and the text "ALI01 - CH4". At the bottom of the interface, there is a status bar with the following information:


- Monitor: 1
- Online: 1
- Alarm: 0
- Offline: 0
- Idling: 0

Monitoring / Alarm Information / System Event /

IOS & Android 系统支持 OS



车载 DVR 系统



**Richmor 锐驰曼**





Richmor 公司 2013 年 1-6 月 5 日。

Richmor 公司 2013 年 1-6 月 5 日 / 2013 年 1-6 月 5 日 : Richmor 公司 2013 年 1-6 月 5 日。

Richmor 公司 :



**Richmor**

OEM & ODM Service

Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution