

1/3 3.6 mm 鏡頭 鏡頭 鏡頭 鏡頭 鏡頭 鏡頭 鏡頭 鏡頭 鏡頭 鏡頭 mm /

2.8mm 鏡頭 鏡頭 (RCM D360S / IR)

鏡頭 鏡頭 鏡頭 鏡頭

1. 鏡頭 鏡頭 鏡頭 鏡頭 鏡頭
2. 鏡頭 鏡頭 鏡頭 鏡頭 鏡頭 鏡頭
3. 1/3 Sony CCD
4. 3.6mm / 2.8mm 鏡頭 鏡頭
5. 420TVL / 480TVL / 540TVL / 600TVL 鏡頭







□□□□□□□□□□ □□ □□□□□ □□□□□□:

□□□□□□ □□□□□□:	□□□" 1/3 □□□□ CCD
□□□□□□:	420TVL / 480TVL / 540TVL / 600TVL □□□□□□□□
□□□□□ □□□□□.	50HZ
□□□□□ □□□□□:	1LUX
□□□□:	3.6mm 2.8 /□MM

شدة الضوء:	1/50 ~ 1 / 10000sec
حساسية الضوء:	15 lux
السرعة:	100
الدرجة:	
الدرجة:	الدرجة 100 درجة مئوية
الدرجة:	-20 ~ 60
الدرجة:	DC12V
الدرجة:	110mA
الدرجة:	RXH: 93X65mm
الدرجة:	0.6KG
الدرجة:	الدرجة / BNC

ذات صلة كاميرا سيارة



- 3. 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%.
- 4. 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%.
- 5. 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% / 100% 100% / 100%.



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰



lecturer for Execution

