

4ch 网络摄像机

(RCM-MDR210 系列)

特点

4ch 720P 3G 4G 网络摄像机

1. H. 264 编码, 支持 4CH real-time 720P 网络传输;
2. 支持 DVR 录像, 支持本地存储 sd 卡存储, 支持网络存储;
3. 10-36V 宽电压供电, 低功耗;
4. SD 卡 (2SD 卡, 支持最大 128GB) 本地存储;
5. 支持 GPS/BD/G 定位; 支持网络报警;
6. 支持, 支持, 支持

RCM-MDR 210 系列	
型号	功能
RCM-MDR210XXXI	网络, G 定位, 支持 SD 卡
RCM-MDR210XGXX	GPS, G 定位, 支持 SD 卡
RCM-MDR210WGSX	3G/GPS/G 定位 SD 卡
RCM-MDR210FGSX	3G/4G/GPS/G 定位 SD 卡
RCM-MDR210WGDY	3G/WIFI/GPS/G 定位 SD 卡
RCM-MDR210FGDY	3G/4G/WIFI/GPS/G 定位 SD 卡

特点

4ch 720P 3G 4G 网络摄像机



Device back view

4ch 720P 3G 4G □□□□□□



Device front view

4ch 720P 3G 4G

LED Indicators



4ch 720P 3G 4G

Back Panel



RCM-MDR210

		linux
		/
		H. 264
osd		, ID
gui		

□□□□□□	□□□□	4CH 720P □□□/SD □□/□□□□□□, □□□□□, 1.0Vp-p, 75
	□□□□	1CH CVBS+1CH VGA □□, 1.0Vp, 75, □□, □□1CH □ Screen,4CH □□
	□□	□□1□□□4□□□□□□ □□□□/□□□□□□□□
	□□	720 p/D1/HD1/CIF, MAX:4 □□720P
	□□□□	0-7 □, 0 □□□□□□
	□□□□	PAL: 100/□, CCIR625 line,50field; NTSC: 120 □/□, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 □□□□□□□□; HD1: 600Kbps □ 2.5Mbps, 8 □□□□□□□□; D1: 800Kbps □ 3Mbps, 8 □□□□□□□□; 720P: 4 mbps-6 mbps, □□□□□□□□
□□□□	□□□□□ "□□□□□□□□"□ □□□□, □□□□□□□□ □□□□□□□□	
□□	□□□□	4CH□□□□□□
	□□□□	1 ch, □□□□
	□□	G. 726 □□, 8 kb/□□□□
□□□□		4Ch □□□□, □□□□□□□□
□□□□		1CH □□□□
□□□□		1CH RS232 □ 1CH RS485 □□
□□		□□□□□ GPS/BD □□, □□ G □□□, □□□□□□□□□□□□□□
□□□□		□□□□3□/4 g □□□□□□□□, WCDMA, CDMA2000, TDD-lte,..□
□□□□		□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□
G □□□□		□□ G □□□
□□	sd	□ sd □, □□□□ 128GB sd □□□□□
	□□	□□ SD □□□□□
	□□□□	H. 264
	□□□□	□□ FAT32 □□□□
□□□□	□□□□	□□□□□/□□□□□□□□
	□□	□□□□4CH □□/□□/□□/□□□□□□□□ □□□□□□□□□□□□□□: x 2, x4, x8, x16□
□□ & □□	□□□□	□□□. □□□□□/□□□□□
	□□□□	DC:+8V □ + 36 v
	□□	□□□□ 14 w, □□□□ < 0.5W
	□□	-20°C□70°C

□□□□	□□	20% □80%
	□□	□□/□□□2□□□□□□
□□	□□	112 (W) x36 (H) x138 (D) □□
□□	□□	360g

Richmor □□ GUI

The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:



ric□□□□DVR Mileage S□□

- Report
- Quick Report
- Mileage Summary
- Mileage Daily
- Track Detail
- Speed Report
- Online Summary
- ID Alarm Report
- Alarm Report
- Storage Report
- Upgrade Report
- Fuel Report
- Park Report
- Geo Fencing Report
- 3G Flow Report
- Extend Report
- Dispatch Report

Mileage Summary

Begin Time: 2016-01-08 00:00:00 To: 2016-01-08 16:27:09

Device: All Devices

Mileage Summary

Index	Vehicle	Total Mileage(KM)	Begin Time	Start Mileage(KM)	Start Position	End Time	End Mileage(KM)
1	鄂D3114	174.86	2016-01-08 08:00:30	22.95	22.52429, 114.00844	2016-01-08 16:25:41	157.83
2	鄂D3130	202.07	2016-01-08 07:30:17	18.1	22.86429, 112.88282	2016-01-08 16:25:28	171.57
3	24012	277.42	2016-01-08 07:09:55	23.41	23.369582, 116.675227	2016-01-08 14:57:24	300.63
4	鄂A78248	97.4	2016-01-08 06:00:25	236.97	41.572492, 116.788245	2016-01-08 06:42:36	41.09
5	24023	0	2016-01-08 06:00:07	16.26	37.158159, 120.731127	2016-01-08 16:19:07	16.26
6	鄂QF5387	416.36	2016-01-08 06:09:54	96.66	35.481432, 117.643783	2016-01-08 16:28:11	92.83
7	鄂B1712	120.98	2016-01-08 04:48:43	26.51	36.876478, 117.681941	2016-01-08 14:25:07	144.92
8	鄂B2250	45.81	2016-01-08 00:00:03	138.13	22.654294, 112.489583	2016-01-08 16:15:15	115.82
9	鄂B5153	48.64	2016-01-08 06:00:27	82	22.654187, 112.487565	2016-01-08 16:11:28	73.72
10	鄂B3268	111.72	2016-01-08 06:00:15	145.61	22.654221, 112.488545	2016-01-08 16:24:48	93.9
11	鄂B5033	52.02	2016-01-08 06:00:10	83.24	22.654236, 112.487785	2016-01-08 16:15:55	57.82
12	鄂A3683	695.08	2016-01-08 00:00:29	354.36	36.950643, 117.688781	2016-01-08 16:24:44	1089.74
13	24058	224.42	2016-01-08 07:00:58	44.57	37.949788, 116.844073	2016-01-08 16:17:34	60.4
14	28999	2.36	2016-01-08 13:13:09	17.6	28.734423, 121.238947	2016-01-08 13:57:27	19.81
15	00588	369.29	2016-01-08 00:00:54	51.84	33.733305, 115.863821	2016-01-08 16:00:58	420.33

□□□□□□□□

The screenshot shows a vehicle monitoring software interface. At the top, there's a navigation bar with 'Home', 'Map', 'Playback', 'System Set', and 'Log Query'. Below this, there's a 'Dev List' panel on the left showing a list of vehicles under 'Monitor Center(242)'. The main area is a map of China with a red location marker. On the right, there are four video camera feeds. At the bottom, a detailed view of a vehicle is shown with fields for 'Monitor ID', 'Online', 'Alarm', 'Offline', 'Speed', and 'Alarm'. The status bar at the very bottom indicates 'Running: 20:42:08' and 'Online: 3 / Number of set loss: 0 / Average: 0 / Total: 12 / Use rate: 25.00% / Load rate: 60.00%'.

Richmor



☐☐ guides

☐☐

1☐☐, ☐☐☐☐☐☐, ☐ AV ☐☐/IO ☐☐/☐☐☐/☐☐☐

☐☐☐☐☐☐☐☐☐ Richmor ☐☐, ☐☐☐☐☐☐☐☐



Richmor Brand Package



Standard Package

☐☐☐☐

☐☐☐☐

☐☐☐☐☐☐

☐☐☐☐☐☐3-5 ☐☐☐☐☐☐☐☐☐☐☐☐

b. ☐☐☐☐5-10 ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

☐☐:

1.Order 200000000000 done,48 000000;

2.Related 0000000000, 000000;

3.All 0000 DHL/TNT/UPS/EMS/0000/000000000000;

0000

1000;0000;

2.30% 00, 0000000000

0:

0000000000, 0000000000

0000

0000:

00000000000015000000, 0000000000000000

000000:

00000000000000000000, 00000000000000, 000000, 00000000

0:

0000000/0000000000, 000000000000, 0000000000

00

1. 00

2. OEM/ODM □□



CUSTOMER SATISFACTION

- Excellent Aftersale service
- 12 months warranty
- 24 hours customer service
- We understand the importance of our customers



Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



□□□□ & □□:





EXCELLENT SUPPORT



Skype: rcmcctvsales2