

# H.264 4

RCM-MDR8000SDG

1 4 HD SD

2 3G GPS

3

4

5 HD

6 HD SD

7

8






□□	□□□□	□□□□
□□□□	□□□□	4□□□□□□□□HDD□□□
□□	□□□□	Linux□
	□□□□	□□□□□□□□/□□□□
	□□□□	□□□□
	□□□□	□□□□□
□□	□□□□	4□□□□SDI□□□ □□1.0Vp-p□75Ω.BothB□W□□□□ □□
	□□ □□	1□PAL / NTSC□□□□□□□ □□1.0Vp-p□75Ω□□□□□□□□
	□□□□	1□4□□□
	□□□□	PAL□25□/□; NTSC□30□/□
	□□□□	PAL□100□; NTSC□120□
□□	□□□□	□□□□□□□□NBSP; 500Ω
	□□□□	1□□□4□□□□□□□□□□
	□□□□&NBSP;□□	1.0-2.2V
	□□□□□	≤-30□□
	□□□□	□□□□□□□
□□□□	□□□□	ADPCM
□□	□□	4□□□□□□□□□□
	□□□□	2□□□□□
	□□□□	□□
□□ □□	3G	□□□□□WCDMA□□CDMA2000□□□□
<b>GPS</b> □□	□□□□□□□	□□□□GPS□□□□□
□□□□	□□□	□□□□□□□□□□
□□	□□	DC8-36V&NBSP; 5□&NBSP;&NBSP; ≤10W
	□□□□	-20°C□+ 85°C&NBSP; ≤80□
	□□	□□□□□□□

□□	□□□□	220□L□* 193□W□* 53□□mm□□□□
	□□□□	1.2KG□□□□□□



□□□□CMS□□□□□□□□



□□ Windows PC□□□□□□

□□□□□□□□□□□□□□□□







□□□□ □□□□□□5□□□□□□

□□□ 12□□

□□□□ DHL□UPS□FEDEX□EMS□TNT□□

□□□□



Richmor Brand Package

Standard Package

□□□□□

1□□□□□□□□□□□□□□□□□□□□□□

2□□□□□□□

3□□□ □□□□

4□□□□□□□□□□□□□□□□□□□□□□

5□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□



# Richmor

## OEM & ODM Service

### Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution