

PTZ Camera's Specification:

- 1.;
2. IR LED 150;
- 3.;
- 4.;
- 5.;



PTZ Camera's Parameter:

Distance	100m
Model	RCM-IPC216
Sensor	1/3" CCD
Standard	PAL / NTSC
Resolution	650TVL
Resolution (PAL)	976H* 582V
Resolution (NTSC)	976H* 494V
Light Sensitivity	0lux IR-IR-CUT
S/N Ratio	≥ 60dB
Power	W
Size	mm
Frame Rate	1/50 1 / 10000s; NTSC 1/60 1/12 000s
Zoom	4.8-105.6
Zoom	22X
Processor	DSP
Memory	256
Temperature	4-200

分辨率	1600×1200
帧率	25/30
镜头	360°水平/180°垂直
变焦	240°/s; 160°/s
接口	RS485/PELCO D/PELCO P
OSD	支持
功能	AWB/WDR/MASK/DNR
功耗	10W
视场角	400m/2°/60°
电压	DC12V / 4A
重量	1.5kg
工作温度	-20°~+ 50°

PTZ Camera's Pattern:



PTZ Camera's Application:



PTZ Camera's Certification:



Richmor 3G WIFI GPS DVR

PTZ Camera's Shipping Item:

1. / DHL / UPS / TNT
2. 3-7;
3. T / PayPal; 30; 70
4. 1
5. 1
6. 1

Why Choosing Us?

- 1. 30 years of experience
- 2. ISO 9001:2015 certified
- 3. 3000 employees
- 4. 4.100 QC
- 5. CE / RoHS / FCC



Richmor

OEM & ODM Service
Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰



lecturer for Execution

EXCELLENT SUPPORT



What is our expectation:

XXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXX Vicky

XXXXXXXXXX sales-7@rcmctv.com Skype rcmctvsales7