# 4ch SD □ h264 □□□□□□□□□□□□

(RCM-MDR210 □□)

## □□□□

**4ch 720P 3G 4G □□□□□□□□**

1. H. 264 □□□□□, □□ 4CH real-time 720P □□□□□□□□□□□□□□□□□□□□□;

2. □□□□□ DVR □□□□□□□□□□, □□□□□□□□□□□□□□□□□□□□□ sd □□□□□□□□□□□□□□□□□□□ sd □□□□□□□□□□□, □□□□□□□□□□□□□

3. 10-36V □□□□□□□□□□, □□□□□□□□;

4. SD □□□□ (2SD □, □□□□□□□ 128GB) □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□;

5. □□ GPS/BD/G □□□□; □□□□□□□□□□□□□□

6. □□□□□, □□□□□□, □□□□□□□□□□□

| RCM-MDR 210 □□ | |
|---|---|
| □□ | □□ |
| RCM-MDR210XXXI | □□□□□, G □□□, □ SD □□□ |
| RCM-MDR210XGXX | GPS, G □□□, □ SD □□□ |
| RCM-MDR210WGSX | 3G□GPS□G □□□□□□ SD □□□ |
| RCM-MDR210FGSX | 3G□4G□GPS□G □□□□□□ SD □□□ |
| RCM-MDR210WGDX | 3G□WIFI□GPS□G □□□□□□ SD □□□ |
| RCM-MDR210FGDX | 3G□4G□WIFI□GPS□G □□□□□□ SD □□□ |

## □□□□

**4ch 720P 3G 4G □□□□□□□□**

Device back view

**4ch 720P 3G 4G □□□□□□□**

Device front view

**4ch 720P 3G 4G □□□□□□□□**

LED Indicators

**4ch 720P 3G 4G □□□□□□□□**

Back Panel

## RCM-MDR210 □□□

| □□ | | □□ |
|---|---|---|
| □□□□ | | linux |
| □□ | | □□/□□/□□ |
| □□□□ | | H. 264 |
| osd | | □□□□, □□□□□□□□ ID |
| gui | □□□□□□□ | □□□□□□□□□□□□□□□ |

| | | |
|---|---|---|
| □□□□□□ | □□□□ | 4CH 720P □□□/SD □□/□□□□□□, □□□□□, 1.0Vp-p, 75 |
| | □□□□ | 1CH CVBS+1CH VGA □□, 1.0Vp, 75, □□, □□1CH □ Screen,4CH □□ |
| | □□ | □□1□□□4□□□□□ □□□□/□□□□□□□□ |
| | □□ | 720 p/D1/HD1/CIF, MAX:4 □□720P |
| | □□□□ | 0-7 □, 0 □□□□□□ |
| | □□□□ | PAL: 100/□, CCIR625 line,50field; NTSC: 120 □/□, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 □□□□□□□; HD1: 600Kbps □ 2.5Mbps, 8 □□□□□□□; D1: 800Kbps □ 3Mbps, 8 □□□□□□□; 720P: 4 mbps-6 mbps, □□□□□□□□□ |
| | □□□□ | □□□□□ "□□□□□□□" □ □□□□, □□□□□□□ □□□□□□□ |
| □□ | □□□□ | 4CH□□□□□ |
| | □□□□ | 1 ch, □□□□ |
| | □□ | G. 726 □□, 8 kb/□□□ |
| □□□□ | | 4Ch □□□□, □□□□□□□□ |
| □□□□ | | 1CH □□□□ |
| □□□□ | | 1CH RS232 □ 1CH RS485 □□ |
| □□ | | □□□□□ GPS/BD □□, □□ G □□□, □□□□□□□□□□□□□□□ |
| □□□□ | | □□□□3□/4 g □□□□□□, WCDMA, CDMA2000, TDD-lte,..□ |
| □□□□ | | □□□□□□□□□ (□□□□□□□□□□□□□□□□□□□□□□ |
| G □□□□ | | □□ G □□□ |
| □□ | sd | □ sd □, □□□□ 128GB sd □□□□□ |
| | □□ | □□ SD □□□□□ |
| | □□□□ | H. 264 |
| | □□□□ | □□ FAT32 □□□□ |
| □□□□ | □□□□ | □□□□□/□□□□□□ |
| | □□ | □□□□4CH □□/□□/□□/□□□□□ |
| | | □□□□□□□□□□□□: x 2, x4, x8, x16□ |
| □□ & □□ | □□□□ | □□□. □□□□/□□□□ |
| | □□□□ | DC:+8V □ + 36 v |
| | □□ | □□□□ 14 w, □□□□ < 0.5W |
| | □□ | -20℃□70℃ |

| | | |
|---|---|---|
| □□□□ | □□ | 20% □80% |
| | □□ | □□/□□□2□□□□□□ |
| □□ | □□ | 112 (W) x36 (H) x138 (D) □□ |
| □□ | □□ | 360g |

## Richmor □□ GUI

The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:

## □□ □□□□

Mobile monitoring and management platform
Video
Map
Playback
System Set
Log Query
Extend App
Monitor Center(6/12)
Device type
Vehicle Name
Vehicle ID
Company
Their Group
Status
Positioning Time
Location
Speed
Costs
Monitor Center
Online
2015-07-23 11:53:57
0.00 km/h(Northeast)
Normal
Device
Positioning Time
Position
Speed
Alarm
Export
Auto Sort
Monitoring
Alarm Information
System Event

## □□□□□□ 3G 4G □□□□□□□□□□□□□□


Seeing the inside the vehicle
seeing the door and the driver
seeing the back of the vehicle
seeing the front of the vehicle
SCHOOL BUS
the mobile dvr

# The Professional Mobile DVR Solution For Truck

# Professional Mobile DVR Solution for Bus




RICHMOR

Richmor 锐驰曼
武装护卫
威盾

路政执法
Richmor 锐驰曼
上海大众
SANTANA
A·9GL57
01/07/2012

## □□

□□□

## □□ guides

□□

1□□, □□□□□□□, □ AV □□/IO □□/□□□/□□□

Richmor Brand Package

Standard Package

##

□□

Richmor

CPSE2012 in Shenzhen




CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!

CPSE2012-- Guangdong TV Report-Shenzhen Richmor

□□□□ & □□:

**□□□□ □□ □□□□□□□□□□□□□□□:**

**□□□□ ID: □rseasales-5@rcmcctv.com rseasales-5@rcmcctv**
**skype: rcmcctvsales5**
**□□/WHATSAPP: + 86-18126263838**