

3G4 CMS SD AHD DVR GPS

# 出租车监控解决方案

TAXI SOLUTION



## 方案优势

1. 4 SD
2. 3G GPS WIFI UPS
3. 报警
4. 报警
5. SD
6. SD
7. recovery
8. 报警

## 方案特点





□□	□□□□	□□□□
□□	□□□□	4□□□□□□□□□□SD□□□□
□□	□□□□	Linux□
	□□□□	□□□□□□□/□□□□
	□□□□	□□□□
	□□□□	□□□□
□□	□□□□	4□SDI□□□□□□ 1.0VP-P□75Ω.BothB□W□□□ □□
	□□ □□	1□PAL / NTSC□□□ 1.0VP-P□75Ω□□□□□□□□
	□□□□	1□4□□□□□
	□□□□	PAL□25□/□; NTSC□30□/□
	□□□□	PAL□100□; NTSC□120□
□□	□□□□	□□□□□□□□500Ω
	□□□□	1□□□4□□□□□□□□□□
	□□□□□□	1.0-2.2V
	□□□□□□	≤-30dB□
	□□□□	□□□□□□□□
	□□□□	ADPCM
□□	□□□	4□□□□□□□□□□□□
	□□□□	2□□□□□□
	□□□□	□□□□
□□ □□	□□□□□□	□□□□□□RJ45□□□□□□
	□□□□	□□□□□□WIFI□□□□□□
	3G	□□□□□□WCDMA□□CDMA2000□□□□
<b>GPS</b> □□	□□□□□□□□	□□□□GPS□□□□□□
□□□□	□□	□□□□□□□□□□□□
	G-□□□□	□□□□□□G-□□□□□□□□
□□	□□□□	DC8-36V 5□≤10W
	□□□□	-20°C□+ 85°C≤80□
	□□	□□□□□□□□

□□	□□□□	138□□□*112□□□×36□□□mm
	□□□□	360□

□□□CMS□□ □□Windows PC□□□□□

The screenshot displays a software interface for vehicle monitoring. At the top, there are 'File' and 'Video' menu options. The main area is divided into several sections:

- Video Feeds:** A 2x2 grid of live video streams. The top-left shows a street scene with a yellow bus and pedestrians. The top-right shows a silver car. The bottom-left shows a street scene with a person in a high-visibility vest. The bottom-right shows the front view of a white Mitsubishi bus.
- Map:** A map on the right side with a small video inset showing a top-down view of the vehicle's location. It includes navigation controls like zoom in (+), zoom out (-), and a 200m scale bar.
- Timeline and Playback:** A timeline at the bottom of the video feeds shows recording periods: '1X 2015-05-18 08:13:53-08:16:05', '2015-05-18 08:14:10', and '00:17/02:12'. Below the timeline are playback controls (play, stop, previous, next, full screen, etc.) and a volume slider.
- Vehicle Status Graph:** A line graph at the bottom right plots data over a 24-hour period (00:00 to 24:00). The y-axis ranges from 1 to 8. The graph shows a highly volatile red line, likely representing speed or acceleration. A legend on the left lists categories: Vehicle Status (Speed, Acceleration, Sensor, ID, Event), Device Status, and CAN-BUS.

**Vehicle with device for test in AC Coach  
Lahore to Sadiq Abad near motorway @ 86Km/h**

The screenshot shows a software interface for vehicle monitoring. At the top, there are navigation icons for Map, Video, Track, Record, and Other. The main area features a Google Map of Lahore, Pakistan, with a location marker for 'ALI01: Katar Bund Road, Lahore, Pakistan'. A pop-up window displays the following data:

- Time: 2013-11-02 21:59:50
- Speed: 86.00 km/h(South)
- Position: Katar Bund Road, Lahore, Pakistan
- Alarm: ACC ON, SD Card Exist, 3G Signal Normal
- Video Intercom Monitor Snapshot More

Below the map, there is a status bar showing 'Monitor: 1', 'Online: 1', 'Alarm: 0', 'Offline: 0', and 'Idling: 0'. A table at the bottom provides details for the device:

Device	Positioning Time	Position	Speed	Alarm
ALI01	2013-11-02 21:59:50	Katar Bund Road, Lahore, Pakistan	86.00 km/h(South)	

On the right side, there are three video camera feeds showing the interior of the vehicle. At the bottom right, there is a play button icon and the text 'ALI01 - CH4'.

**IOS; Android**

The screenshot shows the IOS mobile application interface. At the top, the status bar displays 'AIS 3G', the time '14:57', and '79%' battery. The app header includes the 'IOS' logo and a 'Search Online' field. The main content area is divided into four camera channels:

- Sida1 - CH1:** Interior view of the vehicle's dashboard and steering wheel.
- Sida1 - CH2:** Front view of the road through the windshield.
- Sida1 - CH3:** Side view of the vehicle's exterior.
- Sida1 - CH4:** Rear view of the vehicle's exterior.


Each channel includes a timestamp from '2014-11-11 14:57:16' to '14:57:17'. At the bottom, there is a navigation bar with icons for Terminal, Map, Video, Track, and Setting.

The screenshot shows the Android mobile application interface. At the top, the status bar displays '9:54AM', '0.51K/s', and '28%' battery. The app header includes the 'AndroidMonitor' logo and a 'Terminal' button. The main content area features a satellite map with a location marker for '80029'. A popup window displays the following data:

- 80029
- Status: Idle
- Video

At the top of the map area, there is a status bar showing '80029', '2014-11-13 08:54:22', and '14 Seconds'. The bottom navigation bar includes icons for Terminal, Map, Video, and Setting.

Richmor DVR







remccty.en.alibaba.com  
brand Packing & Blister Packing



1. 0 00000000000000000000000000
2. 00 00000000000000000000000000
3. 00 000000
4. 0 000000000000000000000000000000
5. 0 00000000000000000000000000





# Richmor

## OEM & ODM Service

### Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution

overseasales-2@rcmcctv.com  
Skype rcmcctvsales2  
QQ 2355778097

**MB / WHATSAPP +86 18929314790**

**http://www.richmor.net/**

**6F**