

RCM-MDR7104



OS		OS
OS Type		Linux
OS Version		Android/Android
OS Resolution		H.264
OSD		On-Screen Display ID
GUI	GUI Type	GUI Type
Video	Video	4CH 960P / 720P AHD
	Video	1 CVBS
	Video	1.0Vp-p
	Video	75Ω
	Video	1CH
	Video	4CH
	Video	1.0Vp-p
	Video	75Ω
Audio	Audio	1.0Vp-p
	Audio	75Ω
	Audio	1CH
	Audio	4CH
	Audio	1.0Vp-p
	Audio	75Ω
	Audio	1CH
	Audio	4CH
Image	Image	720P / D1 / HD1 / CIF
	Image	MAX
	Image	4
	Image	720P
	Image	4
	Image	D1
	Image	1-4
	Image	1
Storage	Storage	PAL
	Storage	100f / s
	Storage	CCIR625
	Storage	50field;
	Storage	NTSC
	Storage	120f / s
	Storage	CCIR525
	Storage	60field;
Network	Network	CIF
	Network	256Kbps
	Network	1.5Mbps
	Network	8
	Network	HD1
	Network	600Kbps
	Network	2.5Mbps
	Network	8
Power	Power	D1
	Power	800Kbps
	Power	3Mbps
	Power	8
	Power	720P
	Power	4Mbps-6Mbps
	Power	
	Power	
Interface	Interface	4CH
	Interface	2CH
	Interface	BNC
	Interface	G.726
	Interface	8KB / s
	Interface	
	Interface	
	Interface	
Security	Security	7CH
	Security	1CH
	Security	AD
	Security	2CH
	Security	2CH
	Security	3CH
	Security	RS232
	Security	POS / LED
Communication	Communication	1CH
	Communication	485
	Communication	PTZ
	Communication	
	Communication	
	Communication	
	Communication	
	Communication	
GPS	GPS	3G
	GPS	WCDMA
	GPS	CDMA2000
	GPS	GPRS
	GPS	EDGE
	GPS	4G
	GPS	TDD-LTE
	GPS	FDD-LTE
Storage	Storage	GPS / BD
	Storage	HDD
	Storage	2.5"
	Storage	1TB
	Storage	SD
	Storage	128GB
	Storage	SD
	Storage	OTA
Video	Video	USB
	Video	SD
	Video	OTA
	Video	H.264
	Video	FAT32
	Video	USB
	Video	USB
	Video	U
Audio	Audio	4CH
	Audio	2
	Audio	4
	Audio	8
	Audio	16
	Audio	
	Audio	
	Audio	
Power	Power	2
	Power	4
	Power	8
	Power	16
	Power	
	Power	
	Power	
	Power	

功能	接口	接口数量
	TTS接口	1个TTS接口
	接口	1个LED接口 1个POS接口 1个OBD接口
供电	接口	1个DC接口/1个AC接口
	接口	DC+ 6V- + 36V
	接口	+ 12V1.5A+ 5V1.5A
	功率	功率<5W
温度	接口	-20℃ - + 70℃
	接口	20-80
尺寸	接口	200mm* 187mm* 62mm
	接口	1.90Kg

接口







AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage





+

+

+

+

+

+

+

+

+

+

视频监听

卫星定位

系统调试

远程报警

设备管理

监听对讲

驾乘管理

数据报表

用户登录

用户名: RCMTEST

密码: *****

服务器: 113.108.120.47

☒ 记住密码 ☐ 自动登录

登录 退出

移动视频监控平台

欢迎登录, RCMTEST 系统

实时预览 电子地图 回放管理 信息管理 系统设置

终端列表 轮询列表 我的地图

监控中心(3/11)

贵州(1/1)

贵C A6446

桂KY7507

桂KY7569

80024

80119

D82868

子NPS001

桂KY7586

桂KY7599

贵B93017

贵C87762

状态	云台	色彩	语音
设备类型	MDVR		
终端名称	贵C A6446		
终端ID	80109		
公司	通运集团金融公司		
所属分组	贵州		
状态	在线		
GPS时间	2016-03-14 09:50:09		
位置	贵州省遵义市习水县G4215(		
速度	74.10 km/h(南)		
费用	正常		

1 贵C A6446 - CH1 - 0 KB/S

2 贵C A6446 - CH2 - 24 KB/S

3 贵C A6446 - CH3 - 0 KB/S

4 贵C A6446 - CH4 - 0 KB/S

GPS监控 报警信息 系统事件 抓拍图片

终端: 贵C A6446 GPS时间: 2016-03-14 09:50:09 位置: 贵州省遵义市习水县G4215(普通高速公路) 速度: 74.10 km/h(南) 报警: 0

终端: 桂KY7507 GPS时间: 2016-03-14 09:50:17 位置: 广西壮族自治区玉林市博白县人民中路38号 速度: 11.00 km/h(北) 报警: 0

终端: 桂KY7569 GPS时间: 2016-03-14 09:50:38 位置: 广西壮族自治区玉林市博白县X403 速度: 27.00 km/h(西北) 报警: 0

终端: 桂KY7599 GPS时间: 2016-03-14 09:49:03 位置: 广西壮族自治区玉林市博白县S216 速度: 0.00 km/h(东) 报警: 0

地址 搜索

马临镇政府

贵C A6446

时间: 2016-03-14 09:50:09 速度: 74.10

公司: 通运集团金融公司 司机: 陈国忠

位置: 贵州省遵义市习水县G4215(普通高

状态: 在线 3G, ACC开启, SD卡(存在), 开

视频 对讲 监听 抓拍 更多

石板田

特匠岩

200米

© 2016 Baidu - Data © MapInfo & CenNav & 道道通

运行时长: 00:01:04 报警: 0 报警: 0 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

mdvrPC

İstemci İndirme



Windows

İndir



Version: 7.4.0.15
Güncelle: 20151123



İndir



Version: 7.0.3
Güncelle: 20150523

Çince
İngilizce
Geleneksel
Türkiye
Taylandlı
Portugues
Arapça
İspanya
Bulgar
Russian

Version: 7.0.0.10
Güncelle: 20150801

Uygun Program İndir



CERTIFICATE QUALITY



3C



CE



FCC



ROHS



VERIFICATION OF CONFORMITY



TCB



TCB



PATENT CERTIFICATE





□□□



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



□ □