

# 4ch 3G GPS

RCM-MDR210

Table 1

## 4CH 720P 3G 4G

1. H.264 4CH 720P AHD;
2. DVR SD SD
3. 10-36V;
4. SD 2SD 128GB;
5. GPS / BD / G-Sensor;
- 6.

RCM-MDR 210	
RCM-MDR210XXI	G-Sensor SD
RCM-MDR210GX	GPS G-Sensor SD
RCM-MDR210WGSX	3G GPS G-Sensor SD
RCM-MDR210FGSX	3G 4G GPS G-Sensor SD
RCM-MDR210WGD	3G WIFI GPS G-Sensor SD
RCM-MDR210FGDX	3G 4G WIFI GPS G-Sensor SD

Table 2

## 4CH 720P 3G 4G



Device back view

4K720P 3G 4G



Device front view

4K720P 3G 4G

### LED Indicators



4K720P 3G 4G

### Back Panel



### RCM-MDR210

OS	Linux
Resolution	1080/720/360
Codec	H.264
OSD	Supports ID
GUI	Supports

□□□□□□	□□□□	4CH 720P AHD□□/ SD□□/□□□□□□□□ □□□□□□1.0Vp-p□75Ω
	□□□□	1CH CVBS + 1CH VGA□□□1.0Vp-p□ 75Ω□□□□□□1CH□□□4CH□□
	□□	□□1□□□□4□□□□□□□□ □□□□/□□□□□□□□
	□□□	720P / D1 / HD1 / CIF□MAX□4□720P
	□□□□	0-7□□□0□□□□□□□□
	□□□□	PAL□100f / s□CCIR625 line□50field; NTSC□120f / s□CCIR525□□60□; CIF□256Kbps□1.5Mbps□8□□□□□□□□; HD1□600Kbps□2.5Mbps□8□□□□□□□□; D1□800Kbps□3Mbps□8□□□□□□□□; 720P□4Mbps-6Mbps□□□□□□□□□□
□□□□	□□□□□□□□□□□□□□ □□□□□□□□□□□□□□ □□□□□□□□	
□□	□□□□	4CH□□□□□□
	□□□□	1CH□□□□□□
	□□	G.726□□□8KB / s□□
□□□□		4Ch□□□□□□□□□□□□□□
□□□□		1CH□□□□□□
□□□□		1CH RS232□1CH RS485□□
□□		□□□□G-sensor□□GPS / BD□□□□ □□□□□□□□□□□□□□
□□□□		□□□□3G / 4G□□□□□□□□ WCDMA□CDMA2000□TDD-LTE□FDD-LTE ....
□□□□		□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□
G-□□□		□□G□□□
□□	SD	□SD□□□□□□128GB SD□□□□□□
	□□	□□SD□□□□□□
	□□□□	H.264
	□□□□	□□□FAT32□□□□□□
□□□□	□□□□	□□□□□□/□□□□□□□□□□
	□□	Max□□□□4CH Replay / Stop / Fast / Slow □□□□□□□□□x 2□x 4□x 8□x 16□
□□&□□	□□□□	□□□□□□□□□□/□□□□□
	□□□□	DC□+ 8V□+ 36V
	□□□□	□□□□<14W□□□□□□< 0.5W
	□□	-20°C□+ 70°C

□□□□	□□	20□□80□
	□□	□□/□□□2□□□□□□□□
□□	□□	112□W□×36□H□×138□D□mm
□□	□□	360□

## Richmor GUI

The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:



## HM MobDVR Mileage Summary

- Report
- Quick Report
- Mileage Summary
- Mileage Daily
- Track Detail
- Speed Report
- Online Summary
- ID Alarm Report
- Alarm Report
- Storage Report
- Upgrade Report
- Fuel Report
- Park Report
- Geo Fencing Report
- 3G Flow Report
- Extend Report
- Dispatch Report

### Mileage Summary

Begin Time: 2016-01-08 00:00:00 To: 2016-01-08 16:27:09

Device: All Devices

#### Mileage Summary


Index	Vehicle	Total Mileage(KM)	Begin Time	Start Mileage(KM)	Start Position	End Time	End Mileage(KM)
1	鄂D3114	174.86	2016-01-08 08:00:30	22.95	22.52429, 114.00844	2016-01-08 16:25:41	157.83
2	鄂D3130	202.07	2016-01-08 07:30:17	18.1	22.86429, 112.88282	2016-01-08 16:25:28	171.57
3	24012	277.42	2016-01-08 07:09:55	23.41	23.369582, 116.675227	2016-01-08 14:57:24	300.63
4	鄂A78248	97.4	2016-01-08 06:00:25	298.97	41.572492, 116.788245	2016-01-08 06:42:36	41.09
5	24023	0	2016-01-08 06:00:07	16.26	37.158159, 120.731127	2016-01-08 16:19:07	16.26
6	鄂QF5387	416.36	2016-01-08 06:09:54	98.88	35.481432, 117.843783	2016-01-08 16:28:11	92.83
7	鄂B81712	120.98	2016-01-08 04:48:43	26.51	36.876478, 117.681941	2016-01-08 14:25:07	144.92
8	鄂B2250	45.81	2016-01-08 00:00:03	138.13	22.654294, 112.489583	2016-01-08 16:15:15	115.82
9	鄂B5153	48.64	2016-01-08 00:00:27	82	22.654187, 112.487565	2016-01-08 16:11:28	73.72
10	鄂B5268	111.72	2016-01-08 00:00:15	145.61	22.654201, 112.488545	2016-01-08 16:24:48	93.9
11	鄂B5033	52.02	2016-01-08 00:00:10	83.24	22.654236, 112.487785	2016-01-08 16:15:55	57.82
12	鄂A3683	895.08	2016-01-08 00:00:29	354.36	36.950643, 117.688781	2016-01-08 16:24:44	1089.74
13	24058	224.42	2016-01-08 07:00:58	44.57	37.949788, 116.844073	2016-01-08 16:17:34	60.4
14	28999	2.36	2016-01-08 13:13:09	17.6	28.734423, 121.238947	2016-01-08 13:57:27	19.81
15	00588	369.29	2016-01-08 00:00:54	51.84	33.733305, 115.863821	2016-01-08 16:00:58	420.33

□□□□□□□□

The screenshot shows a vehicle monitoring system interface. At the top, there's a navigation bar with 'Home', 'Map', 'Playback', 'System Set', and 'Log Query'. Below this is a sidebar with a 'Dev List' and a 'Monitor Center' tree view. The main area features a map of China with a vehicle icon. A large watermark 'rcmccctv.en.alibaba.com' is overlaid on the map. On the right, there are four video playback windows. At the bottom, a detailed view of a vehicle is shown, including its status (Online), position, and speed.

Monitor ID	Online	Alarm	Offline	Speed	GPS	Event	Auto Set
鄂D3114	Online	0	0	1.70 km/h	OK		
鄂D3130	Online	0	0	7.70 km/h	OK		
24012	Online	0	0	82.45 km/h	OK		
鄂A78248	Online	0	0	0.00 km/h	OK		

# Romote 3G 4G



# 功能特点 Features



**实时监控, GPS定位**  
Real-time monitoring,  
GPS positioning



**身份验证, 人数统计**  
Two-factor authentication



**语音功能 Voice features**



**行车记录, 驾驶员行为管理**  
Driving behavior management



**短信提醒**  
Assured SMS alerts



**偏航报警**  
Yaw alarm



## 校车卫士

采用高压压缩比, 图像清晰的H.264编码格式, 支持开机录像、定时录像及报警录像, 支持ACC熄火延时录像。内置GPS全球定位系统, 可通过3G网络远程查看实时视频, 车辆位置, 回放历史录像。支持手机远程监控。 Adopting H.264 Video compression with high resolution,ACC on/off, Timer Recording,ACC Delay Recording Mode supported, Built-in GPS Tracking system,Real time video stream, Vehicle Position,Video Replay can be viewed through 3G Network,Support Mobile Phone remote Monitor.

可连接刷卡器验证身份, 统计数据,避免人工统计时出现失误。提供每个停靠站点实时的上下学生人数, 避免漏接学生, 以及把学生遗留在车内, 造成事故。 Combine with Card Equipment for authenticate information and counting, avoid artificial statistical mistake,offer the students get on/off real time number at each station,avoid the accident caused by missing students or leaving students in the carriage.

可进行语音电话, 网络对讲, 声音广播。实现管理中心和车辆即时通讯。 Support VOIP,3G Intercom,Broadcast realize Center office communicate with Driver in real time.

对司机的不良行为进行监督, 比如经常超速、急加速、急减速、急刹车等容易对车内学生造成危险的行为; 并对其进行评测, 预防安全隐患发生。 Supervise driver's bad behavior, such as:over-speed, acceleration, decelerateurgently, brakes etc dangerous behavior for students,Driver's Performance evidence.

车载智能系统会根据需要向家长发送孩子上下车短信, 包括什么时间、在哪里上车及下车, 让家长及时、快捷的了解学生安全状况, 有利于学生接送时间的精确控制。 Intelligent vehicle system,students get on/off bus information sent to parents by SMS including When and where on/off,convenient for parents to know students status and easily for picking up students.

预先设定校车的固定行驶路线, 当校车未按照预定的行驶路线行驶时, 中心会上自动发出语音报警, 中心可与车载终端通过语音对讲进行通讯。 Geo Fence Alarm, preset driving route, when out off the line it will sound alarm automatically at center office,center can talk with the driver for the information.

Richmor

出租车-锐驰曼精致小巧功能强



车牌号	司机	设备	位置	速度	报警	备注
京A12345	张三	摄像头	北京市朝阳区	45km/h	无报警	正常行驶
京A6789	李四	摄像头	北京市朝阳区	30km/h	超速报警	司机超速
京A9876	王五	摄像头	北京市朝阳区	20km/h	无报警	正常行驶



□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



Travelling Bus



Public Bus



Dangerous chemical car



Tobacco Logistics



Taxi



Truck



School Bus



Express Logistics



Road Police Car



Border Car



Traffic Inspection Car



Civil Work Vehicle



Escort Vehicle



Ambulance



Fixed place monitor



Ship Monitor

### Guides□□

1□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□



Richmor Brand Package



Standard Package

□□□□

□□□□□□

□□□□□□3-5□□□□□□□□

□□□□□□5-10□□□□□□□□□□□□□□□□

□□□

1.□□□□□□2□□□□□□□□48□□□□□□□;

2.□□□□□□□□□□□□□□□□□□□□□□;

3.□□□□□□□□□□□□□□DHL / TNT / UPS / EMS / FedEx / Air□□□□;

□□□□

**1.T / T;□□□□; Paypal□□;**

2.30□□□□□□□□□□□□□□□□

□□□

XXXXXXXXXXXXXXXXXXXXXXXXXX

XXXX

XXXXXX

Our **DVR** products come with **15** years warranty

XXXXXX

Our **DVR** products are designed to be reliable and durable

XX

XXXXXXXXXX/XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XX

**1.** XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

2. OEM / ODM XX

XX



### CUSTOMER SATISFACTION

- Excellent Aftersale service
- 12 months warranty
- 24 hours customer service
- We understand the importance of our customers

XX

# Certification



□□□□&□□□□

# Richmor

## CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



### CPSE2012-- Guangdong TV Report-Shenzhen Richmor



□□□□□□□□





## EXCELLENT SUPPORT



XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

**Mob / Whatsapp +86 18126263832 Skype rcmctvsales4**