

Nejnovější policejní orgán nosí fotoaparát infračervený Vodotěsný portable DVR

**Vestavěný GPS a wifi 3g 4g policie tělo přenosné a mobilní
kamery dvr tělo opotřebované kamerové**

Podrobnosti o balení:	Barevný Box / krabička Box
Podrobnosti o doručení:	3 ~ 5 pracovních dní pro vzorek řád



Hlavní rysy

- (1) 2,4 palcový barevný displej vestavěné;**
- (2) 2100mAh Velká kapacita Li-ion baterie;**
- (3) plné D1 reálném čase Video a Audio záznam;**
- (4) Max. 128GB Micro SD karta podporována;**
- (5) vestavěný GPS modul.**
- 6) 2-way audio, podporuje PTT talkback;**
- 7) 3 G/4 G vzdálený pohled na PC nebo Smartphone;**
- 8) vestavěné Wi-Fi modul.**

Specifikace

Operační systém	Linux	
Správa zabezpečení	Heslo správce	
Video a získat náhled	Vstup videa	Externí kamera, nad 70 stupňů úhel pohledu
	OSD	Čas / datum / ID zařízení / GPS
	Kompresce videa	Kódování H.264 Kompresce
	Dual-Stream	Podporováno
	Rozlišení	D1 / HD1 / CIF lze vybrat
Zvuk	Zvukový vstup	Externí mikrofon
	Kompresce zvuku	G.726 kódování
Záznam	Paměťové médium	Micro SD karta (1G ~ 128G)
	Formát souboru / systém	ASF/FAT32
	Režim záznamu	Automatické nahrávání po spuštění
	Hledání videa	Hledat podle data / času
	Přehrávání	Místní přehrávání; Podpora 2 / 4 / 8 / 16 krát rychle vpřed / vzad
TFT displej	Velikost	2,4 palcový LCD
	Rozlišení	480 * 234
Bezdrátový přenos	Integrovaný 3G modul (4G volitelné)	
Wi-Fi	Vestavěný WIFI modul	
GPS	Vestavěný modul GPS	
Inovace systému	Upgrade z TF karty	
Napájecí zdroj	Kapacita baterie	Li-ion baterie, 2100mAh, 7, 4V
	Doba nabíjení	Méně než 3 hodiny
	Pracovní hodiny	Nad 4 hodiny
Provozní prostředí	Teplota	-20 °C ~ + 50°C
	Vlhkost vzduchu	20 % až 90 %
Rozměry	65(W) x130(H) x30(D) mm	
Tři Proofings	Stupeň: IP54	
Hmotnost	NET: 475 g, (1.05 LB)	

Ukázka produktů







Klientský Software

Mobile monitoring and management platform

Web address: http://192.168.1.101/51

System | Video | Map | Functions | System Set | Log Query | External App

Device List: Monitor Center (5/10)

- 1. 18007586
- 2. 18007582
- 3. 18007585
- 4. 18007582
- 5. 18007586
- 6. 18007582
- 7. 18007585
- 8. 18007582
- 9. 18007586
- 10. 18007582

Map View: Asia (亚洲), Europe (欧洲), Africa (非洲), India (印度), Pacific (太平洋), Oceania (大洋洲). A green pin marks the location of the selected device in China.

Device Details:

Device	Positioning Time	Position	Speed	Alarm	Status
18007582	2015-06-11 10:11:49	福建省漳州市龙文区(民泰西庭公路)	0.00 km/h (Stationary)		Online

Monitoring: 18007582, System: 18007582

Running: 02:00:01 | Online: 6 / Number of set: 10 / Areas: 0 / Total: 12 | Live Rate: 1.00% / Lost Rate: 1.00%

Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(1/12)
- 桂KY7505
- 桂KY7502
- 桂KY7562
- 桂KY7568
- 桂KY7503
- 桂KY7507
- 桂KY7569
- 桂KY7599
- 桂KY7507
- 桂KY7507
- 桂KY7507

System Parameters

Video Parameters

Map Parameters

Alarm Image

Alarm status screen

Fuel sensor settings

☐ Software starts automatically login

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: On GPS, On DOWIL, On CAPTURE Browse

Location: 72 (H/C indicates variable loss)

GPS update time: 5 (Unit: s) 2~100

ID Name: ☐ Enable

☒ Default choose all online equipment

☒ Enable multi-screen mode

☐ Effective multi display

☐ Display the vehicle of the day

Save

Monitor:1 Online:1 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

Device	Positioning Time	Position	Speed	Alarm	Status	Message	Other Info
桂KY7562	2015-05-11 10:14:33	福建省漳州市芫江区G60(厦漳高速公司)	52.00 km/h(Northeast)		Online	ACC ON, SC	SD Card Exist

Export ☐ Auto Sort

Running: 00:55:15 Warning: Alarm Information Online:0 Number of set loss:0 Arrivals:0 Total:12 Line Rate:41.67% / Loc Rate:41.67%

Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(1/12)
- 桂KY7569
- 桂KY7566
- 桂KY7599
- 桂KY7568
- 桂KY7562
- 桂KY7568
- 桂KY7507
- 桂KY7507
- 桂KY7507
- 桂KY7507

System Parameters

Video Parameters

Map Parameters

Alarm Image

Alarm status screen

Fuel sensor settings

☐ Software starts automatically login

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: On GPS, On DOWIL, On CAPTURE Browse

Location: 72 (H/C indicates variable loss)

GPS update time: 5 (Unit: s) 2~100

ID Name: ☐ Enable

☒ Default choose all online equipment

☒ Enable multi-screen mode

☐ Effective multi display

☐ Display the vehicle of the day

Save

Monitor:2 Online:2 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

Device	Positioning Time	Position	Speed	Alarm	Status	Message	Other Info
桂KY7569	2015-07-23 11:53:47	广西壮族自治区玉林市博白县兴隆中路10号	0.00 km/h(West)		On		
桂KY7586	2015-07-23 11:53:57	广西壮族自治区玉林市博白县5216	0.00 km/h(Northeast)		On		

Export ☐ Auto Sort

Running: 00:02:05 Warning: Alarm Information Online:0 Number of set loss:4 Arrivals:0 Total:12 Line Rate:50.00% / Loc Rate:33.33%

Aplikace



Vítejte, obraťte se na RICHMOR pro bližší informace!

Skype:rcmcctvsales5

WhatsApp: + 86-18126263838