

Newest Police Body Worn Camera infrared waterproof portable DVR Packaging & Delivery

Packaging Details:	Color Box/ Carton Box
Delivery Detail:	3~5 work days for sample order



Main Features

- 1) 2.4 inch Color Display Built-in;
- 2) 2100mAh large Capacity Li-ion Battery;
- 3) Full D1 Real-time Video & Audio Recording;
- 4) Max. 128GB Micro-SD Card Supported;
- 5) Built-in GPS Module.
- 6) 2-way audio, supports PTT talkback;
- 7) 3G/ 4G Remote View on PC or Smartphone;
- 8) Built-in Wi-Fi Module.

Specifications

Operating System	Linux	
Security Management	Administrator Password	
Video and Preview	Video Input	External Camera, Above 70 degree View Angle
	OSD	Time/ Date/ Device ID/ GPS
	Video Compression	H.264 Compression Coding
	Dual-Stream	Supported
	Resolution	D1/ HD1/ CIF Selectable
Audio	Audio Input	External Microphone
	Audio Compression	G.726 coding
Recording	Storage Medium	Micro-SD card(1G ~ 128G)
	File Format/ System	ASF/FAT32
	Record Mode	Auto Recording after Startup
	Video Searching	Search by Date/ Time
	Playback	Local Playback; Support 2/ 4/ 8/ 16 Times Fast forward/ Backward
TFT Display	Size	2.4 inch LCD
	Resolution	480*234
Wireless Transmission	3G Module Built-in (4G Optional)	
Wi-Fi	built-in WIFI module	

GPS	built-in GPS Module	
System Upgrading	Upgrading from TF Card	
Power Supply	Battery Capacity	Li-ion Battery, 2100mAh, 7.4V
	Charging Time	Less than 3 hours
	Working Hour	Above 4 hours
Operating Environment	Temperature	-20°C~+50°C
	Humidity	20% to 90%
Dimensions	65(W) x130(H) x30(D) mm	
Three Proofings	Grade: IP54	
Weight	Net: 475 g, (1.05LB)	

Product Showcase





Client Software

Mobile monitoring and management platform

http://www.12345.com/RT/ESI
System
Video
Map
Playback
System Set
Log Query
External App

Dev List

Monitor Center(5/12)

- 桂C7762
- 桂C28762
- 桂C88888
- 桂C28012
- 桂C A6446
- 80319
- 桂C28001
- 桂C77627
- 桂C77629
- 桂C77624
- 桂C88817

Address

Baidu Map

Google Map

MapInfo



2016 农历

Monitor: Online:1 Alarm:0 Offline:0 Idling:0 **ACC OFF** GPS Invalid:0

Device	Positioning Time	Position	Speed	Alarm	Status
桂C87762	2015-08-11 10:11:49	福建省漳州市龙文区(厦门集美区公路)	0.00 km/h(Northwest)		OK

1



2



3



4



Running: 02:00:01 System Error Online: 5 / Number of set: 500 / Alarms: 0 / Total: 12 / Live Ratio: 1.00% / Lost Ratio: 1.00%

Mobile monitoring and management platform

http://www.12345.com/RT/ESI
System
Video
Map
Playback
System Set
Log Query
External App

Dev List

Monitor Center(5/12)

- 桂C7762
- 桂C28762
- 桂C88888
- 桂C28012
- 桂C A6446
- 80319
- 桂C28001
- 桂C77627
- 桂C77629
- 桂C77624
- 桂C88817

System Parameters

- Video Parameters >>
- Map Parameters >>
- Alarm Image >>
- Alarm status screen >>
- Fuel sensor settings >>

Software starts automatically login

Language: English

UI Style: Default

Exit System: Not Close / No Operation Condition

Image Capture: On GPS_ID/ONLINE/COY/CAPTUR Browse

Location: 72 / (N/C indicates variable loss)

GPS update time: 0 / Unit: s/2-100

ID name: Enable

Default choose all online equipment


Enable multi screen mode

Effect on call display


Deploy the vehicle of the city

Save


1




2



3



4



Monitor: Online:1 Alarm:0 Offline:0 Idling:0 **ACC OFF** GPS Invalid:0

Device	Positioning Time	Position	Speed	Alarm	Status	Message	Other Info
桂C87762	2015-08-11 10:11:53	福建省漳州市龙文区(厦门集美区公路)	0.00 km/h(Northwest)		Online	ACC OFF, SC	SD Card Full

Running: 00:01:15 System Error Online: 1 / Number of set: 500 / Alarms: 0 / Total: 12 / Live Ratio: 41.67% / Lost Ratio: 1.00%



Applications



Welcome to contact RICHMOR for more details!

Skype:rcmctvsales5

WhatsApp: +86-18126263838