

4CH dvr mobilních sítí mdvr podpora připojení s ip kamera 1080p s hdd slot 2TB
- RCM-9204Series

Product Description

MAIN FEATURES

H.264 Compression, 8CH Real-time 720P/4ch 1080P High definition camera input.

2CH video output (1CH CVBS video, 1CH VGA output for optional.)

Exclusive pre-allocate File System protect data completeness, prevent SD Card fragment, ensure data stable and complete.

8-36V wide voltage with low power consumption.

Unique UPS Technology ensures the integrality of record when power failure occurs, even can for 8-10s.

HDD+SD Card Storage (Support 2.5" HDD, max 128G SD Card) protect from Shock & Dust damage; support USB port data backup and device update;

Support 2 USB interfaces, data backup and device upgrade.

Support 8CH alarm input (1CH Analog + 7CH IO Alarm input), 2CH independent alarm output.

Support 1 CH CAN port.

Support HDD heating functions, can work in harsh environment.

Support GPS/BD/G-Sensor Extension modules;

Realize real time monitor through 3G/4G;

Support WIFI module, can download data automatically.

Support Broadcast/Intercom/Text sent etc; can add oil sensor/temperature sensor/POS/LED Advertisement Panel;

Supporting the ministry of communications agreement. Support SMS remote configure/ control device;

OTA(On-The-Air) Device automatically upgrade function, can upgrade to updated version, maintenance is more convenient.

Support voice call function.

Support IOS/Android Phone Remote monitor

High level aviation interface, easily installation and better shockproof, more stable;


Item		Parameter
OS		Linux
Language		Chinese/English/Others (can be customized)
Video Compression		H.264 Compression Mode
OSD		Overlays information such as date time and vehicle ID
GUI	Graphical User Interface	Can connect to external LED screen. Setup system parameters with the remote control.
Video Record System	Video Input	4CH 1080p or 8ch 720p input ,aviation connector.
	Video Output	1CH CVBS+ VGA output for optional, 1.0Vp-p, 75 Ω
	Preview	Support 1 channel, 4 channels,9channels preview.,Support Manual/Alarm Trigger full screen preview
	Resolution	1080p/720p/D1/HD1/CIF, MAX:4 channels 1080p or 8 channels 720p
	Video Quality	0-7 levels, 0 is the highest level, 7 is the lowest level.
	Video Standard	CIF: 256Kbps ~ 1.5Mbps, <u>multi levels video quality optional</u> HD1: 600Kbps ~ 2.5Mbps, <u>multi levels video quality optional</u> D1: 800Kbps ~ 3Mbps, <u>multi levels video quality optional</u> 720P:4Mbps-6Mbps, <u>multi levels video quality optional</u> 1080P:4Mbps-8Mbps, <u>multi levels video quality optional</u>
	Record Mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	Audio Input	4CH
	Audio Output	1CH
	Compression	G.711 compression, 8KB/s speed
Alarm Input		7CH IO Alarm Input+1ch AD input; Support alarm linkage function

Voltage & Power Consumption	Power Management	Adaptive wide power input, support Wide Voltage, Over-load、Over-voltage、 Short Circuit、Reverse Protection..Support Time Setting/Delay power off
	Voltage Input	DC:+8V ~ +36V
	Voltage Output	+12V@2.5A, +5V@2.5A
	Power-off Protection	UPS Technology,All video information can be saved automatically when the power is cut off, and make sure that all the files can not be damaged.
	Power Consumption	Normal Working <5W
Working Environment	Temperature	-20℃ to +70℃
	Humidity	20% to 80%
others	Size	187 (D) * 188 (W) * 67 (H) mm
	Net Weight	1.8kg

RMSV6 INTERFACE

Easily Smart GUI Interface, saving time in device setting.





Customer Feedback



David from USA.

This supplier has good softwares ability and can meet my needs. The sample works very good. I am hoping to order more.

Tony from Russia.

The cooperation is satisfied. The products are good. Very strong housing case. My clients like a lot.



Jose from Columbia.

We made correct decision in choosing this supplier. We are now having much better management and control on our vehicles. The ticket cash are more each day.



Detailed Images



Verification of Conformity Reference No. L2018-0000107	
Responsible Party	Shenzhen Weichuan Technology Development Co., LTD.
Location	3F, No. 10 West Longgang Road, Longgang New District, Shenzhen, China
Product	Camera
Model No.	WCM-010204, WCM-010205, WCM-010206, WCM-010207, WCM-010208, WCM-010209, WCM-010210, WCM-010211, WCM-010212, WCM-010213, WCM-010214, WCM-010215, WCM-010216, WCM-010217, WCM-010218, WCM-010219, WCM-010220, WCM-010221, WCM-010222, WCM-010223
Trade Mark	Weichuan
Standard	CCC CEM of Part 15 Subpart B, 2014, Annex 10B-A-0000
Important notes: This document is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of this product is subject to the following two conditions: (1) This device does not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Unauthorized use of the approved FCC Rules and Regulations. The method of testing used in accordance to the radio frequency interference standards specified, and that all necessary steps have been taken to ensure that all evaluation units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
Manager April 10, 2019	
Shenzhen LTC Compliance Testing Laboratory Ltd. 1. Hongkong Industrial Park, Yunghe Road, Sai Kung New Territories, China Tel: (852) 3678 6999 ext 220 Fax: (852) 3678 6999 ext 221 Web: www.ltc.com.hk	

Verification of Conformity Reference No. L131-04-028719	
Responsible Party	Shenzhen Shidehai Technology Development Co., Ltd.
Address	2F No. 10 West Longgang Road, Longgang New District, Shenzhen
Product	Mobile DVR
Model No.	SDM-8000P, SDM-8000S, SCM-8000P, SCM-8000S, SCM-8000T, SCM-8000S, SCM-8000S, SCM-8000S
Trade Mark	Shidehai
Standards	FCC ID# AT-1647-18 Subject to 47CFR, 47CFR 15.109
Important note: This device is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency device. Operation of the product is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference from radio frequency and other operations. Users are cautioned to not duplicate FCC Rules and Regulations. The method of testing used in accordance to this device meets requirement and standards, and that all necessary tests have been performed to ensure that all products of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
 Manager Date: April 10, 2012	
Shenzhen LCR Compliance Testing Laboratory Ltd. 10, Xingye Industrial Park, Longgang Road, Xingye Road, Baoan District, Shenzhen, Guangdong, China Tel: 86-755-8269-1238 Fax: 86-755-8269-1238 E-mail: lcr@lcr.com.cn	

 CERTIFICATE of Conformity Reference No.: CLD-060304002	
Applicant:	Sheraton Business Technology Development Co., LTD.
Addressee:	3F North West Longgang Road, Longgang New District, Shenzhen, China
Product:	Mobide D90
Model(s):	BCM-090303A, BCM-090303B, BCM-090303C, BCM-090303D, BCM-090303E, BCM-090303F, BCM-090303G
Trade Mark:	Redragon
The applicant certifies that their item(s) is/are in full conformity with the technical specification and/or in compliance with the following European Directive(s): The EMC Directive (2004/108/EC) EN 55022; EN 55024; EN 55032 The tests were performed in normal operation mode. This test result applies only to the particular samples tested and to the specific noise carried out. This certificate applies specifically to the sample investigated in our test laboratory under normal use only. This CE marking as shown herein can be affixed on the product after completion of necessary technical documentation. (Other relevant Directives have to be checked)	
 Manager April 10, 2014 	
Sheraton (CLD) Consulting Testing Laboratory Ltd. 3F, Shengzuo Industrial Park, Longgang Road, North West, Baoan District, Shenzhen Guangdong 518104 Tel: +86(0)755-85289111 Fax: +86(0)755-85289112 E-mail: sherauto@redragon.com.cn	

CERTIFICATE of Conformity Reference No.: 1303-000000000	
Applicant	Shenzhen Hengsheng Technology Development Co., Ltd.
Address	2F, No.418 West Longgang Road, Longgang New District, Shenzhen City
Product	Camera
Model(s)	HCW-0010L, HCW-0010S, HCW-0010E, HCW-0010H, HCW-0010F, HCW-0010P, HCW-0010A, HCW-0010B, HCW-0010C, HCW-0010D, HCW-0010I, HCW-0010J, HCW-0010K, HCW-0010L, HCW-0010M, HCW-0010N, HCW-0010O, HCW-0010P
Trade Mark	Shenzhen
The submitted products have been tested by us with the listed standards and found to conform with the following European Directives: EMC Directive (2004/108/EC) EMC Directive (2014/53/EU) The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific batch marked on. The certificate applies specifically to the sample investigated in our test laboratory number 010. The CE marking as shown below will be affixed on the product after preparation of necessary technical documentation. (Other relevant Directives may be also checked)	
Shenzhen CE Compliance Testing Laboratory Ltd. 2/F, Longgang Technology Park, Longgang Road, Bao'an Dist., Shenzhen City, Guangdong, China Tel: +86-755-26011121 Fax: +86-755-26011122 http://www.shenzhen-ce.com Email: info@shenzhen-ce.com April 10, 2015	

CERTIFICATE of Conformity (2017-002) Recognition of Hazardous Substance Reference No.: SZ-17-000000000000	
When tested as requested, the submitted sample complies with the requirements of Commission Decision of 21 July 2005 amending Decision 2002/95/EC.	
Applicant	Shenzhen RoHS Testing Laboratory Development Co., Ltd.
Address	1F No.44 West Longgang Road, Longgang New District, Shenzhen, China
Trade Mark	RoHSmark
Product	Cables
Material	ROHS-SP100, ROHS-SP101, ROHS-LP101, ROHS-SP101, ROHS-SP102, ROHS-SP103, ROHS-SP104, ROHS-SP105, ROHS-SP106, ROHS-SP107, ROHS-SP108, ROHS-SP109, ROHS-SP110, ROHS-SP111, ROHS-SP112, ROHS-SP113, ROHS-SP114, ROHS-SP115, ROHS-SP116, ROHS-SP117, ROHS-SP118, ROHS-SP119, ROHS-SP120, ROHS-SP121, ROHS-SP122, ROHS-SP123, ROHS-SP124, ROHS-SP125, ROHS-SP126, ROHS-SP127, ROHS-SP128, ROHS-SP129, ROHS-SP130, ROHS-SP131, ROHS-SP132, ROHS-SP133, ROHS-SP134, ROHS-SP135, ROHS-SP136, ROHS-SP137, ROHS-SP138, ROHS-SP139, ROHS-SP140, ROHS-SP141, ROHS-SP142, ROHS-SP143, ROHS-SP144, ROHS-SP145, ROHS-SP146, ROHS-SP147, ROHS-SP148, ROHS-SP149, ROHS-SP150, ROHS-SP151, ROHS-SP152, ROHS-SP153, ROHS-SP154, ROHS-SP155, ROHS-SP156, ROHS-SP157, ROHS-SP158, ROHS-SP159, ROHS-SP160, ROHS-SP161, ROHS-SP162, ROHS-SP163, ROHS-SP164, ROHS-SP165, ROHS-SP166, ROHS-SP167, ROHS-SP168, ROHS-SP169, ROHS-SP170, ROHS-SP171, ROHS-SP172, ROHS-SP173, ROHS-SP174, ROHS-SP175, ROHS-SP176, ROHS-SP177, ROHS-SP178, ROHS-SP179, ROHS-SP180, ROHS-SP181, ROHS-SP182, ROHS-SP183, ROHS-SP184, ROHS-SP185, ROHS-SP186, ROHS-SP187, ROHS-SP188, ROHS-SP189, ROHS-SP190, ROHS-SP191, ROHS-SP192, ROHS-SP193, ROHS-SP194, ROHS-SP195, ROHS-SP196, ROHS-SP197, ROHS-SP198, ROHS-SP199, ROHS-SP200, ROHS-SP201, ROHS-SP202, ROHS-SP203, ROHS-SP204, ROHS-SP205, ROHS-SP206, ROHS-SP207, ROHS-SP208, ROHS-SP209, ROHS-SP210, ROHS-SP211, ROHS-SP212, ROHS-SP213, ROHS-SP214, ROHS-SP215, ROHS-SP216, ROHS-SP217, ROHS-SP218, ROHS-SP219, ROHS-SP220, ROHS-SP221, ROHS-SP222, ROHS-SP223, ROHS-SP224, ROHS-SP225, ROHS-SP226, ROHS-SP227, ROHS-SP228, ROHS-SP229, ROHS-SP230, ROHS-SP231, ROHS-SP232, ROHS-SP233, ROHS-SP234, ROHS-SP235, ROHS-SP236, ROHS-SP237, ROHS-SP238, ROHS-SP239, ROHS-SP240, ROHS-SP241, ROHS-SP242, ROHS-SP243, ROHS-SP244, ROHS-SP245, ROHS-SP246, ROHS-SP247, ROHS-SP248, ROHS-SP249, ROHS-SP250, ROHS-SP251, ROHS-SP252, ROHS-SP253, ROHS-SP254, ROHS-SP255, ROHS-SP256, ROHS-SP257, ROHS-SP258, ROHS-SP259, ROHS-SP260, ROHS-SP261, ROHS-SP262, ROHS-SP263, ROHS-SP264, ROHS-SP265, ROHS-SP266, ROHS-SP267, ROHS-SP268, ROHS-SP269, ROHS-SP270, ROHS-SP271, ROHS-SP272, ROHS-SP273, ROHS-SP274, ROHS-SP275, ROHS-SP276, ROHS-SP277, ROHS-SP278, ROHS-SP279, ROHS-SP280, ROHS-SP281, ROHS-SP282, ROHS-SP283, ROHS-SP284, ROHS-SP285, ROHS-SP286, ROHS-SP287, ROHS-SP288, ROHS-SP289, ROHS-SP290, ROHS-SP291, ROHS-SP292, ROHS-SP293, ROHS-SP294, ROHS-SP295, ROHS-SP296, ROHS-SP297, ROHS-SP298, ROHS-SP299, ROHS-SP300, ROHS-SP301, ROHS-SP302, ROHS-SP303, ROHS-SP304, ROHS-SP305, ROHS-SP306, ROHS-SP307, ROHS-SP308, ROHS-SP309, ROHS-SP310, ROHS-SP311, ROHS-SP312, ROHS-SP313, ROHS-SP314, ROHS-SP315, ROHS-SP316, ROHS-SP317, ROHS-SP318, ROHS-SP319, ROHS-SP320, ROHS-SP321, ROHS-SP322, ROHS-SP323, ROHS-SP324, ROHS-SP325, ROHS-SP326, ROHS-SP327, ROHS-SP328, ROHS-SP329, ROHS-SP330, ROHS-SP331, ROHS-SP332, ROHS-SP333, ROHS-SP334, ROHS-SP335, ROHS-SP336, ROHS-SP337, ROHS-SP338, ROHS-SP339, ROHS-SP340, ROHS-SP341, ROHS-SP342, ROHS-SP343, ROHS-SP344, ROHS-SP345, ROHS-SP346, ROHS-SP347, ROHS-SP348, ROHS-SP349, ROHS-SP350, ROHS-SP351, ROHS-SP352, ROHS-SP353, ROHS-SP354, ROHS-SP355, ROHS-SP356, ROHS-SP357, ROHS-SP358, ROHS-SP359, ROHS-SP360, ROHS-SP361, ROHS-SP362, ROHS-SP363, ROHS-SP364, ROHS-SP365, ROHS-SP366, ROHS-SP367, ROHS-SP368, ROHS-SP369, ROHS-SP370, ROHS-SP371, ROHS-SP372, ROHS-SP373, ROHS-SP374, ROHS-SP375, ROHS-SP376, ROHS-SP377, ROHS-SP378, ROHS-SP379, ROHS-SP380, ROHS-SP381, ROHS-SP382, ROHS-SP383, ROHS-SP384, ROHS-SP385, ROHS-SP386, ROHS-SP387, ROHS-SP388, ROHS-SP389, ROHS-SP390, ROHS-SP391, ROHS-SP392, ROHS-SP393, ROHS-SP394, ROHS-SP395, ROHS-SP396, ROHS-SP397, ROHS-SP398, ROHS-SP399, ROHS-SP400, ROHS-SP401, ROHS-SP402, ROHS-SP403, ROHS-SP404, ROHS-SP405, ROHS-SP406, ROHS-SP407, ROHS-SP408, ROHS-SP409, ROHS-SP410, ROHS-SP411, ROHS-SP412, ROHS-SP413, ROHS-SP414, ROHS-SP415, ROHS-SP416, ROHS-SP417, ROHS-SP418, ROHS-SP419, ROHS-SP420, ROHS-SP421, ROHS-SP422, ROHS-SP423, ROHS-SP424, ROHS-SP425, ROHS-SP426, ROHS-SP427, ROHS-SP428, ROHS-SP429, ROHS-SP430, ROHS-SP431, ROHS-SP432, ROHS-SP433, ROHS-SP434, ROHS-SP435, ROHS-SP436, ROHS-SP437, ROHS-SP438, ROHS-SP439, ROHS-SP440, ROHS-SP441, ROHS-SP442, ROHS-SP443, ROHS-SP444, ROHS-SP445, ROHS-SP446, ROHS-SP447, ROHS-SP448, ROHS-SP449, ROHS-SP450, ROHS-SP451, ROHS-SP452, ROHS-SP453, ROHS-SP454, ROHS-SP455, ROHS-SP456, ROHS-SP457, ROHS-SP458, ROHS-SP459, ROHS-SP460, ROHS-SP461, ROHS-SP462, ROHS-SP463, ROHS-SP464, ROHS-SP465, ROHS-SP466, ROHS-SP467, ROHS-SP468, ROHS-SP469, ROHS-SP470, ROHS-SP471, ROHS-SP472, ROHS-SP473, ROHS-SP474, ROHS-SP475, ROHS-SP476, ROHS-SP477, ROHS-SP478, ROHS-SP479, ROHS-SP480, ROHS-SP481, ROHS-SP482, ROHS-SP483, ROHS-SP484, ROHS-SP485, ROHS-SP486, ROHS-SP487, ROHS-SP488, ROHS-SP489, ROHS-SP490, ROHS-SP491, ROHS-SP492, ROHS-SP493, ROHS-SP494, ROHS-SP495, ROHS-SP496, ROHS-SP497, ROHS-SP498, ROHS-SP499, ROHS-SP500, ROHS-SP501, ROHS-SP502, ROHS-SP503, ROHS-SP504, ROHS-SP505, ROHS-SP506, ROHS-SP507, ROHS-SP508, ROHS-SP509, ROHS-SP510, ROHS-SP511, ROHS-SP512, ROHS-SP513, ROHS-SP514, ROHS-SP515, ROHS-SP516, ROHS-SP517, ROHS-SP518, ROHS-SP519, ROHS-SP520, ROHS-SP521, ROHS-SP522, ROHS-SP523, ROHS-SP524, ROHS-SP525, ROHS-SP526, ROHS-SP527, ROHS-SP528, ROHS-SP529, ROHS-SP530, ROHS-SP531, ROHS-SP532, ROHS-SP533, ROHS-SP534, ROHS-SP535, ROHS-SP536, ROHS-SP537, ROHS-SP538, ROHS-SP539, ROHS-SP540, ROHS-SP541, ROHS-SP542, ROHS-SP543, ROHS-SP544, ROHS-SP545, ROHS-SP546, ROHS-SP547, ROHS-SP548, ROHS-SP549, ROHS-SP550, ROHS-SP551, ROHS-SP552, ROHS-SP553, ROHS-SP554, ROHS-SP555, ROHS-SP556, ROHS-SP557, ROHS-SP558, ROHS-SP559, ROHS-SP560, ROHS-SP

 CERTIFICATE of Conformity BY OBSERVATION of Operational Satisfaction	
Reference No.: LCB-004-0028-15	
After having so specified, the subscriber hereby complies with the requirements of Commission Decision of 27 July 2017 amending Decision 2017/660/EU.	
Applicant:	Shenzhen National Technology Development Co., Ltd.
Address:	#F 4th floor Longgong Road, Longgong Base District, Shenzhen, China
Trade Mark:	Redragon
Product:	Mechanic Stick
Version:	PC/M-MOUSE, PC/M-MOUSE, PC/M-MOUSE, PC/M-MOUSE, PC/M-MOUSE, PC/M-MOUSE, PC/M-MOUSE

The said model is issued by the Company subject to its Standard Conditions of Service printed elsewhere. Attention is drawn to the limitations of analysis, interpretation and conclusions drawn elsewhere. The results shown in this test report apply only to the submitted sample unless otherwise stated. This Test Report cannot be reproduced, altered in full, without prior written permission of the Company.

Other relevant documents have to be attached.

 Manager
 April 18 2017

Shenzhen LCB Compliance Testing Laboratory Ltd
 #F 4th floor Industrial Park, Longgong Road, Longgong Base District, Shenzhen, Guangdong, China
 Tel: 0086-755-67691108 Fax: 0086-755-67691102
<http://www.lcb.com.cn/en/> Email: appliance@lcb.com.cn

FAQ

Q:Are you factory manufacturer or trade company?

We are factory manufacturer,we have our own factory and technology/skill support,we have engineers to support/take charge of R&D ,resolve problems product.

Q: Does the MDVR support Hard drive and SD card?

Yes, HDD version MDVR supports SSD, HDD, and SD card. SD card version MDVR supports max 2 SD card.The storage capacity can be from 32GB to 2TB.

Q: Is it difficult to install MDVR into the vehicle?

Actually it is easy to install it into vehicle. Most driver can figure out how to connect the power cables.And the camera installation is more easy. Just screw, connect and mount on the target place inside the vehicle.

Q: If I need door open and close alarm, overspeed alarm, reverse video, brake video, left-turn video, right-turn video, etc,is it available?

Definitely yes!The I/O RS232 and 485 extension port is for all expanded purposes, including the functions above.In fact, there are more customized functions which can be connect through this port, such as Fuel sensor, Counter system,PTZ camera, and so on.

Q: We have our own platform and server, can we use your MDVR? Do you have SDK or can you do customized platform for us?

Yes, we have SDK ready and welcome your OEM customized order!

Q: We have our own platform and server, can we use your MDVR? Do you have SDK or can you do customized platform for us?

Yes, we have SDK ready and welcome your OEM customized order!

Q: Does the MDVR come with accessory, such as HDD, SD card, Microphone, Camera, Extension cable etc?

We have all accessories ready. You can ask us to make the complete quote for one whole set. Normally the MDVR doesn't include any accessory. Therefore it is advisable to inform us about your target accessory. All are can done right here. One-stop-serve purchasing.

Q: Can I get a sample to test before formal order?

Yes, you can. We can provide sample with 1 month test period. It will demand some deposit and the delivery (both send and resend) cost is supposed to be on your own side. If the deliver cost is not so high, we recommend this way. If not, then we do not recommend you do this. Do not forget the import tax as well.


Q: How many camera in one set? Can I use my own accessory?

A: The accessory depends on you. The normal quotation is based on MDVR only. The accessory would not be quoted until you ask for them. And it is OK to use your own accessory. It is compatible.

Q: What can I do if the MDVR fails to work?

A: You can send it back to us. Remember that we provide 12 months quality warranty under normal use. If you send it back, we will inspect the MDVR in details and repair it for you. However we seldom have returned defective MDVR. The quality is rather good!

Easily Smart WIN8 Interface, saving time in device setting.



Pls, neváhejte a obraťte se na Chodování přímo pro vaše vozidlo projekty
~ ~

MB/Whatsapp: + 86 18929314790