

SD karta / HDD mdvr D1 / 720P / 1080P 4/5 / 8CH vozidlo mobilní DVR s GPS 3G / 4G / WIFI volitelnou, fotoaparát vozu a monitor

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

Specifikace výrobku:

Položka		parametr
Operační systém		Linux
Jazyk		Anglický / čínský / přizpůsobené
Komprese videa		H.264 komprese
OSD		překryvy informace, jako je datum a čas ID vozidla
GUI	Grafické uživatelské prostředí	Parametry nastavení systému s dálkovým ovládáním
Video systém Record	video vstup	4CH 960P / 720P AHD vstup, letectví konektor, 1.0Vp-p, 75Ω
	video výstup	1 CVBS, 1.0Vp-p, 75Ω, letectví, podpora 1CH Full Screen, pohled 4CH Screen
	náhled	Podpora jeden kanál a 4 kanály náhled., Podpora Manual / Alarm Trigger náhled na celou obrazovku
	rozlišení	720P / D1 / HD1 / CIF, MAX: 4 kanály 720P a 4 kanály D1
	kvalita obrazu	1-4 úrovně, jeden je na nejvyšší úrovni.
	standard videa	PAL: 100F / s, CCIR625 linka, 50field; NTSC: 120f / s, CCIR525 linka, 60field; CIF: 256 kbps ~ 1.5Mbps, 8 úrovně kvality videa volitelný; HD1: 600Kbps ~ 2.5Mbps, 8 úrovně kvality videa volitelný; D1: 800Kbps ~ 3 MB, 8 úrovně kvality videa volitelný; 720P: 4Mbps-6 Mbps, multi level kvalita videa volitelný
	režim záznamu	Výchozí nastavení je automatické nahrávání po zapnutí. Časovaná nahrávání, alarm spouštění nahrávání a manuální nahrávání jsou podporovány.

Audio	audio vstup	4CH Aviation Plug Vstupní
	audio výstup	2CH, sluchátka připojit na čelním panelu, BNC Připojení na zadním panelu
	komprese	G.726 kompresí, 8kB / s rychlost
alarm Input		7CH Alarm vstup, 1CH AD vstup, impulsní vstup rychlost, Alarm Vazba
Výstup poplachu		2CH Výstup poplachu, senzor alarm Support Light / Sound, olej / Power odříznout
Rozhraní		3CH RS232, POS / palivo snímače / LED Reklama Connection 1CH 485, Připojit PTZ kamery
bezdrátový přenos		Podpora postaven v převodovka 3G , WCDMA, CDMA2000, GPRS, EDGE; Postavený v roce 4G modulem volitelný, TDD-LTE, FDD-LTE
GPS pozice		Podpora Vestavěný GPS / BD Module
Úložný prostor	HDD	Max 2,5 "1TB HDD
	SD karta	Max 128 GB SD karta Mirror Recording Keep Safety Data
	aktualizovat	Podpora USB Aktualizace, SD Card Aktualizace, OTA Remote Aktualizace
	formát souboru	H.264
	souborový systém	Speciální systém souborů FAT32
	USB	USB rozhraní na předním panelu pro zálohování dat pomocí U disk, pevný disk
Record Replay	video search	Vyhledávání podle Record Time / Record Type etc
	přehrávání	Maximální podpora 4CH Replay / Stop / Fast / Slow ve stejnou dobu Podpora dopředu a dozadu hrát rychlostí: X2, x4, x8, x16.
Bezpečnostní		Uživatel / Administrátor 2 Úroveň jiné heslo
volitelné funkce	hlasový hovor	Podpora hlasové volání mezi sebou
	Hlas TTS vysílání	Podpora Hlas TTS vysílání funkci.
	serial expandovat	Podpora LED Reklama Panel, olejový senzor, POS, Autobusové nádraží stanice, Car OBD, ect.external zařízení
Napětí & Moc	Řízení spotřeby	Široká Voltage.Support Časovaná / Delay off
	Vstupní napětí	DC: + 6V - + 36V
	výstupní napětí	+ 12V ~ 1,5A, + 5V ~ 1.5A
	Moc	Working & It; 5W
Pracovní prostředí	Teplota	-20 °C - + 70 °C
	Vlhkost	20% - 80%
jiní	Velikost	200 (D) * 187 (W) * 62 (H) mm
	Hmotnost	1,90 kg

Product Show:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna



CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Klient User Interface Graph

The interface is divided into two main sections. The top section is a login and main menu area, and the bottom section is the main monitoring dashboard.

Top Section: Login and Main Menu

- Login Panel (Right):**
 - 用户名: RCMTEST
 - 密码: [masked]
 - 服务器: 113.108.120.47
 - ☒ 记住密码 ☐ 自动登录
 - Buttons: 登录, 退出
- Main Menu (Center):**
 - 视频监听 (Video Monitoring)
 - 卫星定位 (Satellite Positioning)
 - 系统调试 (System Debugging)
 - 远程报警 (Remote Alarm)
 - 设备管理 (Device Management)
 - 监听对讲 (Listening Intercom)
 - 驾乘管理 (Driver/Passenger Management)
 - 数据报表 (Data Reports)

Bottom Section: 移动视频监控平台 (Mobile Video Monitoring Platform)

Left Panel: Device List

- 监控中心(3/11)
- 贵州(1/1)
- 贵C A6446
 - CH1
 - CH2
 - CH3
 - CH4
- 桂KY7507
- 桂KY7569
- 80024
- 80119
- D82868
- 子NPS001
- 桂KY7586
- 桂KY7599
- 贵B93017
- 贵C87762

Right Panel: Map

Map showing the location of 贵C A6446. Address: 贵州省遵义市习水县G4215(蓉遵高速公路). Speed: 74.10 km/h. Status: 在线. 3G, ACC开启, SD卡(存在).

Center Panel: Video Feeds

Four video feeds showing the interior of the vehicle (CH1, CH2, CH3, CH4). CH1 shows the driver, CH2 shows the front passenger, CH3 shows the rear passenger, and CH4 shows the rear view.

Bottom Panel: Data Table

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(蓉遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

Status Bar (Bottom): 运行时长: 00:01:04 | 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 | 在线率: 27.27% / 定损率: 9.09%

naše podpora mdvr sledování mobilního klienta jako PC, mobilní telefon atd,

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliication

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

osvědčení

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LC0100000010

Responsible Party	Shenzhen Richcore Technology Development Co., LTD.
Address	3/F No. 101 West Langshan Road, Longhua New District, Shenzhen, China
Product	Cables
Model No.	RCH-PD70V, RCH-PD70V, RCH-LP70V, RCH-LP70V, RCH-LP70V, RCH-IMP40V, RCH-IMP40V, RCH-SM40, RCH-SM40, RCH-SM40, RCH-SM40, RCH-SM40, RCH-SM40, RCH-SM40, RCH-SM40, RCH-SM40, RCH-SM40, RCH-SM40, RCH-SM40
Trade Mark	Richcore
Standards	CCC-CNR at P047 in Rule Book B, SMP, AEM, CMAA-2008

Important note:

This device is in compliance with part II of the FCC Rules and Regulations for safety hazardous devices. Declaration of EMF analysis is based on the following two scenarios:

(1) This device may cause harmful interference; and (2) this device shall accept all electromagnetic interference, including man-made that is a major industrial application. The manufacturer will conform to the applicable FCC Rules and Regulations. The method of testing used is accordance to the most accurate measurement available to practice, and that all necessary steps have been followed to ensure that an evaluation copy of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager

April 10, 2012

Shenzhen LCT Compliance Testing Laboratory Ltd.
#1, Anping Industrial Park, Pingtan Town, Baoan Dist., Shenzhen
Guangdong, China
Tel: +86(0) 755 26591 930
http://www.lct.com.cn Email: admin@lct.com.cn

VERIFICATION OF CONFORMITY		
	Verification of Conformity Reference No.: LCC0300020719	
	Responsible Party	Shenzhen Wuxinor Technology Development Co., LTD.
	Address	37 No.4 West 1 Longgang Road, Longgang New District, Shenzhen, China
	Product	Mobile USB
	Model No.	WXC-B000000, WXC-B000001, WXC-B000002, WXC-B000003, WXC-B000004, WXC-B000005, WXC-B000006, WXC-B000007, WXC-B000008, WXC-B000009, WXC-B000010
	Trade Mark	Shenzhen
	Standards	FCC, CE, EN 61010 EN 61010-1:2014, EN 61010-2-2014
	Inspection notes: This device is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following test conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This device is conform to the applicable FCC Rules and Regulations. The marked labeling was made in accordance to the most accurate measurement available possible, and 75% of necessary steps have been estimated to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
	 Manager April 10, 2017	
Shanghai LCC Compliance Testing Laboratory Ltd. 300 Longgang Industrial Park, Longgang Road, Baoan District, Shenzhen, Guangdong, China Tel: 86-755-8324-1233 Http://www.LCC-03.com		
Fax: 86-755-8325-0151 Email: wuxinor@lcc-03.com		

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-0475	
	Applicant	Shenzhen Elicitor Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Shenke 3000
	Model(s)	HCN-M0000A, HCN-M0000B, HCN-M0000C, HCN-M0000D, HCN-M0000E, HCN-M0000F, HCN-M0000G, HCN-M0000H
	Trade Mark	Shenke
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 55022, EN 55024, EN 55024-2	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of satisfactory documentary evidence.		
(Other relevant Directives have to be attached)		
		
		
Issued on: 12/04/2011 Manager: [Signature]		
(Shenzhen UKAS Compliance Testing Laboratory Ltd) 1/F, Jingnan Industrial Park, Xingye Road, Nan-shi, Bao'an Dist., Shenzhen (Guangdong), China Tel: 86-755-83271153 Fax: 86-755-83271153 E-mail: ukas@ukas-csl.com.cn Web: www.ukas-csl.com.cn		

[illegible][illegible]

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity ISSUED BY: Notifier of Notified Bodies Reference No.: LU0104103818	
When tested as specified, the submitted sample complies with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU.	
Applicant	Shenzhen Pictorial Technology Development Co., LTD.
Address	3F 3F 34 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark	Pictorial
Product	Monitor D10K
Model(s)	NCM-IND0001, NCM-IND0002, NCM-IND0003, NCM-IND0004, NCM-IND0005, NCM-IND0006, NCM-IND0007, NCM-IND0008, NCM-IND0009, NCM-IND0010
The test report is issued on the Applicant's behalf in its General Conditions of Service printed on sheet. Attention is drawn to the limitations of liability, indemnification and confidentiality notice enclosed therein. The results shown in this test report refer only to the sample(s) tested under defined conditions. This Test Report cannot be reproduced, copied or full, without your written permission of the Notifier.	
Other relevant documents have to be obtained.	
RoHS	
 <i>John Lee</i> Manager April 06, 2012	
Shenzhen UL10 Compliance Testing Laboratory Ltd. 28/F, Hing Fong Industrial Park, Tsinghua Road, Nanshan District, Shenzhen, Guangdong, China Tel: +86-(0)755-82591100 www.szhul.com.cn	
Fax: +86-(0)755-82591101 Email: shenzhen@szul.com.cn	

společnost a továrna



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Výstava:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Jiné druhy výrobků

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr



If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/message/18929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmccctv.com

Skype: rcmccctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

