

4-Wege-Mobil-DVR, VGA-Video-Ausgang, 1080P HD-Eingang, 2017 Verkauf, RCM-MDR7204-Serie

校车监控解决方案 SCHOOL BUS SOLUTION



功能特点 Features



实时监控, GPS定位
Real-time monitoring,
GPS positioning

身份验证, 人数统计
Two-factor authentication



语音功能 Voice features



行车记录, 驾驶行为管理
Driving behavior management



短信提醒
Assured SMS alerts



偏航报警
Yaw alarm

采用高压缩比, 图像清晰的H.264编码格式, 支持开机录像、定时录像及报警录像, 支持ACC熄火延时录像。内置GPS全球定位系统, 可通过3G网络远程查看实时视频, 车辆位置, 回放历史录像。支持手机远程监控。Adopting H.264 Video compression with high resolution, ACC on/off, Timer Recording, ACC Delay Recording Mode supported, Built-in GPS Tracking system, Real time video stream, Vehicle Position, Video Replay can be viewed through 3G Network, Support Mobile Phone remote Monitor.

可连接刷卡器验证身份, 统计数据, 避免人工统计时出现失误。提供每个停靠站点实时的上下学生人数, 避免漏接学生, 以及把学生遗留在车内, 造成事故。Combine with Card Equipment for authenticate information and counting, avoid artificial statistical mistake, offer the students get on/off real time number at each station, avoid the accident caused by missing students or leaving students in the carriage.

可进行语音电话, 网络对讲, 声音广播。实现管理中心和车辆即时通讯。Support VOIP, 3G Intercom, Broadcast realize Center office communicate with Driver in real time.

对司机的不良行为进行监管, 比如经常超速、急加速、急减速、急刹车等容易对车内学生造成危险的行为; 并对其进行评测, 预防安全隐患发生。Supervise driver's bad behavior, such as: over-speed, acceleration, decelerate urgently, brakes etc dangerous behavior for students, Driver's Performance evidence.

车载智能系统会根据需要向家长发送孩子上下车短信, 包括什么时间、在哪里上车及下车, 让家长及时、快捷的了解学生安全状况, 有利学生接送时间的精确控制。Intelligent vehicle system, students get on/off bus information sent to parents by SMS including When and where on/off, convenient for parents to know students status and easily for picking up students.

预先设定校车的固定行驶路线, 当校车未按照预定的驾驶路线行驶时, 中心上会自动发出语音报警, 中心可与车载终端通过语音对讲进行通讯。Geo Fence Alarm, preset driving route, when out of the line it will sound alarm automatically at center office, center can talk with the driver for the information.

Produktspezifikationen:

Projekt		Parameter
Betriebssystem		Linux
Sprache		Englisch / Chinesisch / Sitte
Video-Kompression		H.264-Komprimierung
OSD		Überlagerung von Datum und Uhrzeit und Fahrzeug-ID und anderen Informationen
GUI	GUI	Stellen Sie die Systemparameter mit der Fernbedienung ein
Videoaufzeichnungssystem	Video Eingang	4CH 960P / 720P AHD Eingang, Luftfahrt Steckverbinder, 1.0Vp-p, 75Ω
	Video-Ausgang	1 CVBS, 1.0Vp-p, 75Ω, Luftfahrt, Unterstützung 1CH Vollbild, 4CH-Bildschirm zu sehen
	Vorschau	Unterstützt Vorschau von 1 Kanal und 4 Kanälen. Unterstützungshandbuch / Alarm löst die Vollbildvorschau aus
	Auflösung	720P / D1 / HD1 / CIF, MAX: 4 720P und 4 D1
	Bildqualität	Level 1-4, Level 1 ist das höchste Level.
	Videostandard	PAL: 100 f / s, CCIR625 Linie, 50 Feld; NTSC: 120 f / s, CCIR525-Zeile, 60 Felder; CIF: 256 Kbps ~ 1,5 Mbps, 8-stufige Videoqualität optional; HD1: 600 Kbps ~ 2,5 Mbps, 8-stufige Videoqualität optional; D1: 800Kbps ~ 3Mbps, 8-stufige Videoqualität optional; 720P: 4 Mbps-6 Mbps, mehrstufige Videoqualität optional
	Aufnahmemodus	Nach dem Einschalten der Standardeinstellung für die automatische Aufnahme. Unterstützt Timer-Aufnahme, Alarm-Trigger-Aufnahme und manuelle Aufnahme.
Audio	Audioeingang	4CH Aviation Stecker Eingang
	Audioausgang	2CH, die Frontplatte wird an die Kopfhörer angeschlossen, die Rückseite an die BNC
	Kompression	G.726 Kompression, 8KB / s Geschwindigkeit
Alarমেingang		7CH Alarমেingang, 1CH AD Eingang, Pulsgeschwindigkeitseingang, Alarmverknüpfung
Alarماusgang		2 Alarماusgang, Unterstützung für Licht / Ton Alarمسensor, Öl / Strom aus
Schnittstelle		3CH RS232, POS / Kraftstoffsensoren / LED Werbung Verbindung 1CH 485 Schnittstelle, schließen Sie die PTZ-Kamera an
Drahtlose Übertragung		Unterstützung integrierte 3G-Übertragung, WCDMA, CDMA2000, GPRS, EDGE; Eingebautes 4G-Modul optional, TDD-LTE, FDD-LTE
GPS-Standort		Unterstützung eingebaute GPS / BD modul
Lager	Festplatte	Maximale 2,5 "1 TB Festplatte
	SD-Karte	Maximale 128 GB SD-Karte, die Daten sicher aufbewahrt
	Aktualisiert	Unterstützt USB-Update, SD-Karten-Update, OTA-Remote-Update
	Datei Format	H.264
	Dateisystem	Spezielles FAT32 Dateisystem
	USB	USB-Schnittstelle auf der Frontplatte Datensicherung U Festplatte, Festplatte

Rekordwiederholung	Videosuche	Suche nach Aufnahmezeit / Aufnahmetyp usw.
	Wiedergabe	Max unterstützt auch 4CH Replay / Stop / Fast / Slow Unterstützung für x 2, x 4, x 8, x 16 vorwärts und rückwärts Wiedergabe.
Sicherheit		Benutzer / Administrator 2 verschiedene Passwörter
Optionale Funktionen	Sprachanrufe	Unterstützen Sie sich gegenseitig Sprachanrufe
	TTS-Sprachübertragung	Support TTS Sprachwiedergabe.
	Serielle Erweiterung	Unterstützung LED werbung bildschirm, ölstandssensor, POS, Busstation Rundfunk, Auto OBD und andere externe Geräte
Spannung & Leistung	Energiemanagement	Breite Spannung. Support Timing / Verzögerung aus
	Eingangsspannung	Gleichstrom: + 6V - + 36V
	Die Ausgangsspannung	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Leistung	Arbeiten & lt; 5W
Arbeitsumfeld	Temperatur	-20 °C - +70 °C
	Feuchtigkeit	20% - 80%
andere	Größe	200 (D) * 187 (W) * 62 (H) mm
	Gewicht	1,90 kg

Produkte:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WiFi Antenna



CD (Manual & Software Inside)



7000 HDD Mobile DVR

Product Introduction

Device Series



Product Advantage



Client Benutzer grafische Oberfläche

移动视频监控平台

欢迎登录, RCMTEST 系统 实时预览 电子地图 回放管理 信息管理 系统设置

终端列表 轮询列表 我的地图

监控中心(3/11)
 贵州(1/1)
 贵C A6446
 CH1
 CH2
 CH3
 CH4
 桂KY7507
 桂KY7569
 80024
 80119
 D82868
 子NPS001
 桂KY7586
 桂KY7599
 贵B93017
 贵C87762

状态 云台 色彩 语音

设备类型: MDVR
 终端名称: 贵C A6446
 终端ID: 80109
 公司: 通运集团金融公司
 所属分组: 贵州
 状态: 在线
 GPS时间: 2016-03-14 09:50:09
 位置: 贵州省遵义市习水县G4215(蓉遵高速)
 速度: 74.10 km/h(南)
 费用: 正常

1 贵C A6446 - CH1 - 0 KB/S
 2 贵C A6446 - CH2 - 24 KB/S
 3 贵C A6446 - CH3 - 0 KB/S
 4 贵C A6446 - CH4 - 0 KB/S

地址: 马临镇政府
 时间: 2016-03-14 09:50:09 速度: 74.10
 公司: 通运集团金融公司 司机: 陈国忠
 13511881529)
 位置: 贵州省遵义市习水县G4215(蓉遵高速)
 状态: 在线, 3G, ACC开启, SD卡(存在), 网络
 视频 对讲 监听 抓拍 更多

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(蓉遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

运行时长: 00:01:04 报警: 未报警 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

Unser mdvr unterstützt PC, Mobiltelefon und andere mobile Client-Überwachung.

İstemci İndirme



Windows

İndir



Version: 7.4.0.15
Güncelle: 20151123



İndir



Version: 7.0.3
Güncelle: 20150523

Çince
İngilizce
Geleneksel
Türkiye
Taylandlı
Portugues
Arapça
İspanya
Bulgar
Russian

Uygun Program İndir



Anwendung

FUNCTIONS

- Video & Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

Zertifikat

VERIFICATION OF CONFORMITY

Verification of Conformity
Reference No.: LC13104309719

Responsible Party : Shenzhen Reaktor Technology Development Co., LTD.
Address : 2F No.24 West Longgang Road, Longhua New District, Shenzhen, China
Product : Tablets
Model No.: NCM-IP23L, NCM-IP23H, NCM-LP23L, NCM-LP23H, NCM-MP23L, NCM-MP23H, NCM-SL, NCM-AL, NCM-4L, NCM-4A, NCM-4D, NCM-4S, NCM-4S2, NCM-4S2L, NCM-4S2A, NCM-4S2D, NCM-4S2S, NCM-4S2SL, NCM-4S2SA, NCM-4S2SD, NCM-4S2SS, NCM-4S2SSL, NCM-4S2SA, NCM-4S2SD, NCM-4S2SS
Trade Mark : Reaktor
Standard : FCC CFR 47 PART 15 Subpart B, 2011, ANSI C63.4-2008

Important note:
This device is in compliance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.
This device has been tested in accordance with the requirements of the FCC Rules and Regulations. The method of testing used was identical to the method currently in use by the manufacturer. The method of testing used was identical to the method currently in use by the manufacturer. The method of testing used was identical to the method currently in use by the manufacturer. The method of testing used was identical to the method currently in use by the manufacturer. The method of testing used was identical to the method currently in use by the manufacturer.

Shenzhen LCC Compliance Testing Laboratory Ltd.
2/F, Angang Industrial Park, Tangda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86(755) 26201132 Fax: 86(755) 26201133
Http://www.lcc-test.com Email: administrator@lcc-test.com


Manager
April 16, 2013

VERIFICATION OF CONFORMITY

Verification of Conformity
Reference No.: LC13104309719

Responsible Party : Shenzhen Reaktor Technology Development Co., LTD.
Address : 2F No.24 West Longgang Road, Longhua New District, Shenzhen, China
Product : Mobile DVR
Model No.: NCM-MD30L, NCM-MD30H, NCM-MD30S, NCM-MD30SL, NCM-MD30SA, NCM-MD30SD, NCM-MD30SS, NCM-MD30SSL, NCM-MD30SA, NCM-MD30SD, NCM-MD30SS
Trade Mark : Reaktor
Standard : FCC CFR 47 PART 15 Subpart B, 2011, ANSI C63.4-2008

Important note:
This device is in compliance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.
This device has been tested in accordance with the requirements of the FCC Rules and Regulations. The method of testing used was identical to the method currently in use by the manufacturer. The method of testing used was identical to the method currently in use by the manufacturer. The method of testing used was identical to the method currently in use by the manufacturer. The method of testing used was identical to the method currently in use by the manufacturer.

Shenzhen LCC Compliance Testing Laboratory Ltd.
2/F, Angang Industrial Park, Tangda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86(755) 26201132 Fax: 86(755) 26201133
Http://www.lcc-test.com Email: administrator@lcc-test.com


Manager
April 16, 2013

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
Reference No.: LC13104309719

Applicant : Shenzhen Reaktor Technology Development Co., LTD.
Address : 2F No.24 West Longgang Road, Longhua New District, Shenzhen, China
Product : Mobile DVR
Model No.: NCM-MD30L, NCM-MD30H, NCM-MD30S, NCM-MD30SL, NCM-MD30SA, NCM-MD30SD, NCM-MD30SS, NCM-MD30SSL, NCM-MD30SA, NCM-MD30SD, NCM-MD30SS
Trade Mark : Reaktor

The submitted products have been tested by us with the latest standards and found in compliance with the following European Directives:
The EMC Directive 2004/108/EC
EN 55032: 2005, EN 55034: 2005
The test results were obtained in normal operating mode. The test results apply only to the particular samples tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test reference number only.
The CE marking as shown below can be affixed to the product after preparation of necessary technical documentation.
Your signed Declaration Form to be attached.

Shenzhen LCC Compliance Testing Laboratory Ltd.
2/F, Angang Industrial Park, Tangda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86(755) 26201132 Fax: 86(755) 26201133
Http://www.lcc-test.com Email: administrator@lcc-test.com


Manager
April 16, 2013

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
Reference No.: LC13104309875

Applicant : Shenzhen Reaktor Technology Development Co., LTD.
Address : 2F No.24 West Longgang Road, Longhua New District, Shenzhen, China
Product : Tablets
Model No.: NCM-IP23L, NCM-IP23H, NCM-LP23L, NCM-LP23H, NCM-MP23L, NCM-MP23H, NCM-SL, NCM-AL, NCM-4L, NCM-4A, NCM-4D, NCM-4S, NCM-4S2, NCM-4S2L, NCM-4S2A, NCM-4S2D, NCM-4S2S, NCM-4S2SL, NCM-4S2SA, NCM-4S2SD, NCM-4S2SS, NCM-4S2SSL, NCM-4S2SA, NCM-4S2SD, NCM-4S2SS
Trade Mark : Reaktor

The submitted products have been tested by us with the latest standards and found in compliance with the following European Directives:
The EMC Directive 2004/108/EC
EN 55032: 2005, EN 55034: 2005
The test results were obtained in normal operating mode. The test results apply only to the particular samples tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test reference number only.
The CE marking as shown below can be affixed to the product after preparation of necessary technical documentation.
Your signed Declaration Form to be attached.

Shenzhen LCC Compliance Testing Laboratory Ltd.
2/F, Angang Industrial Park, Tangda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86(755) 26201132 Fax: 86(755) 26201133
Http://www.lcc-test.com Email: administrator@lcc-test.com


Manager
April 16, 2013

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
Reference No.: LC13104309875

Applicant : Shenzhen Reaktor Technology Development Co., LTD.
Address : 2F No.24 West Longgang Road, Longhua New District, Shenzhen, China
Product : Tablets
Model No.: NCM-IP23L, NCM-IP23H, NCM-LP23L, NCM-LP23H, NCM-MP23L, NCM-MP23H, NCM-SL, NCM-AL, NCM-4L, NCM-4A, NCM-4D, NCM-4S, NCM-4S2, NCM-4S2L, NCM-4S2A, NCM-4S2D, NCM-4S2S, NCM-4S2SL, NCM-4S2SA, NCM-4S2SD, NCM-4S2SS, NCM-4S2SSL, NCM-4S2SA, NCM-4S2SD, NCM-4S2SS
Trade Mark : Reaktor

The test results in issued by the Company subject to the Technical Conditions of Sample Control (unless otherwise stated). This report is issued for the purpose of information and is not intended for legal purposes.
Other signed declaration form to be attached.

Shenzhen LCC Compliance Testing Laboratory Ltd.
2/F, Angang Industrial Park, Tangda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86(755) 26201132 Fax: 86(755) 26201133
Http://www.lcc-test.com Email: administrator@lcc-test.com


Manager
April 16, 2013

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
Reference No.: LC13104309875

Applicant : Shenzhen Reaktor Technology Development Co., LTD.
Address : 2F No.24 West Longgang Road, Longhua New District, Shenzhen, China
Product : Tablets
Model No.: NCM-IP23L, NCM-IP23H, NCM-LP23L, NCM-LP23H, NCM-MP23L, NCM-MP23H, NCM-SL, NCM-AL, NCM-4L, NCM-4A, NCM-4D, NCM-4S, NCM-4S2, NCM-4S2L, NCM-4S2A, NCM-4S2D, NCM-4S2S, NCM-4S2SL, NCM-4S2SA, NCM-4S2SD, NCM-4S2SS, NCM-4S2SSL, NCM-4S2SA, NCM-4S2SD, NCM-4S2SS
Trade Mark : Reaktor

The test results in issued by the Company subject to the General Conditions of Service printed on the reverse side of this report. This report is issued for the purpose of information and is not intended for legal purposes.
Other signed declaration form to be attached.

Shenzhen LCC Compliance Testing Laboratory Ltd.
2/F, Angang Industrial Park, Tangda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86(755) 26201132 Fax: 86(755) 26201133
Http://www.lcc-test.com Email: administrator@lcc-test.com


Manager
April 16, 2013

Firma und Fabrik



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Ausstellung:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

