

Richmor Portable Video Recorder mit 3G GPS WIFI Für Brasilien-WM

Richmor Portable Video Recorder Vorteil

- 1.3G WIFI GPS G-Sensor TF-Karte bewegliches DVR;
- 2.SOS Taste für Alarm-Aufnahme;
- 3.Picture Snap-Taste;
- 4.PTT Funktion, Ger?te-und Ger?tekommunikation;
- 5.Intercom Funktion, Offizier und Polizei Kommunikation;
- 6,8 Stunden Arbeitszeit

Bild



Parameter

Artikel	Ger?teparameter	Performance-Index
System	Betriebssystem	Linux
	Separate design	Hauptger?t : arbeiten selbst?ndig zu erkennen, ?rtlichen Plattenhilfsger?t: GPS / 3G,Backup-Batterie
	Grafik Betriebsschnittstelle	Verwenden Sie die Tasten, um die Einstellung verschiedener Parameter vervollst?ndigen
	Sicherheitsmanagement	User-Passwort-Management

Video	Video-Eingang	Eingebaute Kamera-Objektiv, Sichtwinkel: 70 °, CMOS-Sensor
	OSD	Zeit und Datum, Geräte-ID, GPS usw.
	Kompression	H.264. Hisilicon Hochleistungsprozessor angenommen wird.
	Video-Auflösung	VGA standardmäßig, optional QVGA
	Video Bitrate QVGA	QVGA: 400Kbps ~ 1,5 Mbps, 4 Ebenen der Bitrate optional
	Video Bitrate VGA	VGA: 1000kbps ~ 2 Mbps, 4 Ebenen der Bitrate optional
	Vorschau-Funktion	Echtzeit, Aufzeichnung Video-Vorschau
	Dual-Stream	Unterstützung
Audio	Audio-Eingang	Built-in MIC
	Audio-Ausgang	Eingebauter Lautsprecher, > 1W
	Kompression	G.726
Aufnahme	Speichermedien	Micro-SD-Karte, Unterstützung 1G ~ 32G
	Dateiformat / System	ASF Rekorddateiformat FAT32-Dateisystem
	Aufnahmemodus	Startup Aufnahme standardmäßig unterstützt manuelle Aufnahme
	Aufnahme Suche	Suche Aufnahme von Videodateien von der Zeit, Typ, usw.
	Aufnahme Wiedergabe	Unterstützung schneller Vorlauf, schneller Rücklauf, Wiedergabe, Pause, Unterstützung 2, 4, 8, 16-facher Geschwindigkeit schnell vorwärts oder rückwärts, unterstützen die Wiedergabe der Datei durch die Zeit
USB-Schnittstelle	Host Access	Kann man für USB-Disk Backup erweitern
Netzwerkschnittstelle	Netzwerkschnittstelle	Built-in 3G-Wireless-Übertragungsmodul, WCDMA, CDMA2000, TD-SCDMA-System optional; Kompatibel mit GPRS, EDGE;
erweitern Schnittstelle	Gegensprechanlage	Kann Intercom Modul Inneren erweitern
Schirmparameter	Größe	2,4-Zoll-
	Typ	TFT
	Auflösung	480*234
Upgrade	System upgrade	Unterstützung Micro-SD-Karte Upgrade
Arbeitsumgebung	Temperatur	-20°C ~ +50°C
	Luftfeuchtigkeit	20% to 80%
Dimension	Hauptgröße	50(W) x90(H) x28(D) mm
	Hilfsgröße	70(W) x110(H) x28(D) mm
Gewicht	Hauptgröße	Nettogewicht: 95 g, Bruttogewicht: 307.5g
	Hilfsgröße	Nettogewicht: 238 g, Gesamtgewicht: 352g

Richmor Portable Video Recorder für Brasilien WM-Projekt



Paket



Richmor Brand Package



Standard Package

Bescheinigung

[illegible]

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: L103184403M719

Responsible Party	Moscow-Wuxian Technology Development Co., LTD.
Address	3F No.41 West Longjiao Road, Longjiao New District, Shenzhen, China
Product	Bottle ODK
Model No.	NCR-M007000, NCR-M007001, NCR-M007002, NCR-M007003, NCR-M007004, NCR-M007005, NCR-M007006
Trade Mark	Sidamon
Standards	FZC 076-AT PART 1 on August 30, 2014, GBAS 004-2008

Important notes:

This document is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference from authorized licensed users.
This system is conform to the applicable FCC Rules and Regulations. The nature of testing was in accordance to the most accurate measurement standards available, and that all measures have been taken to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Shanghai
April 10, 2017

Shanghai LCC Compliance Testing Laboratory Ltd.

No. 10 Wujiaochang Avenue, Tongpu Town, Baoshan City, Shanghai, China

Tel: 86-21-5040-0000
<http://www.lcc.com.cn>

E-mail: info@lcc.com.cn
Fax: [+86-21-5040-0000](tel:+86-21-5040-0000)

	
CERTIFICATE of Conformity Reference No. LCB/2004/000470	
Applicant	Shenzhen Rixiner Technology Development Co., Ltd.
Address	2/F No.48 West Longgang Road, Longhua New District, Shenzhen, China
Product	Mobile PDA
Model(s)	PC10-M00000, PC10-M00001, PC10-M00002, PC10-M00003, PC10-M00004, PC10-M00005, PC10-M00006, PC10-M00007
Trade Mark	Rixiner
The submitted products have been tested to, as well as the latter provided and found to conform to the following European Directives: The EMC Directive 2002/95/EC EN 55022: 2005, EN 55024: 2005 The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific radio carrier used. This certificate applies specifically to the sample investigated in our test laboratory only. The CE markings as shown below can be affixed to the product after completion of necessary technical documentation. (This document Declaration has to be attached)	
	
	
Shenzhen LCB Compliance Testing Laboratory Ltd. 1/F, Yingshiang Industrial Park, Yingshiang Road, Nanshan District, Shenzhen Guangdong, China Tel: 86-755-26271155 Fax: 86-755-26271155 E-mail: admin@shenzhen-lcb.com.cn Http://www.shenzhen-lcb.com.cn	
Date: 2004-09-15 Issued: 2004-09-15	

 CERTIFICATE <i>of Conformity</i> Reference No.: L3018010007E	
Applicant	/ Shenzhen Minotaur Technology Development Co., LTD.
Address	/ 30-32 Road West Longgang Road, Longgang New District, Shenzhen, China
Product	/ Camera
Model(s)	/ RCM-IPC101, RCM-IPC101S, RCM-LPC101, RCM-IPC101S, RCM-APR101, RCM-APR101S, RCM-SAL, RCM-HSL, RCM-GRS, RCM-HRS, RCM-IRS, RCM-ARS, RCM-ORS, RCM-DRS, RCM-ORS, RCM-ORF101, RCM-ORF101S, RCM-CDS101
Trade Mark	/ Minotaur
The submitted products have been tested by us with the relevant standards and found to conform with the following European Directives:	
The EMC Directive 2004/10/EC	
(EN 55022, EN 55024, EN 55025, EN 55026)	
These tests were performed in normal operation mode. This test relates solely to the particular sample tested and is for specific tests called out. This certificate applies specifically to the sample investigated or its date identification number only.	
The CE marking as shown below can be affixed on the product after presentation of necessary technical documentation.	
(This document shall remain valid as stated)	
  April 10, 2014	
Shenzhen CCS Compliance Testing Laboratory Ltd. 2/F, Longgang Industrial Park, Tongda Road, Nanhai Sub-District, Nanshan District, Shenzhen Guangdong, China Tel: +86(755)82691448 http://www.ccs-cert.com Fax: +86(755)82691458 Email: info@shenzhenccs.com	

	
CERTIFICATE of Conformity (2017/001) Recognition of Technical Standards	
Reference No.: 1-03-00000000	
When issued as required, the certificate sample complying with the requirements of Commission Decision of 17 July 2017 amending Decision (2017/001).	
Applicant	Shenzhen Echem Technology Development Co., Ltd.
Address	1/ Nianli West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark	Robomax
Product	Cable
Model(s)	R00M-PC10A, R00M-PC10B, R00M-PC10C, R00M-PC10D, R00M-PC10E, R00M-PC10F, R00M-PC10G, R00M-PC10H, R00M-PC10I, R00M-PC10J, R00M-PC10K, R00M-PC10L, R00M-PC10M, R00M-PC10N, R00M-PC10O, R00M-PC10P, R00M-PC10Q, R00M-PC10R, R00M-PC10S, R00M-PC10T, R00M-PC10U, R00M-PC10V, R00M-PC10W, R00M-PC10X, R00M-PC10Y, R00M-PC10Z, R00M-PC10AA, R00M-PC10AB, R00M-PC10AC, R00M-PC10AD, R00M-PC10AE, R00M-PC10AF, R00M-PC10AG, R00M-PC10AH, R00M-PC10AI, R00M-PC10AJ, R00M-PC10AK, R00M-PC10AL, R00M-PC10AM, R00M-PC10AN, R00M-PC10AO, R00M-PC10AP, R00M-PC10AQ, R00M-PC10AR, R00M-PC10AS, R00M-PC10AT, R00M-PC10AU, R00M-PC10AV, R00M-PC10AW, R00M-PC10AX, R00M-PC10AY, R00M-PC10AZ, R00M-PC10BA, R00M-PC10BB, R00M-PC10BC, R00M-PC10BD, R00M-PC10BE, R00M-PC10BF, R00M-PC10BG, R00M-PC10BH, R00M-PC10BI, R00M-PC10BJ, R00M-PC10BK, R00M-PC10BL, R00M-PC10BM, R00M-PC10BN, R00M-PC10BO, R00M-PC10BP, R00M-PC10BQ, R00M-PC10BR, R00M-PC10BS, R00M-PC10BT, R00M-PC10BU, R00M-PC10BV, R00M-PC10BW, R00M-PC10BX, R00M-PC10BY, R00M-PC10BZ, R00M-PC10CA, R00M-PC10CB, R00M-PC10CC, R00M-PC10CD, R00M-PC10CE, R00M-PC10CF, R00M-PC10CG, R00M-PC10CH, R00M-PC10CI, R00M-PC10CJ, R00M-PC10CK, R00M-PC10CL, R00M-PC10CM, R00M-PC10CN, R00M-PC10CO, R00M-PC10CP, R00M-PC10CQ, R00M-PC10CR, R00M-PC10CS, R00M-PC10CT, R00M-PC10CU, R00M-PC10CV, R00M-PC10CW, R00M-PC10CX, R00M-PC10CY, R00M-PC10CZ, R00M-PC10DA, R00M-PC10DB, R00M-PC10DC, R00M-PC10DD, R00M-PC10DE, R00M-PC10DF, R00M-PC10DG, R00M-PC10DH, R00M-PC10DI, R00M-PC10DJ, R00M-PC10DK, R00M-PC10DL, R00M-PC10DM, R00M-PC10DN, R00M-PC10DO, R00M-PC10DP, R00M-PC10DQ, R00M-PC10DR, R00M-PC10DS, R00M-PC10DT, R00M-PC10DU, R00M-PC10DV, R00M-PC10DW, R00M-PC10DX, R00M-PC10DY, R00M-PC10DZ, R00M-PC10EA, R00M-PC10EB, R00M-PC10EC, R00M-PC10ED, R00M-PC10EE, R00M-PC10EF, R00M-PC10EG, R00M-PC10EH, R00M-PC10EI, R00M-PC10EJ, R00M-PC10EK, R00M-PC10EL, R00M-PC10EM, R00M-PC10EN, R00M-PC10EO, R00M-PC10EP, R00M-PC10EQ, R00M-PC10ER, R00M-PC10ES, R00M-PC10ET, R00M-PC10EU, R00M-PC10EV, R00M-PC10EW, R00M-PC10EX, R00M-PC10EY, R00M-PC10EZ, R00M-PC10FA, R00M-PC10FB, R00M-PC10FC, R00M-PC10FD, R00M-PC10FE, R00M-PC10FF, R00M-PC10FG, R00M-PC10FH, R00M-PC10FI, R00M-PC10FJ, R00M-PC10FK, R00M-PC10FL, R00M-PC10FM, R00M-PC10FN, R00M-PC10FO, R00M-PC10FP, R00M-PC10FQ, R00M-PC10FR, R00M-PC10FS, R00M-PC10FT, R00M-PC10FU, R00M-PC10FV, R00M-PC10FW, R00M-PC10FX, R00M-PC10FY, R00M-PC10FZ, R00M-PC10GA, R00M-PC10GB, R00M-PC10GC, R00M-PC10GD, R00M-PC10GE, R00M-PC10GF, R00M-PC10GG, R00M-PC10GH, R00M-PC10GI, R00M-PC10GJ, R00M-PC10GK, R00M-PC10GL, R00M-PC10GM, R00M-PC10GN, R00M-PC10GO, R00M-PC10GP, R00M-PC10GQ, R00M-PC10GR, R00M-PC10GS, R00M-PC10GT, R00M-PC10GU, R00M-PC10GV, R00M-PC10GW, R00M-PC10GX, R00M-PC10GY, R00M-PC10GZ, R00M-PC10HA, R00M-PC10HB, R00M-PC10HC, R00M-PC10HD, R00M-PC10HE, R00M-PC10HF, R00M-PC10HG, R00M-PC10HH, R00M-PC10HI, R00M-PC10HJ, R00M-PC10HK, R00M-PC10HL, R00M-PC10HM, R00M-PC10HN, R00M-PC10HO, R00M-PC10HP, R00M-PC10HQ, R00M-PC10HR, R00M-PC10HS, R00M-PC10HT, R00M-PC10HU, R00M-PC10HV, R00M-PC10HW, R00M-PC10HX, R00M-PC10HY, R00M-PC10HZ, R00M-PC10IA, R00M-PC10IB, R00M-PC10IC, R00M-PC10ID, R00M-PC10IE, R00M-PC10IF, R00M-PC10IG, R00M-PC10IH, R00M-PC10II, R00M-PC10IJ, R00M-PC10IK, R00M-PC10IL, R00M-PC10IM, R00M-PC10IN, R00M-PC10IO, R00M-PC10IP, R00M-PC10IQ, R00M-PC10IR, R00M-PC10IS, R00M-PC10IT, R00M-PC10IU, R00M-PC10IV, R00M-PC10IW, R00M-PC10IX, R00M-PC10IY, R00M-PC10IZ, R00M-PC10JA, R00M-PC10JB, R00M-PC10JC, R00M-PC10JD, R00M-PC10JE, R00M-PC10JF, R00M-PC10JG, R00M-PC10JH, R00M-PC10JI, R00M-PC10JJ, R00M-PC10JK, R00M-PC10JL, R00M-PC10JM, R00M-PC10JN, R00M-PC10JO, R00M-PC10JP, R00M-PC10JQ, R00M-PC10JR, R00M-PC10JS, R00M-PC10JT, R00M-PC10JU, R00M-PC10JV, R00M-PC10JW, R00M-PC10JX, R00M-PC10JY, R00M-PC10JZ, R00M-PC10KA, R00M-PC10KB, R00M-PC10KC, R00M-PC10KD, R00M-PC10KE, R00M-PC10KF, R00M-PC10KG, R00M-PC10KH, R00M-PC10KI, R00M-PC10KJ, R00M-PC10KK, R00M-PC10KL, R00M-PC10KM, R00M-PC10KN, R00M-PC10KO, R00M-PC10KP, R00M-PC10KQ, R00M-PC10KR, R00M-PC10KS, R00M-PC10KT, R00M-PC10KU, R00M-PC10KV, R00M-PC10KW, R00M-PC10KX, R00M-PC10KY, R00M-PC10KZ, R00M-PC10LA, R00M-PC10LB, R00M-PC10LC, R00M-PC10LD, R00M-PC10LE, R00M-PC10LF, R00M-PC10LG, R00M-PC10LH, R00M-PC10LI, R00M-PC10LJ, R00M-PC10LK, R00M-PC10LL, R00M-PC10LM, R00M-PC10LN, R00M-PC10LO, R00M-PC10LP, R00M-PC10LQ, R00M-PC10LR, R00M-PC10LS, R00M-PC10LT, R00M-PC10LU, R00M-PC10LV, R00M-PC10LW, R00M-PC10LX, R00M-PC10LY, R00M-PC10LZ, R00M-PC10MA, R00M-PC10MB, R00M-PC10MC, R00M-PC10MD, R00M-PC10ME, R00M-PC10MF, R00M-PC10MG, R00M-PC10MH, R00M-PC10MI, R00M-PC10MJ, R00M-PC10MK, R00M-PC10ML, R00M-PC1

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity (SYSTEM) Issued on the basis of Inspection	
Reference No.: 13010104102814		
When tested as specified, the submitted sample conforms with the requirements of Commission Decision of 27 Jan 2011 amending Directive 2011/65/EU		
Applicant	Shenzhen Redwood Technology Development Co., LTD.	
Address	Ji He Da Wei Longgang Road, Longhua New District, Shenzhen, China	
Trade Mark	Redwood	
Product	Monitor D2K	
Model(s)	NOM-M2000L, NOM-M2000L, NOM-M2000L, NOM-M2000L, NOM-M2000L, NOM-M2000L, NOM-M2000L, NOM-M2000L	
The test report is issued to the Applicant subject to its General Conditions of Service (attached herewith). Attention is drawn to the limitations of liability, indemnification and confidentiality stated within Section 7. The results shown in this test report refer only to the sample(s) tested unless otherwise specified. This Test Report cannot be reproduced without its full, without further written permission of the Signatory.		
Other relevant documents have to be obtained.		
RoHS		
 <i>[Signature]</i> April 16, 2012		
Shenzhen SGS Compliance Testing Laboratory Ltd. 2F, Jinggang Industrial Park, Jinggang Road, Nanhai Dist., Shunde City, Guangdong, Shenzhen, Guangdong, China Tel: 0086755-83771100 Fax: 0086755-83771102 Email: shenzhen@sgs.com.cn http://www.sgs.com.cn		

Kundenbesuch


South Africa



Argentina



Czech Republic



Brazil



Turkey

