

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
Video Record System	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
	compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time
		Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%

Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show;



OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



Factory Audit

SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card



RICHMOR TECH

Mobile DVR

USB IR AV OUT

PWR CPU HDD SD REC ALM NET








SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



CE

FC






AV Input Cables



AV Output Cable



Power Cable



IO Cables



Remote Control



GPS Antenna



CD (Manual & Software Inside)



SD Mobile DVR



Richmor Brand Package



Standard Package

Client User Graph Interface

移动视频监控平台

欢迎登录, RCMTTEST

终端列表 | 轮询列表 | 我的地图

设备列表:

- 监控中心(3/11)
 - 贵州(1/1)
 - 贵C A6446
 - CH1
 - CH2
 - CH3
 - CH4
 - 桂KY7507
 - 桂KY7569
 - 80024
 - 80119
 - D82868
 - 子NPS001
 - 桂KY7586
 - 桂KY7599
 - 贵B93017
 - 贵C87762

设备信息:

设备类型	MDVR
终端名称	贵C A6446
终端ID	80109
公司	通远集团金融公司
所属分组	贵州
状态	在线
GPS时间	2016-03-14 09:50:09
位置	贵州省遵义市习水县G4215(
速度	74.10 km/h(南)
费用	正常

实时监控:

1. 贵C A6446 - CH1 - 0 KB/S

2. 贵C A6446 - CH2 - 24 KB/S

3. 贵C A6446 - CH3 - 0 KB/S

4. 贵C A6446 - CH4 - 0 KB/S

GPS监控 / 报警信息 / 系统事件 / 抓拍图片

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(遵遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

运行时长: 00:01:04 | **在线数:** 3 / **定损数:** 1 / **欠费:** 0 / **总数:** 11 | **在线率:** 27.27% / **定损率:** 9.09%

Applacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

[illegible]

VERIFICATION OF CONFORMITY  Verification of Conformity Reference No.: LCC0300020719	
Responsible Party	Shenzhen Wuxinor Technology Development Co., LTD.
Address	37 No.4 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile USB
Model No.	WXC-B000000, WXC-B000001, WXC-B000002, WXC-B000003, WXC-B000004, WXC-B000005, WXC-B000006, WXC-B000007, WXC-B000008, WXC-B000009, WXC-B000010
Trade Mark	Shenzhen
Standards	FCC, CE, EN 60950, EN 60950-1, EN 60950-2, EN 60950-3, EN 60950-4, EN 60950-5, EN 60950-6, EN 60950-7, EN 60950-8, EN 60950-9, EN 60950-10, EN 60950-11, EN 60950-12, EN 60950-13, EN 60950-14, EN 60950-15, EN 60950-16, EN 60950-17, EN 60950-18, EN 60950-19, EN 60950-20, EN 60950-21, EN 60950-22, EN 60950-23, EN 60950-24, EN 60950-25, EN 60950-26, EN 60950-27, EN 60950-28, EN 60950-29, EN 60950-30, EN 60950-31, EN 60950-32, EN 60950-33, EN 60950-34, EN 60950-35, EN 60950-36, EN 60950-37, EN 60950-38, EN 60950-39, EN 60950-40, EN 60950-41, EN 60950-42, EN 60950-43, EN 60950-44, EN 60950-45, EN 60950-46, EN 60950-47, EN 60950-48, EN 60950-49, EN 60950-50, EN 60950-51, EN 60950-52, EN 60950-53, EN 60950-54, EN 60950-55, EN 60950-56, EN 60950-57, EN 60950-58, EN 60950-59, EN 60950-60, EN 60950-61, EN 60950-62, EN 60950-63, EN 60950-64, EN 60950-65, EN 60950-66, EN 60950-67, EN 60950-68, EN 60950-69, EN 60950-70, EN 60950-71, EN 60950-72, EN 60950-73, EN 60950-74, EN 60950-75, EN 60950-76, EN 60950-77, EN 60950-78, EN 60950-79, EN 60950-80, EN 60950-81, EN 60950-82, EN 60950-83, EN 60950-84, EN 60950-85, EN 60950-86, EN 60950-87, EN 60950-88, EN 60950-89, EN 60950-90, EN 60950-91, EN 60950-92, EN 60950-93, EN 60950-94, EN 60950-95, EN 60950-96, EN 60950-97, EN 60950-98, EN 60950-99, EN 60950-100, EN 60950-101, EN 60950-102, EN 60950-103, EN 60950-104, EN 60950-105, EN 60950-106, EN 60950-107, EN 60950-108, EN 60950-109, EN 60950-110, EN 60950-111, EN 60950-112, EN 60950-113, EN 60950-114, EN 60950-115, EN 60950-116, EN 60950-117, EN 60950-118, EN 60950-119, EN 60950-120, EN 60950-121, EN 60950-122, EN 60950-123, EN 60950-124, EN 60950-125, EN 60950-126, EN 60950-127, EN 60950-128, EN 60950-129, EN 60950-130, EN 60950-131, EN 60950-132, EN 60950-133, EN 60950-134, EN 60950-135, EN 60950-136, EN 60950-137, EN 60950-138, EN 60950-139, EN 60950-140, EN 60950-141, EN 60950-142, EN 60950-143, EN 60950-144, EN 60950-145, EN 60950-146, EN 60950-147, EN 60950-148, EN 60950-149, EN 60950-150, EN 60950-151, EN 60950-152, EN 60950-153, EN 60950-154, EN 60950-155, EN 60950-156, EN 60950-157, EN 60950-158, EN 60950-159, EN 60950-160, EN 60950-161, EN 60950-162, EN 60950-163, EN 60950-164, EN 60950-165, EN 60950-166, EN 60950-167, EN 60950-168, EN 60950-169, EN 60950-170, EN 60950-171, EN 60950-172, EN 60950-173, EN 60950-174, EN 60950-175, EN 60950-176, EN 60950-177, EN 60950-178, EN 60950-179, EN 60950-180, EN 60950-181, EN 60950-182, EN 60950-183, EN 60950-184, EN 60950-185, EN 60950-186, EN 60950-187, EN 60950-188, EN 60950-189, EN 60950-190, EN 60950-191, EN 60950-192, EN 60950-193, EN 60950-194, EN 60950-195, EN 60950-196, EN 60950-197, EN 60950-198, EN 60950-199, EN 60950-200, EN 60950-201, EN 60950-202, EN 60950-203, EN 60950-204, EN 60950-205, EN 60950-206, EN 60950-207, EN 60950-208, EN 60950-209, EN 60950-210, EN 60950-211, EN 60950-212, EN 60950-213, EN 60950-214, EN 60950-215, EN 60950-216, EN 60950-217, EN 60950-218, EN 60950-219, EN 60950-220, EN 60950-221, EN 60950-222, EN 60950-223, EN 60950-224, EN 60950-225, EN 60950-226, EN 60950-227, EN 60950-228, EN 60950-229, EN 60950-230, EN 60950-231, EN 60950-232, EN 60950-233, EN 60950-234, EN 60950-235, EN 60950-236, EN 60950-237, EN 60950-238, EN 60950-239, EN 60950-240, EN 60950-241, EN 60950-242, EN 60950-243, EN 60950-244, EN 60950-245, EN 60950-246, EN 60950-247, EN 60950-248, EN 60950-249, EN 60950-250, EN 60950-251, EN 60950-252, EN 60950-253, EN 60950-254, EN 60950-255, EN 60950-256, EN 60950-257, EN 60950-258, EN 60950-259, EN 60950-260, EN 60950-261, EN 60950-262, EN 60950-263, EN 60950-264, EN 60950-265, EN 60950-266, EN 60950-267, EN 60950-268, EN 60950-269, EN 60950-270, EN 60950-271, EN 60950-272, EN 60950-273, EN 60950-274, EN 60950-275, EN 60950-276, EN 60950-277, EN 60950-278, EN 60950-279, EN 60950-280, EN 60950-281, EN 60950-282, EN 60950-283, EN 60950-284, EN 60950-285, EN 60950-286, EN 60950-287, EN 60950-288, EN 60950-289, EN 60950-290, EN 60950-291, EN 60950-292, EN 60950-293, EN 60950-294, EN 60950-295, EN 60950-296, EN 60950-297, EN 60950-298, EN 60950-299, EN 60950-300, EN 60950-301, EN 60950-302, EN 60950-303, EN 60950-304, EN 60950-305, EN 60950-306, EN 60950-307, EN 60950-308, EN 60950-309, EN 60950-3

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-0475	
	Applicant	Shenzhen Electronic Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Mobile PDA
	Model(s)	HC-80000000, HC-80000001, HC-80000002, HC-80000003, HC-80000004, HC-80000005, HC-80000006, HC-80000007
	Trade Mark	None/other
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 55022, EN 55024, EN 55024-2	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of necessary technical documentation.		
(Other relevant Directives have to be attached)		
   Manager April 16, 2013		
(Shenzhen) UKAS Compliance Testing Laboratory Ltd. 17, Engineer Industrial Park, Xingye Road, Nan-shi, Bao-an District, Shenzhen Guangdong, China Tel: 86(755) 83297113 Fax: 86(755) 83297112 E-mail: ukas@ukas-ct.com.cn Web: www.ukas-ct.com.cn		

CERTIFICATE OF CONFORMITY	 CERTIFICATE <i>of Conformity</i> Reference No.: (CEC/04/000001)	
	Applicant	Shenzhen Mission Technology Development Co., Ltd.
	Address	2/F South West Longgang Road, Longgang New District, Shenzhen, China
	Product	Speakers
	Model(s)	RCM-PC101, RCM-PC102, RCM-LC101, RCM-PC101, RCM-AP101, RCM-AP102, RCM-AL101, RCM-AL102, RCM-AL103, RCM-AL104, RCM-AL105, RCM-AL106, RCM-AL107, RCM-AL108, RCM-AL109, RCM-AL110, RCM-AL111, RCM-AL112, RCM-AL113, RCM-AL114, RCM-AL115, RCM-AL116, RCM-AL117, RCM-AL118, RCM-AL119, RCM-AL120
Trade Mark	Belosonic	
The submitted products have been tested by us with the related standards and found in compliance with the following European Directive: The EMC Directive 2004/108/EC (EN 55022, EN 55024, EN 55035, EN 55037) The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies exclusively to the sample investigated in our test reference number 249. The CE markings on shown below can be affixed on the product after inspection of necessary technical documentation. (This relevant Declaration form is to be attached)		
		
 April 10, 2014		
Shenzhen CEC Conformity Testing Laboratory Ltd. 27, Jingdong Industrial Park, Jingdong Road, Bao'an Dist., Shenzhen District, Shenzhen, Guangdong, China Tel: 86(0)755 26201022 Fax: 86(0)755 26201022 E-mail: info@cec-csl.com.cn Web: www.cec-csl.com.cn		

[illegible]

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity (OPTIONAL) Declaration of Conformity	
Reference No.: UL1034103818	
When tested as specified, the submitted sample complies with the requirements of Commission Decision of 27 July 2011 amending Directive 2011/65/EU.	
Applicant:	Shenzhen Pichuan Technology Development Co., Ltd.
Address:	3F 3F 34 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark:	Pichuan
Product:	Series 1038
Model(s):	UL1038C01, UL1038C02, UL1038C03, UL1038C04, UL1038C05, UL1038C06, UL1038C07, UL1038C08, UL1038C09, UL1038C10
The test report is issued on the Applicant's behalf in its General Conditions of Service printed on sheet. Attention is drawn to the limitations of liability, indemnification and arbitration clause within Section 7. The results shown in this test report refer only to the samples tested under reference condition. This Report cannot be reproduced, copied or full, without your written permission of the Company. Other relevant documents have to be obtained.	
RoHS	
 <i>John Lee</i> Manager April 16, 2013	
Shenzhen UL103 Compliance Testing Laboratory Ltd. 28/F, Hing Fong Industrial Park, Tsinggi Road, Shekou Dist., Nanshan District, Shenzhen, Guangdong, China Tel: +86-(0)755-83291100 http://www.ul103.com.cn	
Fax: +86-(0)755-83291102 E-mail: shenzhen@ul103.com.cn	

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Welcome to contact **Susie** for more details

By Email/wechat, Wechat: Jobs2lovers

By Skype: rcmccvtsales4

By Trademanager: cn1001765398

By Mobile phone/Whatsapp: +86-18126263832 (Susie Zhou)