

HDD + SD-Karte Datenspeicherung 1080P 1DIN

Mobile DVR mit 4G GPS-Tracking mit RFID-Funktion


Produktspezifikationen:

Projekt		Parameter
Betriebssystem		Linux
Sprache		Englisch / Chinesisch / Sitte
Video-Kompression		H.264-Komprimierung
OSD		Überlagerung von Datum und Uhrzeit und Fahrzeug-ID und anderen Informationen
GUI	GUI	Stellen Sie die Systemparameter mit der Fernbedienung ein
Videoaufzeichnungssystem	Video Eingang	4CH 1080P / 960P / 720P AHD Eingang, Luftfahrt Steckverbinder, 1.0Vp-p, 75Ω
	Video-Ausgang	1 CVBS, 1.0Vp-p, 75Ω, Luftfahrt, Unterstützung 1CH Vollbild, 4CH-Bildschirm zu sehen
	Vorschau	Unterstützt Vorschau von 1 Kanal und 4 Kanälen. Unterstützungshandbuch / Alarm löst die Vollbildvorschau aus
	Auflösung	720P / D1 / HD1 / CIF, MAX: 4 720P und 4 D1
	Bildqualität	Level 1-4, Level 1 ist das höchste Level.
	Videostandard	PAL: 100 f / s, CCIR625 Linie, 50 Feld; NTSC: 120 f / s, CCIR525-Zeile, 60 Felder; CIF: 256 Kbps ~ 1,5 Mbps, 8-stufige Videoqualität optional; HD1: 600 Kbps ~ 2,5 Mbps, 8-stufige Videoqualität optional; D1: 800Kbps ~ 3Mbps, 8-stufige Videoqualität optional; 720P: 4 Mbps-6 Mbps, mehrstufige Videoqualität optional
Audio	Aufnahmemodus	Nach dem Einschalten der Standardeinstellung für die automatische Aufnahme. Unterstützt Timer-Aufnahme, Alarm-Trigger-Aufnahme und manuelle Aufnahme.
	Audioeingang	4CH Aviation Stecker Eingang
	Audioausgang	2CH, die Frontplatte wird an die Kopfhörer angeschlossen, die Rückseite an die BNC
Kompression		G.726 Kompression, 8KB / s Geschwindigkeit
Alarমেingang		7CH Alarমেingang, 1CH AD Eingang, Pulsgeschwindigkeitseingang, Alarmverknüpfung
Alarmausgang		2 Alarmausgang, Unterstützung für Licht / Ton Alarmsensor, Öl / Strom aus
Schnittstelle		3CH RS232, POS / Kraftstoffsensoren / LED Werbung Verbindung
		1CH 485 Schnittstelle, schließen Sie die PTZ-Kamera an
Drahtlose Übertragung		Unterstützung integrierte 3G-Übertragung, WCDMA, CDMA2000, GPRS, EDGE; Eingebautes 4G-Modul optional, TDD-LTE, FDD-LTE
GPS-Standort		Unterstützung eingebaute GPS / BD modul

Lager	Festplatte	Maximale 2,5 "1 TB Festplatte
	SD-Karte	Maximale 128 GB SD-Karte, die Daten sicher aufbewahrt
	Aktualisiert	Unterstützt USB-Update, SD-Karten-Update, OTA-Remote-Update
	Datei Format	H.264
	Dateisystem	Spezielles FAT32 Dateisystem
	USB	USB-Schnittstelle auf der Frontplatte Datensicherung U Festplatte, Festplatte
Rekordwiederholung	Videosuche	Suche nach Aufnahmezeit / Aufnahmetyp usw.
	Wiedergabe	Max unterstützt auch 4CH Replay / Stop / Fast / Slow Unterstützung für x 2, x 4, x 8, x 16 vorwärts und rückwärts Wiedergabe.
Sicherheit		Benutzer / Administrator 2 verschiedene Passwörter
Optionale Funktionen	Sprachanrufe	Unterstützen Sie sich gegenseitig Sprachanrufe
	TTS-Sprachübertragung	Support TTS Sprachwiedergabe.
	Serielle Erweiterung	Unterstützung LED werbung bildschirm, ölstandssensor, POS, Busstation Rundfunk, Auto OBD und andere externe Geräte
Spannung & Leistung	Energiemanagement	Breite Spannung. Support Timing / Verzögerung aus
	Eingangsspannung	Gleichstrom: + 6V - + 36V
	Die Ausgangsspannung	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Leistung	Arbeiten & lt; 5W
Arbeitsumfeld	Temperatur	-20 °C - +70 °C
	Feuchtigkeit	20% - 80%
andere	Größe	200 (D) * 187 (W) * 62 (H) mm
	Gewicht	1,90 kg

Produktbild:






Richmor 锐驰曼


Do Our Best To Be Better For You !

Product Introduction

Device Series



Product Advantage



Client Benutzer grafische Oberfläche



移动视频监控平台

欢迎登录, RCMTES
系统

实时预览
电子地图
回放管理
信息管理
系统设置

终端列表

贵州(1/1)

- 贵C A6446
 - CH1
 - CH2
 - CH3
 - CH4
- 桂KY7507
- 桂KY7569
- 80024
- 80119
- D82868
- 子NP5001
- 桂KY7586
- 桂KY7599
- 贵B93017
- 贵C87762

状态	云台	色彩	语音
设备类型	MDVR		
终端名称	贵C A6446		
终端ID	80109		
公司	通运集团金融公司		
所属分组	贵州		
状态	在线		
GPS时间	2016-03-14 09:50:09		
位置	贵州省遵义市习水县G4215(遵遵高速)		
速度	74.10 km/h(南)		
费用	正常		

1 贵C A6446 - CH1 - 0 KB/S

2 贵C A6446 - CH2 - 24 KB/S

3 贵C A6446 - CH3 - 0 KB/S

4 贵C A6446 - CH4 - 0 KB/S

GPS监控
报警信息
系统事件
抓拍图片

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(遵遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

地址

搜索

贵C A6446

时间: 2016-03-14 09:50:09 速度: 74.10

公司: 通运集团金融公司 司机: 陈国忠

位置: 贵州省遵义市习水县G4215(遵遵高速)

状态: 在线 3G, ACC开启, SD卡(存在), 视频

对讲 监听 抓拍 更多

运行时长: 00:01:04 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

Unser mdvr unterstützt PC, Mobiltelefon und andere mobile Client-Überwachung.

Anasayfa
İndir
Soru
Language

İstemci İndirme

Windows

İndir

Version: 7.4.0.15
Güncelle: 20151123

İndir

Version: 7.0.3
Güncelle: 20150523

İndir

Version: 7.0.0.10
Güncelle: 20150801

Uygun Program İndir

Anwendung

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

Zertifikat

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LC0100000010

Responsible Party	Shenzhen Richcore Technology Development Co., LTD.
Address	3/F No. 16 West Langgong Road, Longhua New District, Shenzhen, China
Product	Cables
Model No.	RCC-PD7E, RCC-PD7E, RCC-LVPCB, RCC-LVPCB, RCC-IMPANEL, RCC-IMPANEL, RCC-SM, RCC-MS, RCC-HS, RCC-JAES, RCC-JAES, RCC-AHSS, RCC-AHSS, RCC-AHSS, RCC-BSDTME, RCC-BSDTME, RCC-C240000
Trade Mark	Richcore
Standards	FCC/CN 47 Part II Subpart B, EN54, EN50135-3-2008

Important note:

This device is in compliance with part II of the FCC Rules and Regulations for safety hazardous devices. Declaration of EMC analysis is based on the following two scenarios:

(1) This device may cause harmful interference; and (2) this device shall accept any electromagnetic interference, including man-made that is required without significant level modification to conform to the applicable FCC Rules and Regulations. The method of testing used is accordance to the most accurate measurement available to practice, and that all necessary steps have been followed to ensure that an evaluation copy of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager

April 10, 2012

Shenzhen LCT Compliance Testing Laboratory Ltd.
#1, Anping Industrial Park, Pingtan Town, Bao'an Dist., Shenzhen
Guangdong, China
Tel: +86(0)755-82591100
http://www.lct.com.cn Email: admin@lct.com.cn

VERIFICATION OF CONFORMITY	
Verification of Conformity Reference No.: LCCT04-000719	
Responsible Party :	Shenzhen Weifeng Technology Development Co., LTD.
Address :	2F No.42 West Longgang Road, Longhua New District, Shenzhen, China
Product :	Mobile DMR
Model No.:	WTCM-ME0000, WTCM-ME0001, WTCM-ME0002, WTCM-ME0003, WTCM-ME0004, WTCM-SF000, WTCM-SF001
Track Mark :	Shenzhen
Standard :	FCC OET PART 15 Subpart B (19), FCC CDA 2006
Important notes This device is in conformance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that originates from authorized equipment. When used in violation of the applicable FCC Rules and Regulations, the normal operating mode as accessories in the above accessory measurement standards package, and 75% of recovery steps have been estimated to secure that initial production units of the same equipment will continue in conformity with the Federal Communications Commission's requirements.	
 Manager April 10, 2017	
Shanghai LCC Compliance Testing Laboratory Ltd. Shanghai International Park, Songpu Road, Minhang Dist., Baocun (District), Shanghai, Guangdong, China Tel: 86-(0)-21-6024-1000 http://www.lcc.com.cn	
Fax: 86-(0)-21-6024-1011 Email: sales@lcc.com.cn	

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-0475	
	Applicant	Shenzhen Biotronic Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Shenbo 3000
	Model(s)	HCN-MEDICAL, HCN-MEDICAL, HCN-MEDICAL, HCN-MEDICAL, HCN-MEDICAL, HCN-MEDICAL, HCN-MEDICAL, HCN-MEDICAL
	Trade Mark	Shenbo
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 60601, EN 60601-1, EN 60601-1-2	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of satisfactory documentary evidence.		
(Shall relevant Directives have to be attached)		
 		
Issued on: 2014-03-10 Manager: [Signature]		
(Shenzhen) UKAS Compliance Testing Laboratory Ltd. 17, Engineer Industrial Park, Xingye Road, Nan-shi, Bao-an District, Shenzhen Guangdong, China Tel: 86-755-83271153 Fax: 86-755-83271153 E-mail: ukas@ukas-ct.com.cn Web: www.ukas-ct.com.cn		

[illegible][illegible]

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity ISSUED BY: Notifier of Notified Bodies Reference No.: LU0104103818	
When tested as specified, the submitted sample complies with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU.	
Applicant	Shenzhen Pictorial Technology Development Co., LTD.
Address	3F 3F 34 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark	Pictorial
Product	Monitor D20K
Model(s)	NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL
The test report is issued on the Applicant's request in its General Conditions of Service jointly accepted. Attention is drawn to the limitations of liability, indemnification and confidentiality herein referred therein. The results shown in this test report refer only to the sample(s) tested under uniform random selection. This Report cannot be reproduced, except in full, without your written permission of the Notifier.	
Other relevant documents have to be obtained.	
RoHS	
 <i>John Lee</i> Manager April 16, 2013	
Shenzhen UL10 Compliance Testing Laboratory Ltd. 28/F, Hing Fong Industrial Park, Tsinghua Road, Nanshan Dist., Nanshan District, Shenzhen, Guangdong, China Tel: +86-(0)755-83291100 http://www.ul10.com.cn	
Fax: +86-(0)755-83291102 Email: shenzhen@ul10.com.cn	

Firma und Fabrik



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Ausstellung:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Willkommen bei uns für weitere Informationen kontaktieren

Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

