

03.01 Sony CCD-Auto-Kamera-Unterstützung Infrarot mit 3,6 mm / 2,8 mm Linse zur Auswahl (RCM-D360S / IR)

IR-Kamera'S-Spezifikation:

1. Fabrik-Großverkauf, konkurrenzfähiger Preis
2. Infrarot Dome-Auto-Kamera
3. 3.1 Sonny CCD
4. 3.6mm / 2.8mm Linse zur Auswahl
5. 420TVL / 480TVL / 540TVL / 600TVL für optionale








IR-Kamera'S Parameter:

Bildsensor:	Sony 3.1 " Farb-CCD-
Auflösung:	420TVL / 480TVL / 540TVL / 600TVL für optionale
Vertikale Sync.Frequency:	50 Hz
Minimum Beleuchtung:	1Lux
Objektiv:	3,6 mm / 2,8 mm

Electronic Shutter:	1/50 ~ 1 / 10000sec
Night Vision Entfernung:	mehr als 15 m
Rotation:	100
Umwelt-Anforderungen:	der Ort, wo das Licht nicht ausreichend ist
Betriebstemperatur:	-20 ~ 60
Stromversorgung:	DC12V
Stromverbrauch:	110mA
Produkt-Maß:	RXH: 93X65mm
Bruttogewicht:	0,6 kg
Schnittstelle:	Luftfahrt-Stecker / BNC

Verbunden **Auto-Kamera:**



1. We are on Alibaba; we have been on Alibaba for 3 years; Gold Supplier.
2. We are a factory manufacturing, best production capability, best quality control, Best Service.
3. Inspected by the Inspection Institution of Bureau Veritas Certification.
4. 100% QC inspection before shipping.
5. CE / RoHS / FCC certified, competitive price.



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰



lecturer for Execution