

## Advantage

1. Super Antivibración protección a prueba de golpes;
- Luz LED 2. IR alcance hasta 150Meter;
3. Weatherproof con limpiaparabrisas;
- Final 4. High Solución Sony;
5. Cooperate con la Copa Mundial de Brasil, China, del departamento etc Junta;

## Cuadros detallados



## Especificaciones

|                                |                                                                                                                                                   |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Producto & nbsp; nombre        | Cámara 100m Laser CCTV PTZ para el coche de la policía                                                                                            |
| Modelo                         | RCM-IPC216                                                                                                                                        |
| Imagen & nbsp; Sensor          | Tercera " & nbsp; Sony & nbsp; CCD                                                                                                                |
| Señal & nbsp; Modelo           | PAL / NTSC                                                                                                                                        |
| Horizontal & nbsp; resolución  | 650TVL                                                                                                                                            |
| Eficaz & nbsp; pixel           | PAL: 976 (H) * 582 (V); & nbsp; NTSC: 976 (H) & nbsp; * 494 (V)                                                                                   |
| Mínimo & nbsp; iluminación     | 0lux, color & nbsp; & nbsp; B / W, & nbsp; IR & nbsp; sensor, & nbsp; IR-CUT                                                                      |
| S / N & nbsp; de radio         | ≥60dB & nbsp; (mejorado)                                                                                                                          |
| Backlight & nbsp; compensación | On / Off / Strong & nbsp; luz & nbsp; inhibición                                                                                                  |
| Con & nbsp; equilibrio         | Auto / Manual                                                                                                                                     |
| Iris                           | Auto / Manual                                                                                                                                     |
| Electronic & nbsp; Shutter     | PAL: 1/50 ~ 1 / 10000s; & nbsp; NTSC: 1/60 ~ 1 / 12000s                                                                                           |
| Focus & nbsp; longitud         | 4.8 ~ 105.6mm                                                                                                                                     |
| Optical & nbsp; enfoque        | 22x                                                                                                                                               |
| Enfoque                        | Auto/manual,take high performance DSP to achieve complete digital and ultra-high speed focusing function                                          |
| Presets                        | 256                                                                                                                                               |
| Patrón & nbsp; seguimiento     | 4 & nbsp; grupos, & nbsp; cada & nbsp; se & nbsp; record & nbsp; 200 & nbsp; acciones                                                             |
| Tour & nbsp; pista             | 16 presets can join the cruise, can set the preset residence time                                                                                 |
| Otros & nbsp; escanear         | Soporte y & nbsp; horizontal & nbsp; escanear, & nbsp; dos & nbsp; puntos & nbsp; de área & nbsp; escanear, & nbsp; aleatorio & nbsp; exploración |

|                                         |                                                                                                                       |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Rotación & nbsp; rango                  | Horizontal & nbsp; 360 ° ilimitada & nbsp; rotación, & nbsp; vertical, & nbsp; 180 °, & nbsp; auto & nbsp; reversión  |
| Rotación & nbsp; velocidad              | Horizontal: & nbsp; 240 ° / s; & nbsp; Vertical: & nbsp; 160 ° / s                                                    |
| Comunicación                            | RS485, PELCO & nbsp; D, & nbsp; PELCO & nbsp; P                                                                       |
| OSD                                     | Chino / Inglés & nbsp; menú                                                                                           |
| Función; Especial & nbsp;               | AWB, WDR, MÁSCARA, DNR, Strong & nbsp; luz & nbsp; inhibición                                                         |
| Temperatura & nbsp; de control          | Built-in                                                                                                              |
| Intelligent & nbsp; IR & nbsp; lámparas | 400m, synchronized camera angles and adjust the laser angle 2°~60°at night                                            |
| Energía & nbsp; suministro              | DC12V / 4A                                                                                                            |
| Materiales                              | Aluminio                                                                                                              |
| Work & nbsp; medio ambiente             | -20 ° ~ 50 ° (Seleccionar & nbsp; temperatura & nbsp; control de & nbsp; accesorios), menos & nbsp; de & nbsp; 95% RH |

## Aplicación



## Certificación



|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <b>Warranty</b>    | <p>All items with 1 year warranty.<br/> Buyer pays the shipping cost back to us for repairing the faulty items within warranty date; we will repair all faulty items for free within warranty and pay the shipping back to you.<br/> We accept the refund by returning of the original goods and receipt in 7 days from purchasing date. Items should not be defective or broken.</p> |
|  <b>Payment</b>     | <p>We accept Alipay, West Union, TT. All major credit cards are accepted through secure payment processor ESCROW.</p>                                                                                                                                                                                                                                                                 |
|  <b>Shipping</b>    | <p>DHL, EMS, UPS, Post WORLDWIDE SHIPPING. Deliver within 24 Hours for sample order.</p>                                                                                                                                                                                                                                                                                              |
|  <b>After-Sales</b> | <p>If there is any problem with technical operation or anything we can help, please contact us by Email or Trade Manager soon. Our engineer team will support you with pleasure!</p>                                                                                                                                                                                                  |
|  <b>Price</b>       | <p>We are the original designer and manufacture of the described product. Direct factory supply without any middleman.</p>                                                                                                                                                                                                                                                            |

## Visita a la fábrica



# Richmor

OEM & ODM Service

Brasil World Cup Supplier


South Africa



Argentina




Czech Republic



Brazil



Russia



India



Turkey



Mexico



Saudi Arabia

