

tarjeta SD / HDD MDVR D1 / 720P / 1080P 4/5/8 canales dvr móvil del vehículo con el GPS 3G / 4G / WIFI opcional, la cámara del vehículo del coche y el monitor

Shenzhen Richmor Science&Technologies Development Co.,Ltd






WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

especificaciones del producto:

ít.	parámetro	
Sistema operativo	Linux	
Idioma	Inglés / chino / personalizado	
Compresión de video	La compresión H.264	
OSD	superposiciones de información como la hora y la fecha de identificación del vehículo	
GUI	Interfaz gráfica del usuario	parámetros del sistema de instalación con el mando a distancia

Sistema de grabación de video	entrada de video	4 canales de entrada 960P / 720P AHD, conector de la aviación, 1,0 Vp-p, 75Ω
	salida de vídeo	1 CVBS, 1,0 Vp-p, 75Ω, Aviación, 1 canal de soporte de pantalla completa, vista de la pantalla de 4 canales
	avance	Apoyo 1 canal y 4 canales de vista previa., Manual de apoyo / Activación de alarma de previsualización en pantalla completa
	resolución	720P / D1 / HD1 / CIF, MAX: 4 canales de 720P y 4 canales de D1
	calidad de la imagen	1-4 niveles, 1 es el nivel más alto.
	estándar de vídeo	PAL: 100F / s, línea CCIR625, 50Field; NTSC: 120f / s, línea CCIR525, 60field; CIF: 256Kbps ~ 1,5 Mbps, la calidad de vídeo 8 de nivel opcional; HD1: 600Kbps ~ 2.5Mbps, calidad de vídeo 8 de nivel opcional; D1: 800Kbps ~ 3 Mbps, la calidad de vídeo 8 de nivel opcional; 720P: 4 Mbps-6 Mbps, la calidad de vídeo de varios niveles opcionales
	modo de grabación	La configuración por defecto es la grabación automática después del encendido. grabación programada, grabación de disparo de alarma y la grabación manual son compatibles.
Audio	entrada de audio	Entrada de 4 canales de Aviación Plug
	salida de audio	2 CA, salida de auriculares se conectan en el panel frontal, BNC Conectar en el panel posterior
	compresión	la compresión G.726, velocidad de 8 KB / s
entrada de alarma		7CH entrada de alarma, 1 canal de entrada de AD, entrada de velocidad de impulso, acoplamiento de la alarma
salida de alarma		2 canales de salida de alarma, sensor de alarma de la ayuda de luz / sonido, Petróleo / Energía cortó
Interfaz		3CH RS232, POS / combustible sensor / LED Conexión Publicidad
		1 canal 485, la cámara PTZ Conectar
Transmisión inalámbrica		Soporte incorporado en la transmisión 3G , WCDMA, CDMA2000, GPRS, EDGE; Construido en el módulo 4G opcional, TDD-LTE, FDD-LTE
Posición GPS		Ayuda GPS incorporado / Módulo BD
Almacenamiento	HDD	Max 2.5 "HDD de 1 TB
	Tarjeta SD	Max 128 GB tarjeta SD Espejo de grabación Mantenga Seguridad de Datos
	actualizar	Admite que se actualiza USB, Actualización de tarjeta SD, la OTA actualización remota
	formato de archivo	H.264
	sistema de archivos	Sistema de archivos FAT32 especial
	USB	Interfaz USB en el panel frontal para los datos de copia de seguridad por U disco, disco duro
record Replay	de búsqueda de vídeo	Buscar Por Tiempo de grabación / Tipo de registro, etc.
	reproducción	Ayuda máxima de 4 canales de reproducción / parada / rápida / lenta al mismo tiempo El apoyo hacia adelante y hacia atrás juego a la velocidad de: x 2, x4, x8, x16.
Seguridad		Usuario / Administrador 2 Nivel contraseña diferente
Funciones opcionales	llamada de voz	voz de la ayuda llaman con el propio
	emisión de voz TTS	Soporte de voz TTS función de difusión.
	serie ampliar	Soporte LED Panel de Publicidad, sensor de aceite, POS, la estación de autobuses Transmisor, coche OBD, el dispositivo ect.external

Tensión & Poder	Administración de energía	Amplia Voltage.Support temporizado / Delay off
	Voltaje de entrada	DC: + 6V - + 36V
	Tensión de salida	+ 12V ~ 1.5A, 1.5A + 5V ~
	Poder	Trabajo & It; 5W
Ambiente de trabajo	Temperatura	-20 °C - 70 °C
	Humedad	20% - 80%
Otros	tamaño	200 (D) * 187 (W) * 62 (H) mm
	Peso	1.90Kg

Presentacion de producto:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna



CD (Manual & Software Inside)



7000 HDD Mobile DVR

Product Introduction

Device Series



15

Product Advantage



Interfaz gráfico del usuario del cliente

移动视频监控平台

欢迎登录, RCMTEST

系统

终端列表 轮询列表 我的地图

贵C A6446

CH1

CH2

CH3

CH4

桂KY7507

桂KY7569

80024

80119

D82868

子NPS001

桂KY7586

桂KY7599

贵B93017

贵C87762

状态 云台 色彩 语音

设备类型 MDVR

终端名称 贵C A6446

终端ID 80109

公司 通运集团金融公司

所属分组 贵州

状态 在线

GPS时间 2016-03-14 09:50:09

位置 贵州省遵义市习水县G4215(普通高速公路)

速度 74.10 km/h(南)

费用 正常

1 贵C A6446 - CH1 - 0 KB/S

2 贵C A6446 - CH2 - 24 KB/S

3 贵C A6446 - CH3 - 0 KB/S

4 贵C A6446 - CH4 - 0 KB/S

地址 搜索

马临镇政府

贵C A6446

时间: 2016-03-14 09:50:09 速度: 74.10

公司: 通运集团金融公司 司机: 陈国忠

位置: 贵州省遵义市习水县G4215(普通高速公路)

状态: 在线, 3G, ACC开启, SD卡(存在), 视频 对讲 监听 抓拍 更多

贵C A6446

石板田

特匠岩

200米

GPS监控 报警信息 系统事件 抓拍图片

运行时长: 00:01:04 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

nuestro apoyo MDVR supervisión de cliente móvil, como PC, teléfono móvil, etc.,

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificado

[illegible]

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LCC-SH00000719

Responsible Party	Shenzhen Weiborn Technology Development Co., LTD.
Address	3F No.8 West Longgang Road, Longhua New District, Shenzhen, China
Product	Bottle CRK
Model No.	RCM-B000000, RCM-B000001, RCM-B000002, RCM-B000003, RCM-B000004, RCM-BP0000, RCM-BP0001
Trade Mark	Schneider
Standards	FPC CYS 47 PART 10 Subgroup 4-1014, 4008 CUL-A-2000

Inspection notes:

This device is in accordance with Part 10 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following test conditions:
(1) this device may not cause harmful interference; and
(2) this device must accept any interference received, including interference that may cause undesired operation.
We hereby confirm in the applicable FCC Rules and Regulations. The manner of testing was in accordance to the most accurate measurement available possible, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Shanghai LCC Compliance Testing Laboratory Ltd.
No. 3 Jingang Avenue East, Songpu Town, Baoshan District, Shanghai,
Guangdong, China
Tel: 86-(0)-21-6024-1200
<http://www.lcc-sh.com>

Seal: 360793-00000191
Email: webmaster@lcc-sh.com

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-0475	
	Applicant	Shenzhen Elicitor Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Shenke 3000
	Model(s)	HCN-M0000A, HCN-M0000B, HCN-M0000C, HCN-M0000D, HCN-M0000E, HCN-M0000F, HCN-M0000G, HCN-M0000H
	Trade Mark	Shenke
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 55022, EN 55024, EN 55034, EN 55035	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of satisfactory documentary evidence.		
(State relevant Directives have to be attached)		
   Manager April 16, 2013		
(Shenzhen UKAS Compliance Testing Laboratory Ltd) 17, Jingnan Industrial Park, Xixiang Street, Xixiang Street, Bao'an District, Shenzhen Guangdong, China Tel: 86(755) 83297153 Fax: 86(755) 83297153 E-mail: ukas@ukas-csl.com.cn Website: www.ukas-csl.com.cn		

CERTIFICATE OF CONFORMITY	 CERTIFICATE <i>of Conformity</i> Reference No.: (CEC/04/000001)	
	Applicant	Shenzhen Mission Technology Development Co., Ltd.
	Address	2/F South West Longgang Road, Longgang New District, Shenzhen, China
	Product	Speakers
	Model(s)	RCM-IP2010, RCM-IP210, RCM-LC210, RCM-IP210S, RCM-IP210R, RCM-IP210L, RCM-AL210, RCM-AL210S, RCM-AL210R, RCM-AL210L, RCM-AL210S, RCM-AL210R, RCM-AL210L, RCM-AL210S, RCM-AL210R, RCM-AL210L
Trade Mark	Belosonic	
The submitted products have been tested by us with the related standards and found in compliance with the following European Directive: The EMC Directive 2004/108/EC (EN 55022, EN 55024, EN 55035, EN 55036)		
The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies exclusively to the sample investigated in our test reference number 2010.		
The CE markings are allowed to be affixed on the product after acceptance of necessary technical documentation.		
(This relevant declaration form is to be retained)		
		 April 10, 2010
Shenzhen CEC Conformity Testing Laboratory Ltd. 27, Jingdong Industrial Park, Jingdong Road, Bao'an Dist., Shenzhen District, Shenzhen, Guangdong, China Tel: 86(0)755 26201020 Fax: 86(0)755 26201022 E-mail: info@cec-csl.com.cn http://www.cec-csl.com.cn		

		CERTIFICATE of Conformity 301000000 Declaration of Technical Evidence	
		Reference No.: UL1000000000	
When listed as certified, the applicant certifies compliance with the requirements of Commission Decision of 17 July 2017 amending Decision 301000000.			
Applicant	Shenzhen Etekwin Technology Development Co., Ltd.		
Address	3F Huaili West Longgang Road, Longgang New District, Shenzhen, China		
Trade Mark	Etekwin		
Product	Camera		
Model(s)	R00M-P020A, R00M-P020B, R00M-P020C, R00M-P020E, R00M-P020F, R00M-P020G, R00M-P020H, R00M-P020I, R00M-P020J, R00M-P020K, R00M-P020L, R00M-P020M, R00M-P020N, R00M-P020O, R00M-P020P, R00M-P020Q, R00M-P020R, R00M-P020S, R00M-P020T, R00M-P020U, R00M-P020V, R00M-P020W, R00M-P020X, R00M-P020Y, R00M-P020Z, R00M-P020AA, R00M-P020AB, R00M-P020AC, R00M-P020AD, R00M-P020AE, R00M-P020AF, R00M-P020AG, R00M-P020AH, R00M-P020AI, R00M-P020AJ, R00M-P020AK, R00M-P020AL, R00M-P020AM, R00M-P020AN, R00M-P020AO, R00M-P020AP, R00M-P020AQ, R00M-P020AR, R00M-P020AS, R00M-P020AT, R00M-P020AU, R00M-P020AV, R00M-P020AW, R00M-P020AX, R00M-P020AY, R00M-P020AZ, R00M-P020BA, R00M-P020BB, R00M-P020BC, R00M-P020BD, R00M-P020BE, R00M-P020BF, R00M-P020BG, R00M-P020BH, R00M-P020BI, R00M-P020BJ, R00M-P020BK, R00M-P020BL, R00M-P020BM, R00M-P020BN, R00M-P020BO, R00M-P020BP, R00M-P020BQ, R00M-P020BR, R00M-P020BS, R00M-P020BT, R00M-P020BU, R00M-P020BV, R00M-P020BW, R00M-P020BX, R00M-P020BY, R00M-P020BZ, R00M-P020CA, R00M-P020CB, R00M-P020CC, R00M-P020CD, R00M-P020CE, R00M-P020CF, R00M-P020CG, R00M-P020CH, R00M-P020CI, R00M-P020CJ, R00M-P020CK, R00M-P020CL, R00M-P020CM, R00M-P020CN, R00M-P020CO, R00M-P020CP, R00M-P020CQ, R00M-P020CR, R00M-P020CS, R00M-P020CT, R00M-P020CU, R00M-P020CV, R00M-P020CW, R00M-P020CX, R00M-P020CY, R00M-P020CZ, R00M-P020DA, R00M-P020DB, R00M-P020DC, R00M-P020DD, R00M-P020DE, R00M-P020DF, R00M-P020DG, R00M-P020DH, R00M-P020DI, R00M-P020DJ, R00M-P020DK, R00M-P020DL, R00M-P020DM, R00M-P020DN, R00M-P020DO, R00M-P020DP, R00M-P020DQ, R00M-P020DR, R00M-P020DS, R00M-P020DT, R00M-P020DU, R00M-P020DV, R00M-P020DW, R00M-P020DX, R00M-P020DY, R00M-P020DZ, R00M-P020EA, R00M-P020EB, R00M-P020EC, R00M-P020ED, R00M-P020EE, R00M-P020EF, R00M-P020EG, R00M-P020EH, R00M-P020EI, R00M-P020EJ, R00M-P020EK, R00M-P020EL, R00M-P020EM, R00M-P020EN, R00M-P020EO, R00M-P020EP, R00M-P020EQ, R00M-P020ER, R00M-P020ES, R00M-P020ET, R00M-P020EU, R00M-P020EV, R00M-P020EW, R00M-P020EX, R00M-P020EY, R00M-P020EZ, R00M-P020FA, R00M-P020FB, R00M-P020FC, R00M-P020FD, R00M-P020FE, R00M-P020FF, R00M-P020FG, R00M-P020FH, R00M-P020FI, R00M-P020FJ, R00M-P020FK, R00M-P020FL, R00M-P020FM, R00M-P020FN, R00M-P020FO, R00M-P020FP, R00M-P020FQ, R00M-P020FR, R00M-P020FS, R00M-P020FT, R00M-P020FU, R00M-P020FV, R00M-P020FW, R00M-P020FX, R00M-P020FY, R00M-P020FZ, R00M-P020GA, R00M-P020GB, R00M-P020GC, R00M-P020GD, R00M-P020GE, R00M-P020GF, R00M-P020GG, R00M-P020GH, R00M-P020GI, R00M-P020GJ, R00M-P020GK, R00M-P020GL, R00M-P020GM, R00M-P020GN, R00M-P020GO, R00M-P020GP, R00M-P020GQ, R00M-P020GR, R00M-P020GS, R00M-P020GT, R00M-P020GU, R00M-P020GV, R00M-P020GW, R00M-P020GX, R00M-P020GY, R00M-P020GZ, R00M-P020HA, R00M-P020HB, R00M-P020HC, R00M-P020HD, R00M-P020HE, R00M-P020HF, R00M-P020HG, R00M-P020HH, R00M-P020HI, R00M-P020HJ, R00M-P020HK, R00M-P020HL, R00M-P020HM, R00M-P020HN, R00M-P020HO, R00M-P020HP, R00M-P020HQ, R00M-P020HR, R00M-P020HS, R00M-P020HT, R00M-P020HU, R00M-P020HV, R00M-P020HW, R00M-P020HX, R00M-P020HY, R00M-P020HZ, R00M-P020IA, R00M-P020IB, R00M-P020IC, R00M-P020ID, R00M-P020IE, R00M-P020IF, R00M-P020IG, R00M-P020IH, R00M-P020II, R00M-P020IJ, R00M-P020IK, R00M-P020IL, R00M-P020IM, R00M-P020IN, R00M-P020IO, R00M-P020IP, R00M-P020IQ, R00M-P020IR, R00M-P020IS, R00M-P020IT, R00M-P020IU, R00M-P020IV, R00M-P020IW, R00M-P020IX, R00M-P020IY, R00M-P020IZ, R00M-P020JA, R00M-P020JB, R00M-P020JC, R00M-P020JD, R00M-P020JE, R00M-P020JF, R00M-P020JG, R00M-P020JH, R00M-P020JI, R00M-P020JJ, R00M-P020JK, R00M-P020JL, R00M-P020JM, R00M-P020JN, R00M-P020JO, R00M-P020JP, R00M-P020JQ, R00M-P020JR, R00M-P020JS, R00M-P020JT, R00M-P020JU, R00M-P020JV, R00M-P020JW, R00M-P020JX, R00M-P020JY, R00M-P020JZ, R00M-P020KA, R00M-P020KB, R00M-P020KC, R00M-P020KD, R00M-P020KE, R00M-P020KF, R00M-P020KG, R00M-P020KH, R00M-P020KI, R00M-P020KJ, R00M-P020KK, R00M-P020KL, R00M-P020KM, R00M-P020KN, R00M-P020KO, R00M-P020KP, R00M-P020KQ, R00M-P020KR, R00M-P020KS, R00M-P020KT, R00M-P020KU, R00M-P020KV, R00M-P020KW, R00M-P020KX, R00M-P020KY, R00M-P020KZ, R00M-P020LA, R00M-P020LB, R00M-P020LC, R00M-P020LD, R00M-P020LE, R00M-P020LF, R00M-P020LG, R00M-P020LH, R00M-P020LI, R00M-P020LJ, R00M-P020LK, R00M-P020LL, R00M-P020LM, R00M-P020LN, R00M-P020LO, R00M-P020LP, R00M-P020LQ, R00M-P020LR, R00M-P020LS, R00M-P020LT, R00M-P020LU, R00M-P020LV, R00M-P020LW, R00M-P020LX, R00M-P020LY, R00M-P020LZ, R00M-P020MA, R00M-P020MB, R00M-P020MC, R00M-P020MD, R00M-P020ME, R00M-P020MF, R00M-P020MG, R00M-P020MH, R00M-P020MI, R00M-P020MJ, R00M-P020MK, R00M-P020ML, R00M-P020MM, R00M-P020MN, R00M-P020MO, R00M-P020MP, R00M-P020MQ, R00M-P020MR, R00M-P020MS, R00M-P020MT, R00M-P020MU, R00M-P020MV, R00M-P020MW, R00M-P020MX, R00M-P020MY, R00M-P020MZ, R00M-P020NA, R00M-P020NB, R00M-P020NC, R00		

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity ISSUED BY: Notifier of Notified Bodies Reference No.: LU0104103818	
When tested as specified, the submitted sample complies with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU.	
Applicant	Shenzhen Pictorial Technology Development Co., LTD.
Address	3F 3F 34 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark	Pictorial
Product	Monitor D20K
Model(s)	NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL, NCM-INDUSTRIAL
The test report is issued on the Applicant's request in its General Conditions of Service jointly accepted. Attention is drawn to the limitations of liability, indemnification and other conditions set forth therein. The results shown in this test report refer only to the sample(s) tested under uniformed random test. This Report cannot be reproduced, copied or full, without your written permission of the Notifier.	
Other relevant documents have to be obtained.	
RoHS	
 <i>John Lee</i> Manager April 08, 2012	
Shenzhen UL10 Compliance Testing Laboratory Ltd. 28/F, Hengfeng Industrial Park, Tanggou Road, Nanshan Dist., Nanshan District, Shenzhen, Guangdong, China Tel: +86-(0)755-82591100 http://www.ul10.com.cn	
Fax: +86-(0)755-82591102 Email: shenzhen@ul10.com.cn	

compañía y fábrica



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exposición:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Otros tipos de productos

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr



If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029113929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmccctv.com

Skype: rcmccctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

