


DVR mobile 1080 AHD de haute qualité, avec large tension, 4CH, 3G, 4G, wifi, MDVR, pour coffre de voiture et de fourgon

Richmor

Shenzhen Richmor Technology Development CO.,Ltd is a global and professional MDVR/MNVR manufacturer and solution provider specializing in vehicle monitoring system design and deployment for over 10 years



COMPANY INFORMATION

Company Introduction

Shenzhen Richmor Technology Development CO.,Ltd is a global and professional MDVR/MNVR manufacturer and solution provider specializing in vehicle monitoring system design and deployment for over 10 years

01. Our company




02. Office area

03. Service team



04. Factory Photos

DVR mobile AHD de haute qualité, avec large tension, 4CH, 3G, 4G, wifi, MDVR, pour coffre de voiture et de fourgon



PRODUCT SHOW

Product's Front Side

Display

Military Design/ Good Stability/Durable /Shockproof & Earthquake Resistant



Product's Back Side

Display

Wide Voltage Design / Data Comprehensive Protection / High Security




STRUCTURE

Front Panel

Details


Professional Security Device/Powerful Functions/ User-friendly Button Operation/ Easy to Use



Back Panel

Details

Aviation AV&DV Input / Steady Port/ Strong Shockproof Ability/ Simple & Convenient



DETAILED SPECS

FUNCTION DISPLAY




Mobile Monitoring Management Platform

RMVS is a system of centralized management and monitoring of all kinds of vehicles based on wireless network. Perform real-time monitoring, GPS/BD positioning, video storage, vehicle scheduling, alarm and alarm, etc.

Related Kits



INSTALLATION



DEVELOPMENT HISTORY

**Sailing
2008**

Richmor Founded
in a 30㎡ Studio

Provided MDVR ODM
Service for Public Companies

**Challenging
2011**

Moved into Longhua 500㎡ Factory
Built Sales Team
Guangdong TV Interviewed at CPSE 2011

**Innovating
2016**

First Launched 1080P 8CH AHD HD
MDVR & 4G Body Camera

Won the Golden Lion Award at ITS Expo

Won 10000PCS Order of Beijing Public
Bus via Strict National Las Testing

Got Certificate "National High-Tech Enterprise"

**Improving
2010**

Moved into 70㎡ Office Building
Officially Launched Own Brand Products
Thousand MDVR Order
Got From Changsha
Transportation Group in Hunan

**Striding
2014**

Moved into Bantian 1300㎡ Industrial Area
Launched New 3G Body Camera &
Ministerial Standard Products
3G Body Camera become Brasil World
Cup Security Products

**Transforming
2017**

Richmor Moved into 3000㎡ Building

Expanding Service & Developing
Team to Provide More Quality Products

Provide More Service & Support to
All Clients & Partners

CERTIFICATION



Détaillé

DVR mobile AHD de haute qualité, avec large tension, 4CH, 3G, 4G, wifi, MDVR, pour coffre de

voiture et de fourgon

Article		Paramètre	
Système d'exploitation		Linux	
Compression de vidéo		H.264	
Interface d'opération		Menu OSD	
Système d'enregistrement vidéo	Entrée vidéo	Prise en charge de 4 canaux AHD 720P en temps réel	
	Sortie vidéo	Sortie vidéo composite 1 canal	
	Afficher	1/2/4 canaux plein écran	
	Système de signalisation	PAL/NTSC (PAL à 100 images, NTSC à 120 images)	
	Résolution	Prise en charge de 4 canaux AHD 720P en temps réel	
	Format d'enregistrement	Enregistrement A/V synchronisé	
l'audio	Entrée audio	4 canaux	
	Sortie audio	1 canal	
	Compression	G.726	
Alarme	Saisir	4 canaux	
	Sortir	1 canal	
Stockage		Jusqu'à 256 Go, 128 Go chacun	
Port de communication		1 canal RS232 / 1 canal RS485	
Capteur G		Intégré, prend en charge la détection de mouvement sur 3 axes avec des plages définies par l'utilisateur, pour les coordonnées X, Y et Z.	
Communications sans fil		GPS/3G/4G/WIFI en option	
GPS		GPS/Glonass	
Lecture vidéo	Recherche vidéo	Rechercher une vidéo par durée d'enregistrement/type, etc.	
	Relecture	A/V, GPS, Mapview, vitesse, capteur G, fichiers vidéo disponibles pour la lecture sur PC.	
	CMS	Sans fil (nécessite Wi-Fi ou cellulaire), surveillance en temps réel. GPS et alarme, etc.	
Tension de fonctionnement	Entrée de tension	8 V ~ 36 V CC	
	Sortie de tension	12 V @ 1,2 A 4 canaux, avec IR	12 V @0,9 A 2 canaux, avec IR
	Protection contre la mise hors tension	Toutes les informations vidéo peuvent être enregistrées automatiquement en cas de coupure de courant et garantir que tous les fichiers ne peuvent pas être endommagés	
	UPS	Batterie UPS externe en option, prend en charge la surveillance 24 heures sur 24	
Autre	Température de fonctionnement	-40 °C ~ 70 °C	
	Humidité	20% ~ 80%	
	Dimension	112*36*138mm	
	Poids	360g	

INSTALLATION

