

Dvr mobile à 4 voies, sortie vidéo VGA, entrée HD 1080p, vente 2017, série RCM-MDR7204

校车监控解决方案 SCHOOL BUS SOLUTION



功能特点 Features



实时监控, GPS定位
Real-time monitoring,
GPS positioning

身份验证, 人数统计
Two-factor authentication



语音功能 Voice features



行车记录, 驾驶行为管理
Driving behavior management



短信提醒
Assured SMS alerts



偏航报警
Yaw alarm

采用高压缩比, 图像清晰的H.264编码格式, 支持开机录像、定时录像及报警录像, 支持ACC熄火延时录像。内置GPS全球定位系统, 可通过3G网络远程查看实时视频, 车辆位置, 回放历史录像。支持手机远程监控。 Adopting H.264 Video compression with high resolution, ACC on/off, Timer Recording, ACC Delay Recording Mode supported, Built-in GPS Tracking system, Real time video stream, Vehicle Position, Video Replay can be viewed through 3G Network, Support Mobile Phone remote Monitor.

可连接刷卡器验证身份, 统计数据, 避免人工统计时出现失误。提供每个停靠站点实时的上下学生人数, 避免漏接学生, 以及把学生遗留在车内, 造成事故。 Combine with Card Equipment for authenticate information and counting, avoid artificial statistical mistake, offer the students get on/off real time number at each station, avoid the accident caused by missing students or leaving students in the carriage.

可进行语音电话, 网络对讲, 声音广播。实现管理中心和车辆即时通讯。 Support VOIP, 3G Intercom, Broadcast realize Center office communicate with Driver in real time.

对司机的不良行为进行监管, 比如经常超速、急加速、急减速、急刹车等容易对车内学生造成危险的行为; 并对其进行评测, 预防安全隐患发生。 Supervise driver's bad behavior, such as: over-speed, acceleration, decelerate urgently, brakes etc dangerous behavior for students, Driver's Performance evidence.

车载智能系统会根据需要向家长发送孩子上下车短信, 包括什么时间、在哪里上车及下车, 让家长及时、快捷的了解学生安全状况, 有利学生接送时间的精确控制。 Intelligent vehicle system, students get on/off bus information sent to parents by SMS including When and where on/off, convenient for parents to know students status and easily for picking up students.

预先设定校车的固定行驶路线, 当校车未按照预定的驾驶路线行驶时, 中心上会自动发出语音报警, 中心可与车载终端通过语音对讲进行通讯。 Geo Fence Alarm, preset driving route, when out off the line it will sound alarm automatically at center office, center can talk with the driver for the information.

Spécifications du produit:

projet		paramètre
système opérateur		Linux
La langue		Anglais / Chinois / personnalisé
Compression de vidéo		Compression H.264
OSD		Superposition de la date et de l'heure, de l'identification du véhicule et d'autres informations
GUI	GUI	Définir les paramètres du système avec la télécommande
Système d'enregistrement vidéo	Entrée vidéo	Entrée 4CH 960P / 720P AHD, Connecteurs aviation, 1.0Vp-p, 75Ω
	Sortie vidéo	1 CVBS, 1.0Vp-p, 75Ω, aviation, support 1CH plein écran, vue écran 4CH
	Aperçu	Prend en charge la prévisualisation de 1 canal et 4 canaux. Prise en charge manuelle / déclencheur d'alarme Aperçu en plein écran
	Résolution	720P / D1 / HD1 / CIF, MAX: 4 720P et 4 D1
	Qualité de l'image	Niveau 1-4, le niveau 1 est le niveau le plus élevé.
	Norme vidéo	PAL: 100f / s, ligne CCIR625, 50field; NTSC: 120f / s, ligne CCIR525, 60 champs; CIF: 256Kbps ~ 1.5Mbps, qualité vidéo à 8 niveaux en option; HD1: 600Kbps ~ 2.5Mbps, qualité vidéo à 8 niveaux en option; D1: 800Kbps ~ 3Mbps, qualité vidéo à 8 niveaux en option; 720P: 4Mbps-6Mbps, qualité vidéo multi-niveau en option
	Mode d'enregistrement	Après la mise sous tension, le réglage par défaut pour l'enregistrement automatique. Soutenir l'enregistrement par minuterie, l'enregistrement par déclenchement d'alarme et l'enregistrement manuel.
l'audio	Entrée audio	Entrée de fiche aviation 4CH
	Sortie audio	2CH, le panneau avant se connecte au casque, le panneau arrière se connecte à la BNC
	compression	Compression G.726, vitesse de 8 Ko / s
Entrée d'alarme		Entrée d'alarme 7CH, entrée AD 1CH, entrée de vitesse d'impulsion, liaison d'alarme
Sortie d'alarme		Sortie d'alarme 2, support pour capteur d'alarme de lumière / son, huile / arrêt
interface		3CH RS232, connexion de position / capteur de carburant / publicité de LED Interface 1CH 485, connectez la caméra PTZ
Transmission sans fil		Prise en charge de la transmission 3G intégrée, WCDMA, CDMA2000, GPRS, EDGE; Module 4G intégré en option, TDD-LTE, FDD-LTE
Localisation GPS		Prend en charge le module GPS / BD intégré
espace de rangement	disque dur	Disque dur maximum 2,5 "1To
	carte SD	Enregistrement de l'image de la carte SD maximale de 128 Go en toute sécurité
	Actualisé	Support USB mise à jour, mise à jour de carte SD, mise à jour à distance OTA
	format de fichier	H.264
	Système de fichiers	Système de fichiers FAT32 spécial
	USB	Interface USB sur le disque U de sauvegarde de données de face avant, disque dur

Record replay	Recherche vidéo	Recherche par durée d'enregistrement / type d'enregistrement, etc.
	Lecture	Max prend également en charge 4CH Replay / Stop / Fast / Slow Prise en charge de la lecture avant, arrière et avant x 2, x 4, x 8, x 16
sécurité		Utilisateur / Administrateur 2 mots de passe différents
Caractéristiques optionnelles	Appels vocaux	Soutenir les autres appels vocaux
	Diffusion vocale TTS	Soutenez la lecture de voix de TTS.
	Extension série	Supporte l'écran publicitaire LED, capteur de niveau d'huile, POS, station de bus de diffusion, voiture OBD et autres équipements externes
Tension et ampère Puissance	Gestion de l'énergie	Large tension. Soutien chronométrage / retarder off
	Tension d'entrée	DC: + 6V - + 36V
	La tension de sortie	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Puissance	Travailler & It; 5W
environnement de travail	Température	-20 °C - +70 °C
	humidité	20% - 80%
autre	Taille	200 (D) * 187 (W) * 62 (H) mm
	poids	1,90 kg

Des produits:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WiFi Antenna




CD (Manual & Software Inside)




7000 HDD Mobile DVR

Product Introduction

Device Series



Product Advantage



Interface graphique de l'utilisateur client

移动视频监控平台

欢迎登录:RCMTEST 系统 实时预览 电子地图 回放管理 信息管理 系统设置

终端列表 轮询列表 我的地图

设备树: 监控中心(3/11) > 贵州(1/1) > 贵C A6446 > CH1, CH2, CH3, CH4 > 桂KY7507, 桂KY7569, 80024, 80119, D82868, 子NPS001, 桂KY7586, 桂KY7599, 贵B93017, 贵C87762

设备信息表:

设备类型	MDVR
终端名称	贵C A6446
终端ID	80109
公司	通运集团金融公司
所属分组	贵州
状态	在线
GPS时间	2016-03-14 09:50:09
位置	贵州省遵义市习水县G4215(蓉遵高速公路)
速度	74.10 km/h(南)
费用	正常

实时监控: 贵C A6446 - CH1 - 0 KB/S, 贵C A6446 - CH2 - 24 KB/S, 贵C A6446 - CH3 - 0 KB/S, 贵C A6446 - CH4 - 0 KB/S

GPS监控 <报警信息> <系统事件> <抓拍图片>

运行时长: 00:01:04 报警: 0 系统事件: 0 抓拍图片: 0 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

Notre mdvr prend en charge la surveillance des PC, téléphones mobiles et autres clients mobiles.

İstemci İndirme



Windows

İndir



Version: 7.4.0.15
Güncelle: 20151123



İndir



Version: 7.0.3
Güncelle: 20150523

- Çince
- İngilizce
- Geleneksel
- Türkiye
- Taylandlı
- Portugues
- Arapça
- İspanya
- Bulgar
- Russian

Version: 7.0.0.10
Güncelle: 20150801

Uygun Program İndir



Application

FUNCTIONS

- Video & Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificat

VERIFICATION OF CONFORMITY

Verification of Conformity
Reference No.: LC0104008710

Responsible Party: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Camera
Model No.: RCM-PC216, RCM-PC218, RCM-LPC216, RCM-LPC218, RCM-MPC216, RCM-MPC218, RCM-SC2, RCM-MS2, RCM-MS4, RCM-MS6, RCM-MS8, RCM-MS10, RCM-MS12, RCM-MS14, RCM-MS16, RCM-MS18, RCM-MS20, RCM-MS22, RCM-MS24, RCM-MS26, RCM-MS28, RCM-MS30, RCM-MS32, RCM-MS34, RCM-MS36, RCM-MS38, RCM-MS40, RCM-MS42, RCM-MS44, RCM-MS46, RCM-MS48, RCM-MS50, RCM-MS52, RCM-MS54, RCM-MS56, RCM-MS58, RCM-MS60, RCM-MS62, RCM-MS64, RCM-MS66, RCM-MS68, RCM-MS70, RCM-MS72, RCM-MS74, RCM-MS76, RCM-MS78, RCM-MS80, RCM-MS82, RCM-MS84, RCM-MS86, RCM-MS88, RCM-MS90, RCM-MS92, RCM-MS94, RCM-MS96, RCM-MS98, RCM-MS100
Trade Mark: Reaktor
Standard: FCC CFR 47 PART 15 Subpart B, 2011, ANSI C63.4-2008

Important note:
This device is in compliance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions: (1) the device may not cause harmful interference, and (2) the device must accept any interference received, including interference that may cause undesired operation. The method of testing was in accordance with the applicable FCC Rules and Regulations. The method of testing was in accordance with the most accurate measurement methods available, and that all necessary steps have been taken to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Shenzhen LCC Compliance Testing Laboratory Ltd.
27, Jingqian Industrial Park, Tengda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26281122 Fax: 86755-26281122
Http://www.lcc-test.com Email: admin@lcc-test.com

Manager
April 16, 2013



VERIFICATION OF CONFORMITY

Verification of Conformity
Reference No.: LC0104008710

Responsible Party: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Media DVR
Model No.: RCM-MD316, RCM-MD318, RCM-MD316A, RCM-MD318A, RCM-MD316B, RCM-MD318B, RCM-MD316C, RCM-MD318C, RCM-MD316D, RCM-MD318D, RCM-MD316E, RCM-MD318E, RCM-MD316F, RCM-MD318F, RCM-MD316G, RCM-MD318G, RCM-MD316H, RCM-MD318H, RCM-MD316I, RCM-MD318I, RCM-MD316J, RCM-MD318J, RCM-MD316K, RCM-MD318K, RCM-MD316L, RCM-MD318L, RCM-MD316M, RCM-MD318M, RCM-MD316N, RCM-MD318N, RCM-MD316O, RCM-MD318O, RCM-MD316P, RCM-MD318P, RCM-MD316Q, RCM-MD318Q, RCM-MD316R, RCM-MD318R, RCM-MD316S, RCM-MD318S, RCM-MD316T, RCM-MD318T, RCM-MD316U, RCM-MD318U, RCM-MD316V, RCM-MD318V, RCM-MD316W, RCM-MD318W, RCM-MD316X, RCM-MD318X, RCM-MD316Y, RCM-MD318Y, RCM-MD316Z, RCM-MD318Z
Trade Mark: Reaktor
Standard: FCC CFR 47 PART 15 Subpart B, 2011, ANSI C63.4-2008

Important note:
This device is in compliance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions: (1) the device may not cause harmful interference, and (2) the device must accept any interference received, including interference that may cause undesired operation. The method of testing was in accordance with the applicable FCC Rules and Regulations. The method of testing was in accordance with the most accurate measurement methods available, and that all necessary steps have been taken to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Shenzhen LCC Compliance Testing Laboratory Ltd.
27, Jingqian Industrial Park, Tengda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26281122 Fax: 86755-26281122
Http://www.lcc-test.com Email: admin@lcc-test.com

Manager
April 16, 2013



CERTIFICATE OF CONFORMITY
Reference No.: LC0104008710

Applicant: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Media DVR
Model No.: RCM-MD316, RCM-MD318, RCM-MD316A, RCM-MD318A, RCM-MD316B, RCM-MD318B, RCM-MD316C, RCM-MD318C, RCM-MD316D, RCM-MD318D, RCM-MD316E, RCM-MD318E, RCM-MD316F, RCM-MD318F, RCM-MD316G, RCM-MD318G, RCM-MD316H, RCM-MD318H, RCM-MD316I, RCM-MD318I, RCM-MD316J, RCM-MD318J, RCM-MD316K, RCM-MD318K, RCM-MD316L, RCM-MD318L, RCM-MD316M, RCM-MD318M, RCM-MD316N, RCM-MD318N, RCM-MD316O, RCM-MD318O, RCM-MD316P, RCM-MD318P, RCM-MD316Q, RCM-MD318Q, RCM-MD316R, RCM-MD318R, RCM-MD316S, RCM-MD318S, RCM-MD316T, RCM-MD318T, RCM-MD316U, RCM-MD318U, RCM-MD316V, RCM-MD318V, RCM-MD316W, RCM-MD318W, RCM-MD316X, RCM-MD318X, RCM-MD316Y, RCM-MD318Y, RCM-MD316Z, RCM-MD318Z
Trade Mark: Reaktor
Standard: EMC Directive 2004/108/EC
EN 55022, EN 55024, EN 55024-2

The EMC Directive 2004/108/EC
EN 55022, EN 55024, EN 55024-2

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated and is not a reference number only.
The CE Marking as shown below can be affixed to the product after preparation of necessary technical documentation.
Other relevant directives have to be observed.

Shenzhen LCC Compliance Testing Laboratory Ltd.
27, Jingqian Industrial Park, Tengda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26281122 Fax: 86755-26281122
Http://www.lcc-test.com Email: admin@lcc-test.com

Manager
April 16, 2013




CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
Reference No.: LC0104008710

Applicant: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Camera
Model No.: RCM-PC216, RCM-PC218, RCM-LPC216, RCM-LPC218, RCM-MPC216, RCM-MPC218, RCM-SC2, RCM-MS2, RCM-MS4, RCM-MS6, RCM-MS8, RCM-MS10, RCM-MS12, RCM-MS14, RCM-MS16, RCM-MS18, RCM-MS20, RCM-MS22, RCM-MS24, RCM-MS26, RCM-MS28, RCM-MS30, RCM-MS32, RCM-MS34, RCM-MS36, RCM-MS38, RCM-MS40, RCM-MS42, RCM-MS44, RCM-MS46, RCM-MS48, RCM-MS50, RCM-MS52, RCM-MS54, RCM-MS56, RCM-MS58, RCM-MS60, RCM-MS62, RCM-MS64, RCM-MS66, RCM-MS68, RCM-MS70, RCM-MS72, RCM-MS74, RCM-MS76, RCM-MS78, RCM-MS80, RCM-MS82, RCM-MS84, RCM-MS86, RCM-MS88, RCM-MS90, RCM-MS92, RCM-MS94, RCM-MS96, RCM-MS98, RCM-MS100
Trade Mark: Reaktor
Standard: EMC Directive 2004/108/EC
EN 55022, EN 55024, EN 55024-2

The EMC Directive 2004/108/EC
EN 55022, EN 55024, EN 55024-2

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated and is not a reference number only.
The CE Marking as shown below can be affixed to the product after preparation of necessary technical documentation.
Other relevant directives have to be observed.

Shenzhen LCC Compliance Testing Laboratory Ltd.
27, Jingqian Industrial Park, Tengda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26281122 Fax: 86755-26281122
Http://www.lcc-test.com Email: admin@lcc-test.com

Manager
April 16, 2013




CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
Reference No.: LC0104008710

Applicant: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Camera
Model No.: RCM-PC216, RCM-PC218, RCM-LPC216, RCM-LPC218, RCM-MPC216, RCM-MPC218, RCM-SC2, RCM-MS2, RCM-MS4, RCM-MS6, RCM-MS8, RCM-MS10, RCM-MS12, RCM-MS14, RCM-MS16, RCM-MS18, RCM-MS20, RCM-MS22, RCM-MS24, RCM-MS26, RCM-MS28, RCM-MS30, RCM-MS32, RCM-MS34, RCM-MS36, RCM-MS38, RCM-MS40, RCM-MS42, RCM-MS44, RCM-MS46, RCM-MS48, RCM-MS50, RCM-MS52, RCM-MS54, RCM-MS56, RCM-MS58, RCM-MS60, RCM-MS62, RCM-MS64, RCM-MS66, RCM-MS68, RCM-MS70, RCM-MS72, RCM-MS74, RCM-MS76, RCM-MS78, RCM-MS80, RCM-MS82, RCM-MS84, RCM-MS86, RCM-MS88, RCM-MS90, RCM-MS92, RCM-MS94, RCM-MS96, RCM-MS98, RCM-MS100
Trade Mark: Reaktor
Standard: RoHS
RoHS

The test results are issued by the Company subject to the Federal Conditions of Service printed on the back of this certificate. The results shown in this test report refer only to the particular tested sample unless otherwise stated. This Test Report cannot be reproduced, stored in a retrieval system, or otherwise disseminated without the written permission of the Company.
Other relevant directives have to be observed.

Shenzhen LCC Compliance Testing Laboratory Ltd.
27, Jingqian Industrial Park, Tengda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26281122 Fax: 86755-26281122
Http://www.lcc-test.com Email: admin@lcc-test.com

Manager
April 16, 2013



CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity
Reference No.: LC0104008710

Applicant: Shenzhen Reaktor Technology Development Co., LTD.
Address: 27 No.44 West Longgang Road, Longgang New District, Shenzhen, China
Product: Media DVR
Model No.: RCM-MD316, RCM-MD318, RCM-MD316A, RCM-MD318A, RCM-MD316B, RCM-MD318B, RCM-MD316C, RCM-MD318C, RCM-MD316D, RCM-MD318D, RCM-MD316E, RCM-MD318E, RCM-MD316F, RCM-MD318F, RCM-MD316G, RCM-MD318G, RCM-MD316H, RCM-MD318H, RCM-MD316I, RCM-MD318I, RCM-MD316J, RCM-MD318J, RCM-MD316K, RCM-MD318K, RCM-MD316L, RCM-MD318L, RCM-MD316M, RCM-MD318M, RCM-MD316N, RCM-MD318N, RCM-MD316O, RCM-MD318O, RCM-MD316P, RCM-MD318P, RCM-MD316Q, RCM-MD318Q, RCM-MD316R, RCM-MD318R, RCM-MD316S, RCM-MD318S, RCM-MD316T, RCM-MD318T, RCM-MD316U, RCM-MD318U, RCM-MD316V, RCM-MD318V, RCM-MD316W, RCM-MD318W, RCM-MD316X, RCM-MD318X, RCM-MD316Y, RCM-MD318Y, RCM-MD316Z, RCM-MD318Z
Trade Mark: Reaktor
Standard: RoHS
RoHS

The test report is issued by the Company subject to the General Conditions of Service printed on the back of this certificate. The results shown in this test report refer only to the particular tested sample unless otherwise stated. This Test Report cannot be reproduced, stored in a retrieval system, or otherwise disseminated without the written permission of the Company.
Other relevant directives have to be observed.

Shenzhen LCC Compliance Testing Laboratory Ltd.
27, Jingqian Industrial Park, Tengda Road, Bao'an District, Shenzhen, Guangdong, China
Tel: 86755-26281122 Fax: 86755-26281122
Http://www.lcc-test.com Email: admin@lcc-test.com

Manager
April 16, 2013



Société et usine



Richmor

OEM & ODM Service

Brasil World Cup Supplier



exposition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

