

RCM-MDR7104

spécification de produit:

Article		paramètre
Système opérateur		Linux
La langue		Anglais / chinois / personnalisé
Compression vidéo		H.264 Compression
OSD		superpositions d'informations telles que l'heure de la date et identification du véhicule
GUI	Interface utilisateur graphique	les paramètres du système de configuration avec la télécommande
Système d'enregistrement vidéo	Entrée vidéo	entrée 4CH 960P / 720P AHD, connecteur de l'aviation, 1.0Vp-p, 75Ω
	sortie vidéo	1 CVBS, 1.0Vp-p, 75Ω, Aviation, Soutien 1CH Plein écran, vue de l'écran 4CH
	Aperçu	Support 1 canal et 4 canaux preview., Manuel de Support / Alarm Trigger aperçu plein écran
	résolution	720P / D1 / HD1 / CIF, MAX: 4 canaux de 720P et 4 canaux de D1
	qualité d'image	1-4 niveaux, 1 est le plus haut niveau.
	standard vidéo	PAL: 100f / s, ligne CCIR625, 50field; NTSC: 120f / s, ligne CCIR525, 60field; CIF: 256Kbps ~ 1.5Mbps, la qualité vidéo 8 niveaux en option; HD1: 600kbps ~ 2.5Mbps, la qualité vidéo 8 niveaux en option; D1: 800Kbps ~ 3Mbps, la qualité vidéo 8 niveaux en option; 720P: 4Mbps-6Mbps, la qualité vidéo multi-niveaux en option
	mode d'enregistrement	Le réglage par défaut est l'enregistrement automatique après mise sous tension. enregistrement programmé, l'enregistrement de déclenchement d'alarme et l'enregistrement manuel sont pris en charge.
Audio	entrée audio	4CH Aviation Input Plug
	sortie audio	2CH, casque connecter au panneau avant, BNC Connect sur le panneau arrière
	compression	compression G.726, la vitesse s 8KB /
entrée d'alarme		7CH Entrée d'alarme, 1CH AD Input, entrée de vitesse d'impulsion, alarme Linkage
sortie d'alarme		2CH Sortie d'alarme, capteur d'alarme de soutien léger / Sound, Huile / Puissance coupée
Interface		3CH RS232, POS / carburant Capteur / LED Publicité Connexion
		1CH Interface 485, Caméra PTZ Connect
Transmission sans fil		Soutien intégré dans la transmission 3G , WCDMA, CDMA2000, GPRS, EDGE; Construit dans le module 4G en option, TDD-LTE, FDD-LTE
Position GPS		Soutien GPS intégré / Module BD

Stockage	HDD	Max 2.5 "HDD 1To
	Carte SD	Max 128GB SD Card Mirror Enregistrement Gardez la sécurité des données
	mettre à jour	Support USB mise à jour, carte SD mise à jour, mise à jour OTA à distance
	format de fichier	H.264
	système de fichiers	Système de fichiers FAT32 spécial
	USB	Interface USB sur le panneau avant pour la sauvegarde de données par U disque, disque dur
enregistrement Replay	recherche vidéo	Recherche par temps record / Type d'enregistrement, etc.
	lecture	Max support 4CH Replay / Stop / rapide / lent en même temps Soutien en avant et en arrière jeu à la vitesse de: x 2, x4, x8, x16.
la sécurité		Utilisateur / Administrateur 2 Niveau différent Mot de passe
Fonctions optionnelles	appel vocal	Soutien appel vocal les uns des autres
	diffusion TTS Voix	Soutien TTS fonction vocale diffusée.
	série élargir	Soutien LED Publicité Panel, capteur d'huile, POS, Bus station Broadcaster, Voiture OBD, dispositif ect.external
Tension & Puissance	Gestion de l'alimentation	Large Voltage.Support Timed / Delay off
	Tension d'entrée	DC: + 6V - + 36V
	Tension de sortie	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Puissance	Travail & lt; 5W
Environnement de travail	Température	-20 °C - + 70 °C
	Humidité	20% - 80%
Autres	Taille	200 (D) 187 * (W) * 62 (H) mm
	Poids	1,90 kg

Montrer du produit:



SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq





SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



CE

FC





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client utilisateur graphique Interface

移动视频监控平台

欢迎登录, RCMTEST 系统

终端列表 轮询列表 我的地图

监控中心(3/11)
 贵州(1/1)
 贵C A6446
 CH1
 CH2
 CH3
 CH4
 桂KY7507
 桂KY7569
 80024
 80119
 D82868
 子NPS001
 桂KY7586
 桂KY7599
 贵B93017
 贵C87762

状态 云台 色彩 语音

设备类型: MDVR
 终端名称: 贵C A6446
 终端ID: 80109
 公司: 通运集团金融公司
 所属分组: 贵州
 状态: 在线
 GPS时间: 2016-03-14 09:50:09
 位置: 贵州省遵义市习水县G4215(普通高速公路)
 速度: 74.10 km/h(南)
 费用: 正常

1 贵C A6446 - CH1 - 0 KB/S
 2 贵C A6446 - CH2 - 24 KB/S
 3 贵C A6446 - CH3 - 0 KB/S
 4 贵C A6446 - CH4 - 0 KB/S

地址: 马临镇政府
 搜索: 地图 卫星
 贵C A6446
 时间: 2016-03-14 09:50:09 速度: 74.10
 公司: 通运集团金融公司 司机: 陈国忠
 13511881529
 位置: 贵州省遵义市习水县G4215(普通高速公路)
 状态: 在线, 3G, ACC开启, SD卡(存在), 视频, 对讲, 监听, 抓拍, 更多

石板田 特匠岩 普通高速公路 G42

200米

© 2016 Baidu - Data © Mapinfo & CenNav & 道道通

运行时长: 00:01:04 报警: 未报警 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(普通高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

notre support MDVR surveillance du client mobile comme PC, téléphone mobile, etc..

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificat

[illegible]

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LCC0300020719

Responsible Party	Shenzhen Wuxinor Technology Development Co., LTD.
Address	3F No.4 West Longgang Road, Longhua New District, Shenzhen, China
Product	Bottle CRK
Model No.	RCM-B007000, RCM-B007001, RCM-B007002, RCM-B007003, RCM-B007004, RCM-SF000, RCM-SF001
Trade Mark	Schneider
Standards	FPC CYS 47 PART 10 Subgroup 10 - 1014, 4000 IEC60335-2-69

Inspection notes:

This device is in accordance with Part 10 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following test conditions:
(1) this device may not cause harmful interference; and
(2) this device must accept any interference received, including interference that may cause undesired operation.
We tested in conformity to the applicable FCC Rules and Regulations. The manner of testing was in accordance to the most accurate measurement standards possible, and 75% of necessary steps have been followed to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager
April 10, 2017

Shanghai LCC Compliance Testing Laboratory Ltd.
No. 4 Jinqiang Avenue Park, Songpu Road, Baoshan District, Shanghai,
Guangdong, China
Tel: 86-(0)-21-6024-1200
<http://www.lcc-test.com>

E-mail: shl@lcc-test.com
E-mail: wuxinor@lcc-test.com

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-0475	
	Applicant	Shenzhen Elicitor Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Shenke 3000
	Model(s)	HCN-M0000A, HCN-M0000B, HCN-M0000C, HCN-M0000D, HCN-M0000E, HCN-M0000F, HCN-M0000G, HCN-M0000H
	Trade Mark	Shenke
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 55022, EN 55024, EN 55034, EN 55035	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of satisfactory documentary evidence.		
(Shall relevant Directives have to be attached)		
		
 Manager April 16, 2013		
(Shenzhen UKAS Compliance Testing Laboratory Ltd) 17, Jingnan Industrial Park, Xingye Road, Nan-shi, Bao-an District, Shenzhen Guangdong, China Tel: 86-755-83297153 Fax: 86-755-83297153 E-mail: ukas@ukas-csl.com.cn Web: www.ukas-csl.com.cn		

[illegible]

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity (S/10000) Declaration of Testimony Evidence	
	Reference No.: LCF 0010000278	
	When issued as specified, the applicant certifies compliance with the requirements of Commission Order of P.T. July 2017 amending Decision S/1000000.	
	Applicant	Shenzhen Etektron Technology Development Co., Ltd.
Address	3F Huaili West Longgang Road, Longgang New District, Shenzhen, China	
Trade Mark	Etektron	
Product	Camera	
Model(s)	RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H, RCM-0012H	
This test report is issued by the Competent body in the form of a Declaration of Testimony (DTS) issued pursuant to the Commission's decision. The DTS is issued in the form of a Declaration of Testimony (DTS) issued pursuant to the Commission's decision. The DTS is issued in the form of a Declaration of Testimony (DTS) issued pursuant to the Commission's decision.		
Other relevant information may be obtained by contacting:		
RoHS		
		
April 18, 2017		
Shenzhen Etektron Technology Development Co., Ltd. 3F Huaili West Longgang Road, Longgang New District, Shenzhen, Guangdong, China Tel: 0086-755-8100-0000 Email: shenzhen@etektron.com.cn		

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity (OPTIONAL) Declaration of Approval Reference No.: UL1034103818	
When tested as specified, the submitted sample conforms with the requirements of <i>Commission Decision of 27 July 2011 amending Directive 2011/65/EU</i> .	
Applicant:	Shenzhen Peixin Technology Development Co., LTD.
Address:	3F No. 24 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark:	Peixin
Product:	Battery pack
Model(s):	N100-INDICATOR, N100-MODEL, N100-SPARE, N100-RECHARGE, N100-RECHARGE, N100-INDICATOR, N100-SPARE, N100-RECHARGE
The test report is issued on the Applicant's ability to do General Conditions of Service issued member. Attention is drawn to the limitations of liability, indemnification and other conditions set forth therein. The results shown in this test report apply only to the sample(s) tested under identical conditions. This Report cannot be reproduced, copied or full, without your written permission of the Company. Other relevant documents have to be obtained.	
RoHS	
  April 10, 2013	
Shenzhen UL103 Compliance Testing Laboratory Ltd. 28/F, Hing Fong Industrial Park, Tsinggi Road, Shekou Dist., Nanshan District, Shenzhen, Guangdong, China Tel: +86-(0)755-82591100 http://www.ul103.com.cn Fax: +86-(0)755-82591100 Email: ulshenzhen@ul.com.cn	

compagnie et usine



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exposition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Pour plus de détails sur les produits, envoyez notre représentant Sylvia.