

carte SD / HDD MDVR D1 / 720P / 1080P 4/5 / 8CH véhicule dvr mobile avec GPS 3G / 4G / WIFI en option, une caméra de véhicule automobile et un moniteur

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

spécification de produit:

Article		paramètre
Système opérateur		Linux
La langue		Anglais / chinois / personnalisé
Compression vidéo		H.264 Compression
OSD		superpositions d'informations telles que l'heure de la date et identification du véhicule
GUI	Interface utilisateur graphique	les paramètres du système de configuration avec la télécommande

Système d'enregistrement vidéo	Entrée vidéo	entrée 4CH 960P / 720P AHD, connecteur de l'aviation, 1.0Vp-p, 75Ω
	sortie vidéo	1 CVBS, 1.0Vp-p, 75Ω, Aviation, Soutien 1CH Plein écran, vue de l'écran 4CH
	Aperçu	Support 1 canal et 4 canaux preview., Manuel de Support / Alarm Trigger aperçu plein écran
	résolution	720P / D1 / HD1 / CIF, MAX: 4 canaux de 720P et 4 canaux de D1
	qualité d'image	1-4 niveaux, 1 est le plus haut niveau.
	standard vidéo	PAL: 100f / s, ligne CCIR625, 50field; NTSC: 120f / s, ligne CCIR525, 60field; CIF: 256Kbps ~ 1.5Mbps, la qualité vidéo 8 niveaux en option; HD1: 600kbps ~ 2.5Mbps, la qualité vidéo 8 niveaux en option; D1: 800Kbps ~ 3Mbps, la qualité vidéo 8 niveaux en option; 720P: 4Mbps-6Mbps, la qualité vidéo multi-niveaux en option
	mode d'enregistrement	Le réglage par défaut est l'enregistrement automatique après mise sous tension. enregistrement programmé, l'enregistrement de déclenchement d'alarme et l'enregistrement manuel sont pris en charge.
Audio	entrée audio	4CH Aviation Input Plug
	sortie audio	2CH, casque connecter au panneau avant, BNC Connect sur le panneau arrière
	compression	compression G.726, la vitesse s 8KB /
entrée d'alarme		7CH Entrée d'alarme, 1CH AD Input, entrée de vitesse d'impulsion, alarme Linkage
sortie d'alarme		2CH Sortie d'alarme, capteur d'alarme de soutien léger / Sound, Huile / Puissance coupée
Interface	3CH RS232, POS / carburant Capteur / LED Publicité Connexion	
	1CH Interface 485, Caméra PTZ Connect	
Transmission sans fil		Soutien intégré dans la transmission 3G , WCDMA, CDMA2000, GPRS, EDGE; Construit dans le module 4G en option, TDD-LTE, FDD-LTE
Position GPS		Soutien GPS intégré / Module BD
Stockage	HDD	Max 2.5 "HDD 1To
	Carte SD	Max 128GB SD Card Mirror Enregistrement Gardez la sécurité des données
	mettre à jour	Support USB mise à jour, carte SD mise à jour, mise à jour OTA à distance
	format de fichier	H.264
	système de fichiers	Système de fichiers FAT32 spécial
	USB	Interface USB sur le panneau avant pour la sauvegarde de données par U disque, disque dur
enregistrement Replay	recherche vidéo	Recherche par temps record / Type d'enregistrement, etc.
	lecture	Max support 4CH Replay / Stop / rapide / lent en même temps Soutien en avant et en arrière jeu à la vitesse de: x 2, x4, x8, x16.
la sécurité		Utilisateur / Administrateur 2 Niveau différent Mot de passe

Fonctions optionnelles	appel vocal	Soutien appel vocal les uns des autres
	diffusion TTS Voix	Soutien TTS fonction vocale diffusée.
	série élargir	Soutien LED Publicité Panel, capteur d'huile, POS, Bus station Broadcaster, Voiture OBD, dispositif ect.external
Tension & Puissance	Gestion de l'alimentation	Large Voltage.Support Timed / Delay off
	Tension d'entrée	DC: + 6V - + 36V
	Tension de sortie	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Puissance	Travail & lt; 5W
Environnement de travail	Température	-20 °C - + 70 °C
	Humidité	20% - 80%
Autres	Taille	200 (D) 187 * (W) * 62 (H) mm
	Poids	1,90 kg

Montrer du produit:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna



CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Client utilisateur graphique Interface

移动视频监控平台

欢迎登录: RCMTEST 系统

终端列表 轮询列表 我的地图

监控中心(3/11)
 贵州(1/1)
 贵C A6446
 CH1
 CH2
 CH3
 CH4
 桂KY7507
 桂KY7569
 80024
 80119
 D82868
 子NPS001
 桂KY7586
 桂KY7599
 贵B93017
 贵C87762

状态 云台 色彩 语音

设备类型	MDVR
终端名称	贵C A6446
终端ID	80109
公司	通运集团金融公司
所属分组	贵州
GPS时间	2016-03-14 09:50:09
位置	贵州省遵义市习水县G4215(
速度	74.10 km/h(南)
费用	正常

1 贵C A6446 - CH1 - 0 KB/S
 2 贵C A6446 - CH2 - 24 KB/S
 3 贵C A6446 - CH3 - 0 KB/S
 4 贵C A6446 - CH4 - 0 KB/S

地址: 马临镇政府 搜索 地图 卫星

贵C A6446
 时间: 2016-03-14 09:50:09 速度: 74.10
 公司: 通运集团金融公司 司机: 陈国忠
 13511881529
 位置: 贵州省遵义市习水县G4215(普通高
 状态: 在线, 3G, ACC开启, SD卡(存在), 无
 视频 对讲 监听 抓拍 更多

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(普通高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

GPS监控 报警信息 系统事件 抓拍图片

运行时长: 00:01:04 报警: 未报警 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

notre support MDVR surveillance du client mobile comme PC, téléphone mobile, etc..

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificat

[illegible]

 Verification of Conformity Reference No.: LCC0300020719	
Responsible Party	Shenzhen Weiborn Technology Development Co., LTD.
Address	37 No.4 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile USB
Model No.	WTCM-B00200, WTCM-B00100, WTCM-B00150, WTCM-B00050, WTCM-B00700, WTCM-SF000, WTCM-SF050
Trade Mark	Shenzhen
Standards	FCC, CE, EN 61010-1, EN 61010-2-1, EN 61010-2-20
Important notes: This device is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This device is conform to the applicable FCC Rules and Regulations. The normal operating mode is accordance to the most accurate measurement available possible, and 75% of necessary steps have been estimated to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
 Shanghai LCC Co., Ltd. Shanghai, China Tel: 86-21-60424220 Http: www.LCC-03.com	
Shenzhen LCC Co., Ltd. Shenzhen, China Tel: 86-755-83257511 Email: shenzhen@lcc-03.com	

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity

Reference No.: CCBP0108476

Applicant	Shenzhen Ectonic Technology Development Co., LTD.
Address	2/F, No.44 Road 1 Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile 32GB
Model(s)	HC6-M000000, HC6-M00000, HC6-M0000, HC6-M000000, HC6-M00000, HC6-M0000, HC6-M0000

Trade Mark : **None**

The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:

The EMC Directive 2004/108/EC

EN 55022, EN 55024, EN 55024-2

The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.

The CE marking can otherwise not be affixed to the product until presentation of necessary technical documentation.

(Shall relevant Directives have to be observed)

Manager
April 16, 2013

Shenzhen CCB Compliance Testing Laboratory Ltd.
17, Jingnan Industrial Park, Xixiang Road, Xixiang Street, Bao'an District, Shenzhen
Guangdong, China
Tel: 86(755) 83271151
http://www.ccb-test.com.cn Fax: 86(755) 83271152
Email: admin@ccb-test.com.cn

CERTIFICATE OF CONFORMITY

 CERTIFICATE <i>of Conformity</i> Reference No.: CSCI040158019	
Applicant:	Mitsubishi Materials Technology Development Co., LTD.
Address:	#3 South West Longgang Road, Longgang New District, Shenzhen, China
Product:	Diamonds
Model(s):	RQM-PCPCH, RQM-PCPIH, RQM-LCPCSII, RQM-PCPIH, RQM-APPHI, RQM-APPRI, RQM-SL-RD, RQM-SL, RQM-HSH, RQM-SHS, RQM-SHS, RQM-SHS, RQM-INVCIS, RQM-RCSCIS, RQM-COCNVIS
Trade Mark:	Bolidon
The submitted products have been tested by us with the related standards and found to conform with the following European Directive: The EMC Directive 2004/108/EC (EN 60335, EN 60959, EN 60959-2)	
These tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the samples investigated in our test reference number 249.	
The CE markings as shown below can be affixed to the product after inspection of necessary technical documentation. (This relevant declaration form is to be attached)	
	
	
Shenzhen SGS Certification Testing Laboratory Ltd. #7 Jingdong Industrial Park, Yantian Road, Baotou City, Shanxi Province, Shanxi Guangdong, China Tel: 86-755-83250111 Fax: 86-755-83250122 E-mail: shenzhen@sgs-cert.com	
April 10, 2014	

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity (SIR/0001) Declaration of Testhouse Evidence	
	Reference No.: LCF/001002078	
	When issued as attached, the applicant certifies compliance with the requirements of Commission Decision of 17 July 2017 amending Decision (SIR/0001).	
	Applicant	Shenzhen Etektron Technology Development Co., Ltd.
Address	3F Huai Xing Longgang Road, Longgang New District, Shenzhen, China	
Trade Mark	Etektron	
Product	Camera	
Model(s)	RCM-0012A, RCM-0012B, RCM-0012C, RCM-0012E, RCM-0012F, RCM-0012G, RCM-0012H, RCM-0012I, RCM-0012J, RCM-0012K, RCM-0012L, RCM-0012M, RCM-0012N, RCM-0012O, RCM-0012P, RCM-0012Q, RCM-0012R, RCM-0012S, RCM-0012T, RCM-0012U, RCM-0012V, RCM-0012W, RCM-0012X, RCM-0012Y, RCM-0012Z, RCM-0012AA, RCM-0012AB, RCM-0012AC, RCM-0012AD, RCM-0012AE, RCM-0012AF, RCM-0012AG, RCM-0012AH, RCM-0012AI, RCM-0012AJ, RCM-0012AK, RCM-0012AL, RCM-0012AM, RCM-0012AN, RCM-0012AO, RCM-0012AP, RCM-0012AQ, RCM-0012AR, RCM-0012AS, RCM-0012AT, RCM-0012AU, RCM-0012AV, RCM-0012AW, RCM-0012AX, RCM-0012AY, RCM-0012AZ, RCM-0012BA, RCM-0012BB, RCM-0012BC, RCM-0012BD, RCM-0012BE, RCM-0012BF, RCM-0012BG, RCM-0012BH, RCM-0012BI, RCM-0012BJ, RCM-0012BK, RCM-0012BL, RCM-0012BM, RCM-0012BN, RCM-0012BO, RCM-0012BP, RCM-0012BQ, RCM-0012BR, RCM-0012BS, RCM-0012BT, RCM-0012BU, RCM-0012BV, RCM-0012BW, RCM-0012BX, RCM-0012BY, RCM-0012BZ, RCM-0012CA, RCM-0012CB, RCM-0012CC, RCM-0012CD, RCM-0012CE, RCM-0012CF, RCM-0012CG, RCM-0012CH, RCM-0012CI, RCM-0012CJ, RCM-0012CK, RCM-0012CL, RCM-0012CM, RCM-0012CN, RCM-0012CO, RCM-0012CP, RCM-0012CQ, RCM-0012CR, RCM-0012CS, RCM-0012CT, RCM-0012CU, RCM-0012CV, RCM-0012CW, RCM-0012CX, RCM-0012CY, RCM-0012CZ, RCM-0012DA, RCM-0012DB, RCM-0012DC, RCM-0012DD, RCM-0012DE, RCM-0012DF, RCM-0012DG, RCM-0012DH, RCM-0012DI, RCM-0012DJ, RCM-0012DK, RCM-0012DL, RCM-0012DM, RCM-0012DN, RCM-0012DO, RCM-0012DP, RCM-0012DQ, RCM-0012DR, RCM-0012DS, RCM-0012DT, RCM-0012DU, RCM-0012DV, RCM-0012DW, RCM-0012DX, RCM-0012DY, RCM-0012DZ, RCM-0012EA, RCM-0012EB, RCM-0012EC, RCM-0012ED, RCM-0012EE, RCM-0012EF, RCM-0012EG, RCM-0012EH, RCM-0012EI, RCM-0012EJ, RCM-0012EK, RCM-0012EL, RCM-0012EM, RCM-0012EN, RCM-0012EO, RCM-0012EP, RCM-0012EQ, RCM-0012ER, RCM-0012ES, RCM-0012ET, RCM-0012EU, RCM-0012EV, RCM-0012EW, RCM-0012EX, RCM-0012EY, RCM-0012EZ, RCM-0012FA, RCM-0012FB, RCM-0012FC, RCM-0012FD, RCM-0012FE, RCM-0012FF, RCM-0012FG, RCM-0012FH, RCM-0012FI, RCM-0012FJ, RCM-0012FK, RCM-0012FL, RCM-0012FM, RCM-0012FN, RCM-0012FO, RCM-0012FP, RCM-0012FQ, RCM-0012FR, RCM-0012FS, RCM-0012FT, RCM-0012FU, RCM-0012FV, RCM-0012FW, RCM-0012FX, RCM-0012FY, RCM-0012FZ, RCM-0012GA, RCM-0012GB, RCM-0012GC, RCM-0012GD, RCM-0012GE, RCM-0012GF, RCM-0012GG, RCM-0012GH, RCM-0012GI, RCM-0012GJ, RCM-0012GK, RCM-0012GL, RCM-0012GM, RCM-0012GN, RCM-0012GO, RCM-0012GP, RCM-0012GQ, RCM-0012GR, RCM-0012GS, RCM-0012GT, RCM-0012GU, RCM-0012GV, RCM-0012GW, RCM-0012GX, RCM-0012GY, RCM-0012GZ, RCM-0012HA, RCM-0012HB, RCM-0012HC, RCM-0012HD, RCM-0012HE, RCM-0012HF, RCM-0012HG, RCM-0012HH, RCM-0012HI, RCM-0012HJ, RCM-0012HK, RCM-0012HL, RCM-0012HM, RCM-0012HN, RCM-0012HO, RCM-0012HP, RCM-0012HQ, RCM-0012HR, RCM-0012HS, RCM-0012HT, RCM-0012HU, RCM-0012HV, RCM-0012HW, RCM-0012HX, RCM-0012HY, RCM-0012HZ, RCM-0012IA, RCM-0012IB, RCM-0012IC, RCM-0012ID, RCM-0012IE, RCM-0012IF, RCM-0012IG, RCM-0012IH, RCM-0012II, RCM-0012IJ, RCM-0012IK, RCM-0012IL, RCM-0012IM, RCM-0012IN, RCM-0012IO, RCM-0012IP, RCM-0012IQ, RCM-0012IR, RCM-0012IS, RCM-0012IT, RCM-0012IU, RCM-0012IV, RCM-0012IW, RCM-0012IX, RCM-0012IY, RCM-0012IZ, RCM-0012JA, RCM-0012JB, RCM-0012JC, RCM-0012JD, RCM-0012JE, RCM-0012JF, RCM-0012JG, RCM-0012JH, RCM-0012JI, RCM-0012JJ, RCM-0012JK, RCM-0012JL, RCM-0012JM, RCM-0012JN, RCM-0012JO, RCM-0012JP, RCM-0012JQ, RCM-0012JR, RCM-0012JS, RCM-0012JT, RCM-0012JU, RCM-0012JV, RCM-0012JW, RCM-0012JX, RCM-0012JY, RCM-0012JZ, RCM-0012KA, RCM-0012KB, RCM-0012KC, RCM-0012KD, RCM-0012KE, RCM-0012KF, RCM-0012KG, RCM-0012KH, RCM-0012KI, RCM-0012KJ, RCM-0012KK, RCM-0012KL, RCM-0012KM, RCM-0012KN, RCM-0012KO, RCM-0012KP, RCM-0012KQ, RCM-0012KR, RCM-0012KS, RCM-0012KT, RCM-0012KU, RCM-0012KV, RCM-0012KW, RCM-0012KX, RCM-0012KY, RCM-0012KZ, RCM-0012LA, RCM-0012LB, RCM-0012LC, RCM-0012LD, RCM-0012LE, RCM-0012LF, RCM-0012LG, RCM-0012LH, RCM-0012LI, RCM-0012LJ, RCM-0012LK, RCM-0012LL, RCM-0012LM, RCM-0012LN, RCM-0012LO, RCM-0012LP, RCM-0012LQ, RCM-0012LR, RCM-0012LS, RCM-0012LT, RCM-0012LU, RCM-0012LV, RCM-0012LW, RCM-0012LX, RCM-0012LY, RCM-0012LZ, RCM-0012MA, RCM-0012MB, RCM-0012MC, RCM-0012MD, RCM-0012ME, RCM-0012MF, RCM-0012MG, RCM-0012MH, RCM-0012MI, RCM-0012MJ, RCM-0012MK, RCM-0012ML, RCM-0012MN, RCM-0012MO, RCM-0012MP, RCM-0012MQ, RCM-0012MR, RCM-0012MS, RCM-0012MT, RCM-0012MU, RCM-0012MV, RCM-0012MW, RCM-0012MX, RCM-0012MY, RCM-0012MZ, RCM-0012NA, RCM-0012NB, RCM-0012NC, RCM-0012ND, RCM-0012NE, RCM-0012NF, RCM-0012NG, RCM-0012NH, RCM-0012NI, RCM-0012NJ, RCM-0012NK, RCM-0012NL, RCM-0012NM, RCM-0012NN, RCM-0012NO, RCM-0012NP, RCM-0012NQ, RCM-0012NR, RCM-0012NS, RCM-0012NT, RCM-0012NU, RCM-0012NV, RCM-0012NW, RCM-0012NX, RCM-0012NY, RCM-0012NZ, RCM-0012OA, RCM-0012OB, RCM-0012OC, RCM-0012OD, RCM-0012OE, RCM-0012OF, RCM-0012OG, RCM-0012OH, RCM-0012OI, R	

CERTIFICATE OF CONFORMITY

CERTIFICATE **of Conformity** **ISSUED BY** *Shanghai Certification Center*

Reference No.: **LS1004100818**

When tested as specified, the submitted sample conforms with the requirements of *Commission Decision of 27 July 2011 amending Directive 2011/65/EU*.

Applicant:	☐ Shenzhen Pictorial Technology Development Co., Ltd.
Address:	☐ 3F No. 34 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark:	☐ Pictorial
Product:	☐ Screen 10.6"
Model(s):	☐ WCM-INDIGLO, WCM-INDIGLO, WCM-INDIGLO, WCM-INDIGLO, WCM-INDIGLO, WCM-INDIGLO, WCM-INDIGLO, WCM-INDIGLO, WCM-INDIGLO, WCM-INDIGLO

The test report is issued on the Applicant's claim to its General Conditions of Service issued on behalf of Applicant in view of the limitations of facilities, standardization and professional resources within the State. The results shown in this test report refer only to the samples tested under defined conditions. This Test Report cannot be reproduced, copied or full, without prior written permission of the Company.

Other relevant documents have to be obtained.

RoHS

Handwritten signature
Manager
 April 16, 2013

Shenzhen LSC Compliance Testing Laboratory Ltd.
 28/F, Hing Fong Industrial Park, Tsing Yi Road, New Territories, Hong Kong
 (Shenzhen) China
 Tel: +86-(755)-83291100
 http://www.lsc.com.cn

Fax: +86-(755)-83291102
 Email: shenzhen@lsc.com.cn

compagnie et usine



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exposition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



D'autres types de produits

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr

If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/channel/0029918929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmccctv.com

Skype: rcmccctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

