hdd mdvr with sd card slot optional with muti channel I/O alarm for fuel sensor

product specifications

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
	video input	4CH 960P/720P AHD input, aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75 Ω , Aviation, Support 1CH Full Screen, 4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
Video Record System	video standard record mode	 PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
	audio input	4CH Aviation Plug Input
Audio	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
	compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera

product show










AV Input Cables



AV Output Cable



Power Cable



IO Cables



3G Antenna



GPS Antenna



Remote Control



CD (Manual & Software inside)







FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor



(1)FAQ:

Q:Are you factory manufacturer or trade company?

A:We are factory manufacturer,we have our own factory and technology/skill support,we have engineers to support/take charge of R&D ,resolve problems product.

Q: Does the MDVR support Hard drive and SD card?

A: Yes, HDD version MDVR supports SSD, HDD, and SD card. SD card version MDVR supports max 2 SD card.

The storage capacity can be from 32GB to 2TB.

2.Q: Is it difficult to install MDVR into the vehicle?

A: Actually it is easy to install it into vehicle. Most driver can figure out how to connect the power cables. And the camera installation is more easy. Just screw, connect and mount on the target place inside the vehicle.

3.Q: If I need door open and close alarm, overspeed alarm, reverse video, brake video, left-turn video, right-turn video, etc, is it available?

A: Definitely yes!

The I/O RS232 and 485 extension port is for all expanded purposes, including the functions above. In fact, there are more customized functions which can be connect through this port, such as Fuel sensor, Counter system,PTZ camera, and so on.

4.Q: We have our own platform and server, can we use your MDVR? Do you have SDK or can you do customized platform for us?

A: Yes, we have SDK ready and welcome your OEM customized order!

5.Q: I ever bought MDVR from other supplier. But the anti-vibration is not strong. Now the MDVR works bad and video recording is not good. I am adfraid to buy again.



Packaging & Shipping

1), packaging detail

1pc/box,1box/carton,by standard box and carton,packing method can be as per your request. 2),Shipping detail

we can delivery goods by air,by sea,by truck,etc.

3),Sample time

3-5 days after sample fee and sample details confirmed.dispatch/send it by DHL/UPS/TNT/Fedex or by sea/by air/by special lines.

4),goods delivery date
5-15days after deposit and order details confirmed.
5),what is payment term?
we can accept T/T,Western Union,Paypal,Bank Transfer,L/C and so on,you can choose one of them.
6),what's the trade term?
30% T/T in advance for deposit,the balance should be cleared before shipment.

What we expecting is being your helpful business partner with long term relationship !

Best Regards Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: <u>overseasales-2@rcmcctv.com</u> Skype: rcmcctvsales2 QQ: 2355778097 MB/Whatsapp: +86 18929314790 Website: http://www.richmor.net/ ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

