

RCM-MDR7104

specifiche di prodotto:

Articolo		parametro
Sistema operativo		Linux
Lingua		Inglese / cinese / personalizzato
La compressione video		compressione H.264
OSD		sovrapposizioni informazioni come ora la data e l'ID del veicolo
GUI	Interfaccia grafica utente	parametri del sistema di installazione con il telecomando
Sistema Video Record	ingresso video	Ingresso 4CH 960P / 720P AHD, connettore aviazione, 1,0 Vp-p, 75Ω
	uscita video	1 CVBS, 1,0 Vp-p, 75Ω, l'aviazione, di sostegno 1CH schermo intero, vista 4CH schermo
	anteprima	Supporto 1 canale e 4 canali in anteprima., Manuale di supporto / avviso a schermo intero anteprima
	risoluzione	720P / D1 / HD1 / CIF, MAX: 4 canali di 720p e 4 canali di D1
	qualità dell'immagine	1-4 livelli, 1 è il livello più alto.
	standard video	PAL: 100F / s, la linea CCIR625, 50Field; NTSC: 120F / s, la linea CCIR525, 60field; CIF: 256Kbps ~ 1.5Mbps, la qualità video 8 livello facoltativo; HD1: 600Kbps ~ 2.5Mbps, la qualità video 8 livello facoltativo; D1: 800Kbps ~ 3Mbps, qualità video 8 livello facoltativo; 720P: 4Mbps-6 Mbps, la qualità video multi livello opzionale
Audio	modalità di registrazione	L'impostazione predefinita è la registrazione automatica dopo l'accensione. registrazione programmata, la registrazione di innesco di allarme e la registrazione manuale sono supportati.
	ingresso audio	Ingresso 4CH Aviation Plug
	Uscita audio	2CH, cuffie collegare al pannello frontale, BNC Connetti sul pannello posteriore
	compressione	compressione G.726, velocità di 8KB / s
ingresso allarme		7CH Ingresso allarme, 1CH AD Input, ingresso velocità impulso, collegamento di allarme
uscita allarme		2CH Uscita allarme, sensore di allarme di sostegno Luce / Suono, Olio / Potenza tagliata
Interfaccia		3CH RS232, POS / combustibile sensore / LED Pubblicità Connection
		1CH 485, telecamera PTZ Collegare
La trasmissione senza fili		Supporto incorporato nella trasmissione 3G , WCDMA, CDMA2000, GPRS, EDGE; Costruito nel modulo 4G opzionale, TDD-LTE, FDD-LTE
Posizione GPS		Supporto GPS incorporato / BD Modulo

Conservazione	HDD	Max 2.5 "1TB HDD
	Scheda SD	Max 128 GB Scheda SD Specchio di registrazione mantenere la sicurezza dei dati
	aggiornare	Supporto Aggiornamento USB, scheda di aggiornamento SD, OTA aggiornamento remoto
	formato del file	H.264
	file system	FAT32 Special File System
	USB	Interfaccia USB sul pannello frontale per il back up dei dati da U Disk, Hard Disk
Record Replay	ricerca video	Ricerca per tempo di record / Record Type etc
	la riproduzione	Max sostegno 4CH Replay / Stop / veloce / lento allo stesso tempo Supporto in avanti e all'indietro il gioco alla velocità di: x 2, x4, x8, x16.
Sicurezza		Utente / Amministratore 2 livello diverso password
Funzioni opzionali	chiamata vocale	Supporto chiamata vocale a vicenda
	trasmissione TTS Voice	Supporto vocale TTS funzione di broadcast.
	serial ampliare	Supporto pannello Pubblicità LED, sensore olio, POS, Bus Station Broadcaster, auto OBD, dispositivo ect.external
Tensione & Energia	Gestione energetica	Ampia Voltage.Support temporizzato / Delay off
	Tensione di ingresso	DC: + 6V - + 36V
	Tensione d'uscita	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Energia	Lavoro & It; 5W
Ambiente di lavoro	Temperatura	-20 °C - + 70 °C
	Umidità	20% - 80%
Altri	Dimensione	200 (D) * 187 (W) * 62 (H) mm
	Peso	1.90Kg

Esposizione del prodotto:



SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq





SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Interfaccia utente client grafico

移动视频监控平台

欢迎登录, RCMTEST 系统

终端列表 轮询列表 我的地图

实时监控 电子地图 回放管理 信息管理 系统设置

设备树:

- 监控中心(3/11)
 - 贵州(1/1)
 - 贵C A6446
 - CH1
 - CH2
 - CH3
 - CH4
 - 桂KY7507
 - 桂KY7569
 - 80024
 - 80119
 - D82868
 - 子NPS001
 - 桂KY7586
 - 桂KY7599
 - 贵B93017
 - 贵C87762

车辆信息表:

状态	云台	色彩	语音
设备类型	MDVR		
终端名称	贵C A6446		
终端ID	80109		
公司	通运集团金融公司		
所属分组	贵州		
状态	在线		
GPS时间	2016-03-14 09:50:09		
位置	贵州省遵义市习水县G4215(		
速度	74.10 km/h(南)		
费用	正常		

实时监控表:

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(普通高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

运行时长: 00:01:04 报警: 未报警 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 在线率: 27.27% / 定损率: 9.09%

nostro monitoraggio client mobile supporto MDVR come PC, telefoni cellulari, ecc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificato

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LCT0160000010

Responsible Party	Shenzhen Richcore Technology Development Co., LTD.
Address	3/F No. 110 West Langgong Road, Longhua New District, Shenzhen, China
Product	Cables
Model No.	RCH-PD70V, RCH-PD70V, RCH-LP70V, RCH-LP70V, RCH-LP70V, RCH-RFPAEAL, RCH-RFPAEL, RCH-SAL, RCH-4SL, RCH-4SL, RCH-2AASL, RCH-2AASL, RCH-4AASL, RCH-4AASL, RCH-4AASL, RCH-50-DSH, RCH-50-DSH, RCH-2140SBS
Trade Mark	Richcore
Standards	FCC-CRM at Part II of FCC Rule & 90.1, ANSI C83A-2008

Important note:

This device is in compliance with part II of the FCC Rules and Regulations for safety hazardous devices. Declaration of EMC analysis is based on the following two scenarios:

(1) This device may cause harmful interference, and (2) this device may accept any electromagnetic interference, including man-made that may cause operational degradation. We hereby confirm to the applicable FCC Rules and Regulations. The notation of voluntary declaration is in accordance to the most accurate measurement obtained to date, and that all necessary steps have been confirmed to ensure that all evaluation units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager

April 10, 2012

Shenzhen LCT Compliance Testing Laboratory Ltd.
#1, Anping Industrial Park, Pingtan Town, Baoan Dist., Shenzhen
Guangdong, China
Tel: +86(0) 755 26591 950
http://www.lct.com.cn Email: admin@lct.com.cn

VERIFICATION OF CONFORMITY		
	Verification of Conformity Reference No. LCC000000119	
	Responsible Party	Shenzhen Xinhua Technology Development Co., LTD.
	Address	1F No.4 West 1, Longgang Road, Longhua New District, Shenzhen, China
	Product	Mobile USB
	Model No.	HCN-8000000, HCN-8000001, HCN-8000002, HCN-8000003, HCN-8000004, HCN-8000005, HCN-8000006, HCN-8000007, HCN-8000008, HCN-8000009
	Trade Mark	Shenzhen
	Standards	CYS 001, GB 19471.10 September 1994, GB 6884.2000
	Inspection rules: This device is in accordance with Part 15 of the FCC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following test conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. When tested in conformity to the applicable FCC Rules and Regulations, the material appearing was in accordance to the most accurate measurement practicable possible, and that all necessary steps have been exhausted to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.	
	 Manager April 10, 2013	
Shenzhen LCC Compliance Testing Laboratory Ltd. 1, Longgang Avenue Park, Longgang Road, Bao'an District, Shenzhen, Guangdong, China Tel: 86-(0)755-8004-1000 http://www.lcc-test.com		
Fax: 86-(0)755-8004-0191 Email: shenzhen@lcc-test.com		

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity Reference No. 12345678901234567890	
	Applicant	Shenzhen Rixiner Technology Development Co., Ltd.
	Address	1F Yu Wu Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Mobile DVR
	Model(s)	RCM-000000A, RCM-000000B, RCM-000000C, RCM-000000D, RCM-000000E, RCM-000000F, RCM-000000G, RCM-000000H
Trade Mark	Rixiner	
The certified products have been tested by us with the latest standards and found to conform with the following European Directive: The EMC Directive 2004/108/EC EN 55022, EN 55024, EN 55034, EN 55035 The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific test carried out. This certificate applies specifically to the sample investigated in our test laboratory number only. The CE marking on above table can be affixed on the product after presentation of necessary technical documentation. Shall relevant Directives have to be observed.		
   Manager April 16, 2011		
(Shenzhen L228 Compliance Testing Laboratory Ltd) 1/F, Jingnang Industrial Park, Gunggu Road, Kaitian Bldg., Baoan District, Shenzhen Guangdong, China Tel: 0086-755-2671-0001 http://www.l228.com.cn		
Fax: 0086-755-2671-0002 Email: manager@l228.com.cn		

[illegible]

 CERTIFICATE of Conformity (DIN EN ISO 9001:2008) Declaration of Testhouse Evidence	
Reference No.: LCR 001002078	
When issued, this certificate confirms compliance with the requirements of (Commission Decision 97/18/EC) of 27th November (Decision 97/18/EC).	
Applicant	Shenzhen Richcon Technology Development Co., Ltd.
Address	3F Hualu West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark	Richcon
Product	Camera
Model(s)	RCM-0010A, RCM-0010B, RCM-0010C, RCM-0010D, RCM-0010E, RCM-0010F, RCM-0010G, RCM-0010H, RCM-0010I, RCM-0010J, RCM-0010K, RCM-0010L, RCM-0010M, RCM-0010N, RCM-0010O, RCM-0010P, RCM-0010Q, RCM-0010R, RCM-0010S, RCM-0010T, RCM-0010U, RCM-0010V, RCM-0010W, RCM-0010X, RCM-0010Y, RCM-0010Z, RCM-0010AA, RCM-0010AB, RCM-0010AC, RCM-0010AD, RCM-0010AE, RCM-0010AF, RCM-0010AG, RCM-0010AH, RCM-0010AI, RCM-0010AJ, RCM-0010AK, RCM-0010AL, RCM-0010AM, RCM-0010AN, RCM-0010AO, RCM-0010AP, RCM-0010AQ, RCM-0010AR, RCM-0010AS, RCM-0010AT, RCM-0010AU, RCM-0010AV, RCM-0010AW, RCM-0010AX, RCM-0010AY, RCM-0010AZ, RCM-0010BA, RCM-0010BB, RCM-0010BC, RCM-0010BD, RCM-0010BE, RCM-0010BF, RCM-0010BG, RCM-0010BH, RCM-0010BI, RCM-0010BJ, RCM-0010BK, RCM-0010BL, RCM-0010BM, RCM-0010BN, RCM-0010BO, RCM-0010BP, RCM-0010BQ, RCM-0010BR, RCM-0010BS, RCM-0010BT, RCM-0010BU, RCM-0010BV, RCM-0010BW, RCM-0010BX, RCM-0010BY, RCM-0010BZ, RCM-0010CA, RCM-0010CB, RCM-0010CC, RCM-0010CD, RCM-0010CE, RCM-0010CF, RCM-0010CG, RCM-0010CH, RCM-0010CI, RCM-0010CJ, RCM-0010CK, RCM-0010CL, RCM-0010CM, RCM-0010CN, RCM-0010CO, RCM-0010CP, RCM-0010CQ, RCM-0010CR, RCM-0010CS, RCM-0010CT, RCM-0010CU, RCM-0010CV, RCM-0010CW, RCM-0010CX, RCM-0010CY, RCM-0010CZ, RCM-0010DA, RCM-0010DB, RCM-0010DC, RCM-0010DD, RCM-0010DE, RCM-0010DF, RCM-0010DG, RCM-0010DH, RCM-0010DI, RCM-0010DJ, RCM-0010DK, RCM-0010DL, RCM-0010DM, RCM-0010DN, RCM-0010DO, RCM-0010DP, RCM-0010DQ, RCM-0010DR, RCM-0010DS, RCM-0010DT, RCM-0010DU, RCM-0010DV, RCM-0010DW, RCM-0010DX, RCM-0010DY, RCM-0010DZ, RCM-0010EA, RCM-0010EB, RCM-0010EC, RCM-0010ED, RCM-0010EE, RCM-0010EF, RCM-0010EG, RCM-0010EH, RCM-0010EI, RCM-0010EJ, RCM-0010EK, RCM-0010EL, RCM-0010EM, RCM-0010EN, RCM-0010EO, RCM-0010EP, RCM-0010EQ, RCM-0010ER, RCM-0010ES, RCM-0010ET, RCM-0010EU, RCM-0010EV, RCM-0010EW, RCM-0010EX, RCM-0010EY, RCM-0010EZ, RCM-0010FA, RCM-0010FB, RCM-0010FC, RCM-0010FD, RCM-0010FE, RCM-0010FF, RCM-0010FG, RCM-0010FH, RCM-0010FI, RCM-0010FJ, RCM-0010FK, RCM-0010FL, RCM-0010FM, RCM-0010FN, RCM-0010FO, RCM-0010FP, RCM-0010FQ, RCM-0010FR, RCM-0010FS, RCM-0010FT, RCM-0010FU, RCM-0010FV, RCM-0010FW, RCM-0010FX, RCM-0010FY, RCM-0010FZ, RCM-0010GA, RCM-0010GB, RCM-0010GC, RCM-0010GD, RCM-0010GE, RCM-0010GF, RCM-0010GG, RCM-0010GH, RCM-0010GI, RCM-0010GJ, RCM-0010GK, RCM-0010GL, RCM-0010GM, RCM-0010GN, RCM-0010GO, RCM-0010GP, RCM-0010GQ, RCM-0010GR, RCM-0010GS, RCM-0010GT, RCM-0010GU, RCM-0010GV, RCM-0010GW, RCM-0010GX, RCM-0010GY, RCM-0010GZ, RCM-0010HA, RCM-0010HB, RCM-0010HC, RCM-0010HD, RCM-0010HE, RCM-0010HF, RCM-0010HG, RCM-0010HH, RCM-0010HI, RCM-0010HJ, RCM-0010HK, RCM-0010HL, RCM-0010HM, RCM-0010HN, RCM-0010HO, RCM-0010HP, RCM-0010HQ, RCM-0010HR, RCM-0010HS, RCM-0010HT, RCM-0010HU, RCM-0010HV, RCM-0010HW, RCM-0010HX, RCM-0010HY, RCM-0010HZ, RCM-0010IA, RCM-0010IB, RCM-0010IC, RCM-0010ID, RCM-0010IE, RCM-0010IF, RCM-0010IG, RCM-0010IH, RCM-0010II, RCM-0010IJ, RCM-0010IK, RCM-0010IL, RCM-0010IM, RCM-0010IN, RCM-0010IO, RCM-0010IP, RCM-0010IQ, RCM-0010IR, RCM-0010IS, RCM-0010IT, RCM-0010IU, RCM-0010IV, RCM-0010IW, RCM-0010IX, RCM-0010IY, RCM-0010IZ, RCM-0010JA, RCM-0010JB, RCM-0010JC, RCM-0010JD, RCM-0010JE, RCM-0010JF, RCM-0010JG, RCM-0010JH, RCM-0010JI, RCM-0010JJ, RCM-0010JK, RCM-0010JL, RCM-0010JM, RCM-0010JN, RCM-0010JO, RCM-0010JP, RCM-0010JQ, RCM-0010JR, RCM-0010JS, RCM-0010JT, RCM-0010JU, RCM-0010JV, RCM-0010JW, RCM-0010JX, RCM-0010JY, RCM-0010JZ, RCM-0010KA, RCM-0010KB, RCM-0010KC, RCM-0010KD, RCM-0010KE, RCM-0010KF, RCM-0010KG, RCM-0010KH, RCM-0010KI, RCM-0010KJ, RCM-0010KK, RCM-0010KL, RCM-0010KM, RCM-0010KN, RCM-0010KO, RCM-0010KP, RCM-0010KQ, RCM-0010KR, RCM-0010KS, RCM-0010KT, RCM-0010KU, RCM-0010KV, RCM-0010KW, RCM-0010KX, RCM-0010KY, RCM-0010KZ, RCM-0010LA, RCM-0010LB, RCM-0010LC, RCM-0010LD, RCM-0010LE, RCM-0010LF, RCM-0010LG, RCM-0010LH, RCM-0010LI, RCM-0010LJ, RCM-0010LK, RCM-0010LL, RCM-0010LM, RCM-0010LN, RCM-0010LO, RCM-0010LP, RCM-0010LQ, RCM-0010LR, RCM-0010LS, RCM-0010LT, RCM-0010LU, RCM-0010LV, RCM-0010LW, RCM-0010LX, RCM-0010LY, RCM-0010LZ, RCM-0010MA, RCM-0010MB, RCM-0010MC, RCM-0010MD, RCM-0010ME, RCM-0010MF, RCM-0010MG, RCM-0010MH, RCM-0010MI, RCM-0010MJ, RCM-0010MK, RCM-0010ML, RCM-0010MM, RCM-0010MN, RCM-0010MO, RCM-0010MP, RCM-0010MQ, RCM-0010MR, RCM-0010MS, RCM-0010MT, RCM-0010MU, RCM-0010MV, RCM-0010MW, RCM-0010MX, RCM-0010MY, RCM-0010MZ, RCM-0010NA, RCM-0010NB, RCM-0010NC, RCM-0010ND, RCM-0010NE, RCM-0010NF, RCM-0010NG, RCM-0010NH, RCM-0010NI, RCM-0010NJ, RCM-0010NK, RCM-0010NL, RCM-0010NM, RCM-0010NN, RCM-0010NO, RCM-0010NP, RCM-0010NQ, RCM-0010NR, RCM-0010NS, RCM-0010NT, RCM-0010NU, RCM-0010NV, RCM-0010NW, RCM-0010NX, RCM-0010NY, RCM-0010NZ, RCM-0010OA, RCM-0010OB, RCM-0010OC, RCM-0010OD, RCM-0010OE, RCM-0010OF, RCM-0010OG, RCM-0010OH, RCM-0010OI, RCM-0010OJ, RCM-0010OK, RCM-0010OL, RCM-0010OM, RCM-0010ON, RCM-0010OO, RCM-0010OP, RCM-0010O

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity (REFERRED) Recognition of National Competence Reference No. LV10000103078	
	When taken as specified, this certificate sample conforms with the requirements of Commission Decision of 27 Jan 2010 amending Decision 2007/686/EC.	
Applicant:	Shenzhen Ruitong Technology Development Co., LTD	
Address:	3F No.24 West Longgang Road, Longgang New District, Shenzhen, China	
Trade Mark:	Ruitong	
Product:	Mobile USB	
Model(s):	RUI-MC0001, RUI-MC0002, RUI-MC0003, RUI-MC0004, RUI-MC0005, RUI-MC0006	
The test report is issued to the Company subject to its General Conditions of Service which prohibit alteration in cases of limitations of liability, indemnification and confidentiality without written notice. The results shown in this test report may only be the samples tested under certain condition. This Test Report cannot be reproduced without in full without your written permission of the Company.		
Other relevant documents have to be obtained.		
RoHS   Date: 10/10/2012		
Shenzhen LV Compliance Testing Laboratory Ltd 12, Guangming Industrial Park, Guangming Road, Nan-Shan District, Shengzhen, Guangdong, China Tel: 86-755-83294102 http://www.lvt.com.cn Fax: 86-755-83294102 Email: admin@lvt.com.cn		

azienda e la fabbrica



Richmor

OEM & ODM Service


Brasil World Cup Supplier



Esposizione:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Per ulteriori dettagli sui prodotti, e-mail il nostro rappresentante Sylvia.