

RCM-MDR7104

specifiche di prodotto:

Articolo		parametro
Sistema operativo		Linux
Lingua		Inglese / cinese / personalizzato
La compressione video		compressione H.264
OSD		sovrapposizioni informazioni come ora la data e l'ID del veicolo
GUI	Interfaccia grafica utente	parametri del sistema di installazione con il telecomando
Sistema Video Record	ingresso video	Ingresso 4CH 960P / 720P AHD, connettore aviazione, 1,0 Vp-p, 75Ω
	uscita video	1 CVBS, 1,0 Vp-p, 75Ω, l'aviazione, di sostegno 1CH schermo intero, vista 4CH schermo
	anteprima	Supporto 1 canale e 4 canali in anteprima., Manuale di supporto / avviso a schermo intero anteprima
	risoluzione	720P / D1 / HD1 / CIF, MAX: 4 canali di 720p e 4 canali di D1
	qualità dell'immagine	1-4 livelli, 1 è il livello più alto.
	standard video	PAL: 100F / s, la linea CCIR625, 50Field; NTSC: 120F / s, la linea CCIR525, 60field; CIF: 256Kbps ~ 1.5Mbps, la qualità video 8 livello facoltativo; HD1: 600Kbps ~ 2.5Mbps, la qualità video 8 livello facoltativo; D1: 800Kbps ~ 3Mbps, qualità video 8 livello facoltativo; 720P: 4Mbps-6 Mbps, la qualità video multi livello opzionale
Audio	modalità di registrazione	L'impostazione predefinita è la registrazione automatica dopo l'accensione. registrazione programmata, la registrazione di innesco di allarme e la registrazione manuale sono supportati.
	ingresso audio	Ingresso 4CH Aviation Plug
	Uscita audio	2CH, cuffie collegare al pannello frontale, BNC Connetti sul pannello posteriore
	compressione	compressione G.726, velocità di 8KB / s
ingresso allarme		7CH Ingresso allarme, 1CH AD Input, ingresso velocità impulso, collegamento di allarme
uscita allarme		2CH Uscita allarme, sensore di allarme di sostegno Luce / Suono, Olio / Potenza tagliata
Interfaccia		3CH RS232, POS / combustibile sensore / LED Pubblicità Connection
		1CH 485, telecamera PTZ Collegare
La trasmissione senza fili		Supporto incorporato nella trasmissione 3G , WCDMA, CDMA2000, GPRS, EDGE; Costruito nel modulo 4G opzionale, TDD-LTE, FDD-LTE
Posizione GPS		Supporto GPS incorporato / BD Modulo

Conservazione	HDD	Max 2.5 "1TB HDD
	Scheda SD	Max 128 GB Scheda SD Specchio di registrazione mantenere la sicurezza dei dati
	aggiornare	Supporto Aggiornamento USB, scheda di aggiornamento SD, OTA aggiornamento remoto
	formato del file	H.264
	file system	FAT32 Special File System
	USB	Interfaccia USB sul pannello frontale per il back up dei dati da U Disk, Hard Disk
Record Replay	ricerca video	Ricerca per tempo di record / Record Type etc
	la riproduzione	Max sostegno 4CH Replay / Stop / veloce / lento allo stesso tempo Supporto in avanti e all'indietro il gioco alla velocità di: x 2, x4, x8, x16.
Sicurezza		Utente / Amministratore 2 livello diverso password
Funzioni opzionali	chiamata vocale	Supporto chiamata vocale a vicenda
	trasmissione TTS Voice	Supporto vocale TTS funzione di broadcast.
	serial ampliare	Supporto pannello Pubblicità LED, sensore olio, POS, Bus Station Broadcaster, auto OBD, dispositivo ect.external
Tensione & Energia	Gestione energetica	Ampia Voltage.Support temporizzato / Delay off
	Tensione di ingresso	DC: + 6V - + 36V
	Tensione d'uscita	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Energia	Lavoro & It; 5W
Ambiente di lavoro	Temperatura	-20 °C - + 70 °C
	Umidità	20% - 80%
Altri	Dimensione	200 (D) * 187 (W) * 62 (H) mm
	Peso	1.90Kg

Esposizione del prodotto:



SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq





SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



CE

FC





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Interfaccia utente client grafico

移动视频监控平台

欢迎登录, RCMTEST

系统

实时预览

电子地图

回放管理

信息管理

系统设置

终端列表

轮询列表

我的地图

监控中心(3/11)

贵州(1/1)

贵C A6446

CH1

CH2

CH3

CH4

桂KY7507

桂KY7569

80024

80119

D82868

子NPS001

桂KY7586

桂KY7599

贵B93017

贵C87762

状态

云台

色彩

语音

设备类型: MDVR

终端名称: 贵C A6446

终端ID: 80109

公司: 通运集团金融公司

所属分组: 贵州

状态: 在线

GPS时间: 2016-03-14 09:50:09

位置: 贵州省遵义市习水县G4215(蓉遵高速公路)

速度: 74.10 km/h(南)

费用: 正常

贵C A6446 - CH1 - 0 KB/S

贵C A6446 - CH2 - 24 KB/S

贵C A6446 - CH3 - 0 KB/S

贵C A6446 - CH4 - 0 KB/S

地址: 马临镇政府

搜索

地图

卫星

贵C A6446

时间: 2016-03-14 09:50:09

速度: 74.10

公司: 通运集团金融公司

司机: 陈国忠

位置: 贵州省遵义市习水县G4215(蓉遵高速公路)

状态: 在线, 3G, ACC开启, SD卡(存在), 视频, 对讲, 监听, 抓拍, 更多

贵C A6446

石板田

特匠岩

200米

GPS监控 / 报警信息 / 系统事件 / 抓拍图片

运行时长: 00:01:04

在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11

在线率: 27.27% / 定损率: 9.09%

nostro monitoraggio client mobile supporto MDVR come PC, telefoni cellulari, ecc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificato

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LC0100000010

Responsible Party	Shenzhen Richcore Technology Development Co., LTD.
Address	3/F No. 101 West Langshan Road, Longhua New District, Shenzhen, China
Product	Cables
Model No.	RCH-PD70V, RCH-PD70V, RCH-LPD70V, RCH-LPD70V, RCH-RFPAEAL, RCH-RFPAEL, RCH-SAL, RCH-ASL, RCH-AHL, RCH-JAEL, RCH-JAEL, RCH-ABSL, RCH-ABSL, RCH-ADSL, RCH-BDSL, RCH-BDSL, RCH-CDSBL
Trade Mark	Richcore
Standards	FCC CFR 47 Part II Subpart B, SPP, ANSI C83A-2008

Important note:

This device is in compliance with part II of the FCC Rules and Regulations for safety hazardous devices. Declaration of EMC analysis is based on the following two conditions:

(1) This device may not cause harmful interference; and (2) this device must accept any electromagnetic interference, including interference that is injurious to normal operation. This device will conform to the applicable FCC Rules and Regulations. The method of testing used is accordance to the most accurate measurement available to practice, and that all necessary steps have been followed to ensure that an evaluation copy of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager

April 10, 2012

Shenzhen LCT Compliance Testing Laboratory Ltd.
#1, Anping Industrial Park, Pingtan Town, Baoan Dist., Shenzhen
Guangdong, China
Tel: +86(0) 755 26591 930
http://www.lct.com.cn Email: admin@lct.com.cn

VERIFICATION OF CONFORMITY  Verification of Conformity Reference No.: LCC0300020719	
Responsible Party	Shenzhen Weiborn Technology Development Co., LTD.
Address	37 No.4 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile USB
Model No.	WTCM-B00200, WTCM-B00100, WTCM-B00150, WTCM-B00050, WTCM-B00700, WTCM-SF000, WTCM-SF050
Trade Mark	Shenzhen
Standards	FCC, CE, EN 61010-1, EN 61010-2-01, EN 61010-2-020
Important notes: This document is in accordance with Part 10 of the EMC Rules and Regulations for radio frequency devices. Operation of the product is subject to the following test conditions: (1) this document may not contain significant interference; and (2) this document may contain any interference warning, including interference that requires additional operational warnings. Any notice in relation to the applicable EMC Rules and Regulations. The manner of applying any notice in accordance to the EMC assessment instrument available possible, and that of necessary steps have been estimated to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission is representative.	
 Shanghai April 10, 2017	
Shanghai LCC Compliance Testing Laboratory Ltd. 37 Longgang Avenue East, Longgang District, Shenzhen City, Guangdong, China Tel: 86-755-8324-1233 Http://www.LCC-03.com Fax: 86-755-8325-0151 Email: shenzhen@lcc-03.com	

CERTIFICATE OF CONFORMITY		
	CERTIFICATE of Conformity Reference No. 1-23-018-0475	
	Applicant	Shenzhen Elicitor Technology Development Co., LTD.
	Address	2/F Yu-Kai Road Longgang Road, Longgang New District, Shenzhen, China
	Product	Shenke 300S
	Model(s)	HCN-M0000A, HCN-M0000B, HCN-M0000C, HCN-M0000D, HCN-M0000E, HCN-M0000F, HCN-M0000G, HCN-M0000H
	Trade Mark	Shenke
	The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:	
	The EMC Directive 2004/108/EC	
	EN 55022, EN 55024, EN 55034, EN 55035	
The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.		
The CE marking can also be used on the product after presentation of necessary technical documentation.		
(Other relevant Directives have to be attached)		
   Manager April 16, 2013		
(Shenzhen) UKAS Compliance Testing Laboratory Ltd. 17, Jingnan Industrial Park, Xingye Road, Nan-shi, Bao-an District, Shenzhen Guangdong, China Tel: 86-755-83297153 Fax: 86-755-83297153 E-mail: ukas@ukas-ct.com.cn Web: www.ukas-ct.com.cn		

[illegible][illegible]

CERTIFICATE OF CONFORMITY

 CERTIFICATE of Conformity ISSUED BY: Notifier of Notified Bodies Reference No.: LU0104102818	
When tested as specified, the submitted sample complies with the requirements of Commission Decision of 27 July 2011 amending Directive 2011/65/EU.	
Applicant	Shenzhen Pictorial Technology Development Co., LTD.
Address	3F 3F 34 West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark	Pictorial
Product	Monitor D20K
Model(s)	W09-IND005L, W09-IND005L, W09-IND005L, W09-IND005L, W09-IND005L, W09-IND005L, W09-IND005L, W09-IND005L, W09-IND005L, W09-IND005L
The test report is issued on the Applicant's claim to its General Conditions of Service issued on behalf of Applicant's claim to the limitations of liability, indemnification and consequential losses waived herein. The results shown in this test report refer only to the sample(s) tested under defined test conditions. This Report cannot be reproduced, copied or full, without your written permission of the Notifier.	
Other relevant documents have to be obtained.	
RoHS	
 <i>John Lee</i> Manager April 16, 2013	
Shenzhen UL21 Compliance Testing Laboratory Ltd. 28/F, Hing Fong Industrial Park, Tsinghua Road, Nanshan Dist., Nanshan District, Shenzhen, Guangdong, China Tel: +86-(0)755-82591100 http://www.ul21.com.cn	
Fax: +86-(0)755-82591102 Email: shenzhen@ul21.com.cn	

azienda e la fabbrica



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Esposizione:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Per ulteriori dettagli sui prodotti, e-mail il nostro rappresentante Sylvia.