

scheda SD / HDD MDVR D1 / 720P / 1080P 4/5 / 8CH veicolo DVR mobile con GPS 3G / 4G / WiFi opzionale, macchina fotografica del veicolo auto e il monitor

Shenzhen Richmor Science&Technologies Development Co.,Ltd



WE PUT FORWARD THE IDEAL OF "4M" IN ENTERPRISE MANAGEMENT:

- More enhancements of product quality everyday.
- More progress of services and sales everyday,
- More widely the effect of our brand expands everyday,
- More smiles to each of us everyday.

Richmor

specifiche di prodotto:

Articolo	parametro	
Sistema operativo	Linux	
Lingua	Inglese / cinese / personalizzato	
La compressione video	compressione H.264	
OSD	sovrapposizioni informazioni come ora la data e l'ID del veicolo	
GUI	Interfaccia grafica utente	parametri del sistema di installazione con il telecomando
Sistema Video Record	ingresso video	Ingresso 4CH 960P / 720P AHD, connettore aviazione, 1,0 Vp-p, 75Ω
	uscita video	1 CVBS, 1,0 Vp-p, 75Ω, l'aviazione, di sostegno 1CH schermo intero, vista 4CH schermo
	anteprima	Supporto 1 canale e 4 canali in anteprima., Manuale di supporto / avviso a schermo intero anteprima
	risoluzione	720P / D1 / HD1 / CIF, MAX: 4 canali di 720p e 4 canali di D1
	qualità dell'immagine	1-4 livelli, 1 è il livello più alto.
	standard video	PAL: 100F / s, la linea CCIR625, 50Field; NTSC: 120F / s, la linea CCIR525, 60field; CIF: 256Kbps ~ 1.5Mbps, la qualità video 8 livello facoltativo; HD1: 600Kbps ~ 2.5Mbps, la qualità video 8 livello facoltativo; D1: 800Kbps ~ 3Mbps, qualità video 8 livello facoltativo; 720P: 4Mbps-6 Mbps, la qualità video multi livello opzionale
	modalità di registrazione	L'impostazione predefinita è la registrazione automatica dopo l'accensione. registrazione programmata, la registrazione di innesco di allarme e la registrazione manuale sono supportati.

Audio	ingresso audio	Ingresso 4CH Aviation Plug
	Uscita audio	2CH, cuffie collegare al pannello frontale, BNC Connetti sul pannello posteriore
	compressione	compressione G.726, velocità di 8KB / s
ingresso allarme		7CH Ingresso allarme, 1CH AD Input, ingresso velocità impulso, collegamento di allarme
uscita allarme		2CH Uscita allarme, sensore di allarme di sostegno Luce / Suono, Olio / Potenza tagliata
Interfaccia	3CH RS232, POS / combustibile sensore / LED Pubblicità Connection	
	1CH 485, telecamera PTZ Collegare	
La trasmissione senza fili		Supporto incorporato nella trasmissione 3G , WCDMA, CDMA2000, GPRS, EDGE; Costruito nel modulo 4G opzionale, TDD-LTE, FDD-LTE
Posizione GPS		Supporto GPS incorporato / BD Modulo
Conservazione	HDD	Max 2.5 "1TB HDD
	Scheda SD	Max 128 GB Scheda SD Specchio di registrazione mantenere la sicurezza dei dati
	aggiornare	Supporto Aggiornamento USB, scheda di aggiornamento SD, OTA aggiornamento remoto
	formato del file	H.264
	file system	FAT32 Special File System
	USB	Interfaccia USB sul pannello frontale per il back up dei dati da U Disk, Hard Disk
Record Replay	ricerca video	Ricerca per tempo di record / Record Type etc
	la riproduzione	Max sostegno 4CH Replay / Stop / veloce / lento allo stesso tempo Supporto in avanti e all'indietro il gioco alla velocità di: x 2, x4, x8, x16.
Sicurezza		Utente / Amministratore 2 livello diverso password
Funzioni opzionali	chiamata vocale	Supporto chiamata vocale a vicenda
	trasmissione TTS Voice	Supporto vocale TTS funzione di broadcast.
	serial ampliare	Supporto pannello Pubblicità LED, sensore olio, POS, Bus Station Broadcaster, auto OBD, dispositivo ect.external
Tensione & Energia	Gestione energetica	Ampia Voltage.Support temporizzato / Delay off
	Tensione di ingresso	DC: + 6V - + 36V
	Tensione d'uscita	+ 12V ~ 1.5A, + 5V ~ 1.5A
	Energia	Lavoro & Lt; 5W
Ambiente di lavoro	Temperatura	-20 °C - + 70 °C
	Umidità	20% - 80%
Altri	Dimensione	200 (D) * 187 (W) * 62 (H) mm
	Peso	1.90Kg

Esposizione del prodotto:





AV Input & Output Cables



Power Cable



IO Cables



Remote Control



3G Antenna



WIFI Antenna




CD (Manual & Software Inside)



7000 HDD Mobile DVR


Product Introduction

Device Series



15

Product Advantage



Interfaccia utente client grafico

移动视频监控平台

欢迎登录, RCMTEST

系统

实时预览

电子地图

回放管理

信息管理

系统设置

终端列表

轮询列表

我的地图

监控中心(3/11)

贵州(1/1)

贵C A6446

CH1

CH2

CH3

CH4

桂KY7507

桂KY7569

80024

80119

D82868

子NPS001

桂KY7586

桂KY7599

贵B93017

贵C87762

状态

云台

色彩

语音

设备类型: MDVR

终端名称: 贵C A6446

终端ID: 80109

公司: 通运集团金融公司

所属分组: 贵州

状态: 在线

GPS时间: 2016-03-14 09:50:09

位置: 贵州省遵义市习水县G4215(普通高速公路)

速度: 74.10 km/h(南)

费用: 正常

1 贵C A6446 - CH1 - 0 KB/S

2 贵C A6446 - CH2 - 24 KB/S

3 贵C A6446 - CH3 - 0 KB/S

4 贵C A6446 - CH4 - 0 KB/S

地址: 马临镇政府

搜索

贵C A6446

时间: 2016-03-14 09:50:09

速度: 74.10

公司: 通运集团金融公司

司机: 陈国忠

13511881529

位置: 贵州省遵义市习水县G4215(普通高速公路)

状态: 在线, 3G, ACC开启, SD卡(存在), 视频, 对讲, 监听, 抓拍, 更多

贵C A6446

石板田

特匠岩

200米

GPS监控 / 报警信息 / 系统事件 / 抓拍图片

运行时长: 00:01:04

报警: 未报警

在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11

在线率: 27.27% / 定损率: 9.09%

nostro monitoraggio client mobile supporto MDVR come PC, telefoni cellulari, ecc.

[Anasayfa](#)[İndir](#)[Soru](#)[Language](#)

İstemci İndirme

 Windows İndir  Version: 7.4.0.15 Güncelle: 20151123	 İndir  Version: 7.0.3 Güncelle: 20150523	 İndir  Version: 7.0.0.10 Güncelle: 20150801
--	--	---

Uygun Program İndir

		
---	---	---

Appliacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificato

[illegible]

VERIFICATION OF CONFORMITY		
	Verification of Conformity Reference No. LCC000000119	
	Responsible Party	Shenzhen Xixun Technology Development Co., LTD.
	Address	3F No.6 West 1, Longgang Road, Longhua New District, Shenzhen, China
	Product	Mobile USB
	Model No.	ICM-00000001, ICM-00000002, ICM-00000003, ICM-00000004, ICM-00000005, ICM-00000006, ICM-00000007, ICM-00000008, ICM-00000009
	Trade Mark	Shixun
	Standards	CIS PRG 47 PART 10 Subgroup 10-1, 10-6, 10-8, 10-9, 10-10, 10-11, 10-12, 10-13, 10-14, 10-15, 10-16, 10-17, 10-18, 10-19, 10-20, 10-21, 10-22, 10-23, 10-24, 10-25, 10-26, 10-27, 10-28, 10-29, 10-30, 10-31, 10-32, 10-33, 10-34, 10-35, 10-36, 10-37, 10-38, 10-39, 10-40, 10-41, 10-42, 10-43, 10-44, 10-45, 10-46, 10-47, 10-48, 10-49, 10-50, 10-51, 10-52, 10-53, 10-54, 10-55, 10-56, 10-57, 10-58, 10-59, 10-60, 10-61, 10-62, 10-63, 10-64, 10-65, 10-66, 10-67, 10-68, 10-69, 10-70, 10-71, 10-72, 10-73, 10-74, 10-75, 10-76, 10-77, 10-78, 10-79, 10-80, 10-81, 10-82, 10-83, 10-84, 10-85, 10-86, 10-87, 10-88, 10-89, 10-90, 10-91, 10-92, 10-93, 10-94, 10-95, 10-96, 10-97, 10-98, 10-99, 10-100, 10-101, 10-102, 10-103, 10-104, 10-105, 10-106, 10-107, 10-108, 10-109, 10-110, 10-111, 10-112, 10-113, 10-114, 10-115, 10-116, 10-117, 10-118, 10-119, 10-120, 10-121, 10-122, 10-123, 10-124, 10-125, 10-126, 10-127, 10-128, 10-129, 10-130, 10-131, 10-132, 10-133, 10-134, 10-135, 10-136, 10-137, 10-138, 10-139, 10-140, 10-141, 10-142, 10-143, 10-144, 10-145, 10-146, 10-147, 10-148, 10-149, 10-150, 10-151, 10-152, 10-153, 10-154, 10-155, 10-156, 10-157, 10-158, 10-159, 10-160, 10-161, 10-162, 10-163, 10-164, 10-165, 10-166, 10-167, 10-168, 10-169, 10-170, 10-171, 10-172, 10-173, 10-174, 10-175, 10-176, 10-177, 10-178, 10-179, 10-180, 10-181, 10-182, 10-183, 10-184, 10-185, 10-186, 10-187, 10-188, 10-189, 10-190, 10-191, 10-192, 10-193, 10-194, 10-195, 10-196, 10-197, 10-198, 10-199, 10-200, 10-201, 10-202, 10-203, 10-204, 10-205, 10-206, 10-207, 10-208, 10-209, 10-210, 10-211, 10-212, 10-213, 10-214, 10-215, 10-216, 10-217, 10-218, 10-219, 10-220, 10-221, 10-222, 10-223, 10-224, 10-225, 10-226, 10-227, 10-228, 10-229, 10-230, 10-231, 10-232, 10-233, 10-234, 10-235, 10-236, 10-237, 10-238, 10-239, 10-240, 10-241, 10-242, 10-243, 10-244, 10-245, 10-246, 10-247, 10-248, 10-249, 10-250, 10-251, 10-252, 10-253, 10-254, 10-255, 10-256, 10-257, 10-258, 10-259, 10-260, 10-261, 10-262, 10-263, 10-264, 10-265, 10-266, 10-267, 10-268, 10-269, 10-270, 10-271, 10-272, 10-273, 10-274, 10-275, 10-276, 10-277, 10-278, 10-279, 10-280, 10-281, 10-282, 10-283, 10-284, 10-285, 10-286, 10-287, 10-288, 10-289, 10-290, 10-291, 10-292, 10-293, 10-294, 10-295, 10-296, 10-297, 10-298, 10-299, 10-300, 10-301, 10-302, 10-303, 10-304, 10-305, 10-306, 10-307, 10-308, 10-309, 10-310, 10-311, 10-312, 10-313, 10-314, 10-315, 10-316, 10-317, 10-318, 10-319, 10-320, 10-321, 10-322, 10-323, 10-324, 10-325, 10-326, 10-327, 10-328, 10-329, 10-330, 10-331, 10-332, 10-333, 10-334, 10-335, 10-336, 10-337, 10-338, 10-339, 10-340, 10-341, 10-342, 10-343, 10-344, 10-345, 10-346, 10-347, 10-348, 10-349, 10-350, 10-351, 10-352, 10-353, 10-354, 10-355, 10-356, 10-357, 10-358, 10-359, 10-360, 10-361, 10-362, 10-363, 10-364, 10-365, 10-366, 10-367, 10-368, 10-369, 10-370, 10-371, 10-372, 10-373, 10-374, 10-375, 10-376, 10-377, 10-378, 10-379, 10-380, 10-381, 10-382, 10-383, 10-384, 10-385, 10-386, 10-387, 10-388, 10-389, 10-390, 10-391, 10-392, 10-393, 10-394, 10-395, 10-396, 10-397, 10-398, 10-399, 10-400, 10-401, 10-402, 10-403, 10-404, 10-405, 10-406, 10-407, 10-408, 10-409, 10-410, 10-411, 10-412, 10-413, 10-414, 10-415, 10-416, 10-417, 10-418, 10-419, 10-420, 10-421, 10-422, 10-423, 10-424, 10-425, 10-426, 10-427, 10-428, 10-429, 10-430, 10-431, 10-432, 10-433, 10-434, 10-435, 10-436, 10-437, 10-438, 10-439, 10-440, 10-441, 10-442, 10-443, 10-444, 10-445, 10-446, 10-447, 10-448, 10-449, 10-450, 10-451, 10-452, 10-453, 10-454, 10-455, 10-456, 10-457, 10-458, 10-459, 10-460, 10-461, 10-462, 10-463, 10-464, 10-465, 10-466, 10-467, 10-468, 10-4

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity Reference No.: 123456789012										
	<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">Applicant:</td> <td>Whisper Electronic Technology Development Co., Ltd.</td> </tr> <tr> <td>Address:</td> <td>1F Yu-Wai Road Longsuen Road, Longsuen New District, Shenzhen, China</td> </tr> <tr> <td>Product:</td> <td>Model 1234</td> </tr> <tr> <td>Model:</td> <td>PC-010-000000, PC-010-000001, PC-010-000002, PC-010-000003, PC-010-000004, PC-010-000005, PC-010-000006</td> </tr> <tr> <td>Trade Mark:</td> <td>Whisper</td> </tr> </table>	Applicant:	Whisper Electronic Technology Development Co., Ltd.	Address:	1F Yu-Wai Road Longsuen Road, Longsuen New District, Shenzhen, China	Product:	Model 1234	Model:	PC-010-000000, PC-010-000001, PC-010-000002, PC-010-000003, PC-010-000004, PC-010-000005, PC-010-000006	Trade Mark:	Whisper
	Applicant:	Whisper Electronic Technology Development Co., Ltd.									
	Address:	1F Yu-Wai Road Longsuen Road, Longsuen New District, Shenzhen, China									
	Product:	Model 1234									
	Model:	PC-010-000000, PC-010-000001, PC-010-000002, PC-010-000003, PC-010-000004, PC-010-000005, PC-010-000006									
Trade Mark:	Whisper										
The certified products have been tested by us with the latest standards and found to conform with the following European Directive: The EMC Directive 2004/108/EC EN 55022: 2005, EN 55024: 2005											
The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific test carried out. This certificate applies specifically to the sample investigated in our test laboratory number only.											
The CE marking on above table can be affixed on the product after presentation of necessary technical documentation.											
(Start relevant Directives have to be observed)											
   Manager April 16, 2011											
(Shenzhen) L228 Compliance Testing Laboratory Ltd. 1/F, Jingnang Industrial Park, Jingnang Road, Kaitian Bldg., Bao'an District, Shenzhen Guangdong, China Tel: 0086-755-2671-0101 http://www.l228.com.cn											
Fax: 0086-755-2671-0122 Email: manager@l228.com.cn											

[illegible]

	
CERTIFICATE of Conformity (DIN EN ISO 9001) Declaration of Testhouse Evidence	
Reference No.: 1-01-001002078	
When issued, this attested the applicant company operating under the requirements of (Certification Reference) 1-01-001002078 according to (Declaration Number) (DIN EN ISO 9001) .	
Applicant	Shenzhen Richconn Technology Development Co., Ltd.
Address	3F Hualu West Longgang Road, Longhua New District, Shenzhen, China
Trade Mark	Richconn
Product	Capacitor
Model(s)	RC0402F04000000, RC0402F04000001, RC0402F04000002, RC0402F04000003, RC0402F04000004, RC0402F04000005, RC0402F04000006, RC0402F04000007, RC0402F04000008, RC0402F04000009, RC0402F04000010, RC0402F04000011, RC0402F04000012, RC0402F04000013, RC0402F04000014, RC0402F04000015, RC0402F04000016, RC0402F04000017, RC0402F04000018, RC0402F04000019, RC0402F04000020, RC0402F04000021, RC0402F04000022, RC0402F04000023, RC0402F04000024, RC0402F04000025, RC0402F04000026, RC0402F04000027, RC0402F04000028, RC0402F04000029, RC0402F04000030, RC0402F04000031, RC0402F04000032, RC0402F04000033, RC0402F04000034, RC0402F04000035, RC0402F04000036, RC0402F04000037, RC0402F04000038, RC0402F04000039, RC0402F04000040, RC0402F04000041, RC0402F04000042, RC0402F04000043, RC0402F04000044, RC0402F04000045, RC0402F04000046, RC0402F04000047, RC0402F04000048, RC0402F04000049, RC0402F04000050, RC0402F04000051, RC0402F04000052, RC0402F04000053, RC0402F04000054, RC0402F04000055, RC0402F04000056, RC0402F04000057, RC0402F04000058, RC0402F04000059, RC0402F04000060, RC0402F04000061, RC0402F04000062, RC0402F04000063, RC0402F04000064, RC0402F04000065, RC0402F04000066, RC0402F04000067, RC0402F04000068, RC0402F04000069, RC0402F04000070, RC0402F04000071, RC0402F04000072, RC0402F04000073, RC0402F04000074, RC0402F04000075, RC0402F04000076, RC0402F04000077, RC0402F04000078, RC0402F04000079, RC0402F04000080, RC0402F04000081, RC0402F04000082, RC0402F04000083, RC0402F04000084, RC0402F04000085, RC0402F04000086, RC0402F04000087, RC0402F04000088, RC0402F04000089, RC0402F04000090, RC0402F04000091, RC0402F04000092, RC0402F04000093, RC0402F04000094, RC0402F04000095, RC0402F04000096, RC0402F04000097, RC0402F04000098, RC0402F04000099, RC0402F04000100, RC0402F04000101, RC0402F04000102, RC0402F04000103, RC0402F04000104, RC0402F04000105, RC0402F04000106, RC0402F04000107, RC0402F04000108, RC0402F04000109, RC0402F04000110, RC0402F04000111, RC0402F04000112, RC0402F04000113, RC0402F04000114, RC0402F04000115, RC0402F04000116, RC0402F04000117, RC0402F04000118, RC0402F04000119, RC0402F04000120, RC0402F04000121, RC0402F04000122, RC0402F04000123, RC0402F04000124, RC0402F04000125, RC0402F04000126, RC0402F04000127, RC0402F04000128, RC0402F04000129, RC0402F04000130, RC0402F04000131, RC0402F04000132, RC0402F04000133, RC0402F04000134, RC0402F04000135, RC0402F04000136, RC0402F04000137, RC0402F04000138, RC0402F04000139, RC0402F04000140, RC0402F04000141, RC0402F04000142, RC0402F04000143, RC0402F04000144, RC0402F04000145, RC0402F04000146, RC0402F04000147, RC0402F04000148, RC0402F04000149, RC0402F04000150, RC0402F04000151, RC0402F04000152, RC0402F04000153, RC0402F04000154, RC0402F04000155, RC0402F04000156, RC0402F04000157, RC0402F04000158, RC0402F04000159, RC0402F04000160, RC0402F04000161, RC0402F04000162, RC0402F04000163, RC0402F04000164, RC0402F04000165, RC0402F04000166, RC0402F04000167, RC0402F04000168, RC0402F04000169, RC0402F04000170, RC0402F04000171, RC0402F04000172, RC0402F04000173, RC0402F04000174, RC0402F04000175, RC0402F04000176, RC0402F04000177, RC0402F04000178, RC0402F04000179, RC0402F04000180, RC0402F04000181, RC0402F04000182, RC0402F04000183, RC0402F04000184, RC0402F04000185, RC0402F04000186, RC0402F04000187, RC0402F04000188, RC0402F04000189, RC0402F04000190, RC0402F04000191, RC0402F04000192, RC0402F04000193, RC0402F04000194, RC0402F04000195, RC0402F04000196, RC0402F04000197, RC0402F04000198, RC0402F04000199, RC0402F04000200, RC0402F04000201, RC0402F04000202, RC0402F04000203, RC0402F04000204, RC0402F04000205, RC0402F04000206, RC0402F04000207, RC0402F04000208, RC0402F04000209, RC0402F04000210, RC0402F04000211, RC0402F04000212, RC0402F04000213, RC0402F04000214, RC0402F04000215, RC0402F04000216, RC0402F04000217, RC0402F04000218, RC0402F04000219, RC0402F04000220, RC0402F04000221, RC0402F04000222, RC0402F04000223, RC0402F04000224, RC0402F04000225, RC0402F04000226, RC0402F04000227, RC0402F04000228, RC0402F04000229, RC0402F04000230, RC0402F04000231, RC0402F04000232, RC0402F04000233, RC0402F04000234, RC0402F04000235, RC0402F04000236, RC0402F04000237, RC0402F04000238, RC0402F04000239, RC0402F04000240, RC0402F04000241, RC0402F04000242

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity (REFERRED: Recognition of National Competence) Reference No. UL10000103018	
	When taken as specified, this submitted sample conforms with the requirements of Commission Decision of 27 Jan 2011 amending Decision 2011/69/EC.	
Applicant:	Shenzhen Ruitong Technology Development Co., LTD	
Address:	3F No.44 West Longgang Road, Longhua New District, Shenzhen, China	
Trade Mark:	Ruitong	
Product:	Gaming Stick	
Model(s):	RUI-MS0001, RUI-MS0002, RUI-MS0003, RUI-MS0004, RUI-MS0005, RUI-MS0006	
The test report is issued to the Company subject to its General Conditions of Service which prohibit alteration in cases of limitations of liability, misrepresentation and unauthorised resale. The results shown in this test report may only be the samples tested unless otherwise stated. This Test Report cannot be reproduced without in full without prior written permission of the Company.		
Other relevant documents have to be obtained.		
RoHS   Date 10/10/2012		
Shenzhen (UL) Compliance Testing Laboratory Ltd 12, Guangming Industrial Park, Guangming Road, Nan-Shan District, Shengzhen, Guangdong, China Tel: 86-755-8329-6100 http://www.ul.com.cn		
Fax: 86-755-8329-6102 Email: shenzhen@ul.com.cn		

azienda e la fabbrica



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Esposizione:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Altri tipi di prodotti

Product Introduction

We are Professional mobile dvr manufacturer !!

TOP SALE ---4ch AHD SD CARD MOBILE DVR & 4ch AHD HDD mobile dvr



If u r interested in our dvr, pls contact Amily: [whatsapp--18929314790](https://www.whatsapp.com/message/18929314790)

系统配套产品

VEHICLE CAMERA PARAMETER

车载红外半球摄像机 Vehicle Dome IR Camera



RCM-D342S/IR	1/3" SONY CCD 420TVL 0.5LUX	24 units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	2.8mm/3.6mm
RCM-D348S/IR	1/3" SONY CCD 480TVL 0.1LUX	24 Units ≤ 5 LED or 10 units ≤ 8 LED	3.6mm/6mm
RCM-D354S/IR	1/3" SONY CCD 540TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D360S/IR	1/3" SONY CCD 600TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm
RCM-D370S/IR	1/3" SONY CCD 700TVL 0.1LUX	24 Units ≤ 5 LED or 10 Units ≤ 8 LED	3.6mm/6mm

车载红外防水摄像机 Vehicle IR Waterproof Camera



RCM-CM442A/IR	1/4" Sharp CCD 420TVL 0.5LUX	20 Units ≤ 5 LED (Work Under water)	3.6mm/6mm
RCM-CM342S/IR	1/3" SONY CCD 420TVL 0.1LUX	20 Units ≤ 5 LED (Work under Water)	3.6mm/6mm
RCM-CM348S/IR	1/3" SONY CCD 480TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm
RCM-CM360S/IR	1/3" SONY CCD 600TVL 0.1LUX	20 Units ≤ 5 LED (Work Under Water)	3.6mm/6mm



Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmccctv.com

Skype: rcmccctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

