## On the second of × × 2ch [ [ [ ] [ ] (1ch cvbs [ ] [ ] [ ] 1ch vga [ ] [ ] ( [ ] [ ] [ ] [ ] ] ) hdd + sd 0000000 (000 2.5 "hdd00 128g sd 00) 000 & 000000000; usb 000000000000 00008ch 0000 (1ch 0000 + 7ch io 0000)02ch 0000000

3g/4g 00000000000000; 

00000 8-36v

\_\_\_\_ gps/bd/g \_\_\_\_\_;

## 

- ♦□□□□□□h.264 □□□□□□□□□□□□□□□□□ 4ch 1080p ahd □□□□□□□□□□;
- ♦□□□□□□□□□□□□1080p/720p/cif/hd1/d1 □□□□□□□□□□;
- ◆□□□□12vdc □□□□□□□□□/□□□□□□□□;
- ♦ hdd + sd 00000 (000 2.5 ' ' hdd + 01280000 sd 0000000 & 0000000 nvr 000000
- ◆□□□□□□□□sd □□□□□□□□□;

- ♦□□□□□ ups □□□□□□□□□□□□□□10-15s □□□□□□□□□□□□□□□□□□
- ◆□□□□□□□/□□□□□□□□□□ etc □□□□□□□□□□□□□□;
- ◆000000/0000/00000/00/00000000000;
- ♦□□□□ gps/bd□3g/4g □□□□□□□□□□□ lan □□;

- ullet 7ch and (and an analysis) and an analysis of the state of th
- ullet 1 ch
- ullet
- ◆0000000 gui 0000000000000000;
- lack
- ♦ sd 000 ota 000000000000000000000;
- ◆□□□□□□□□□□□3 g □□□□
- **♦**□□□□ ptz/pos/□□□□□□/led □□□□□□;
- $\bullet$ 0000000000
- **◆**□□□□□□□□□□□□;

os		linux			
		000/00/000 (0000000)			
		h.264 0000			
osd		000000 id 000000000			
gui		00 led 000000000000000000000000000000000			
		4ch 1080p			
		1ch cvbs + vga [] ([][][][1.0 vp-p[]75ω)			
		1080/720p/d1/hd1/cif			
	00000	cif: 256kbps ~ 1.5 mbps			
		hd1: 600kbps ~ 2.5 mbps∩∩∩∩∩∩∩∩∩∩∩			
		d1: 800kbps ~ 3mbps			
		720p: 4mbps-6mbps  00000000000000000000000000000000000			
		4			
		1ch			
		g. 711 [][][8kb/[][][]			
		=			
0000		8ch io [][][][][][][][][][][][][][][][][][][]			
		2ch 000/000000000000000000000000000000000			
		2ch rs232[pos []]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]			
		2ch 485 00000000ptz 0000000000			
		1ch 000000000000000000000000000000000000			
		$\label{lem:coma} $$ 3g/4g = $			
		00000gps/bd 000000000000000000000000000000000000			
g□□□□		0000 g 0000			
		2.5 ' ' hdd + sd 000000 2tb hdd + 128 0000 sd 00000000000000000			
		0000 usb 000000000sd 00000000000ta 00000000000			
		2640000000000			
	usb	00000000usb 0000000000, 00000000 usb 00000000000000000000000000			
		🛮 usb 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂			
		4ch/Stop/Fast			
		x 20x40x80x16 00000000000000000000000			
		000000000000000000000000000000000000000			
		dc: + 8v ~ + 36v			
		+ 12v @ 2.5 a[]+ 5v @ 2.5 a			
		${ m ups}$ 000000000000000000000000000000000000			
		0000 < 5w			
		-20 °C ~ + 70 °C			
		0% ~ 80%			
		187 (d) * 188 (∏) * 67 (∏∏) mm			
		1.8 kg			
		8 و			

\_\_\_