

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

RCM-SP5800

XXXX

XXXXXXXX1XXXXXXXXDVR

2XXXXXXXX LAN 3G GPS

3XXXX XXXXXXX

4XXXXXXXXXXXXSDXXXX

5XXXXXXXXXXXXSDXXXXXXXXXXXX

XXXXXXXX6recovery

XXX





参数

名称	规格	备注
基本配置	操作系统	Android
	网络功能	支持Wi-Fi & NBSP 支持蓝牙 & NBSP 支持GPS / 3G
	摄像头	前置摄像头 后置摄像头
	扬声器	前置扬声器
摄像头	镜头	70° CMOS
	OSD	支持038;支持ID GPS
	分辨率	264K Hisilicon
	帧率	支持VGA QVGA
	码率	QVGA 400kbps 1.5Mbps 4
	码率	VGA 1000kbps 2Mbps 4
	接口	支持USB
	接口	支持
功耗	待机	待机
	通话	通话 > 1W
	发射	G.726

SD	Capacity	1GB / 32GB
	File System	ASF / FAT32
	Resolution	1080P
	Frame Rate	30FPS
USB	Port	USB 2.0
	Speed	3G WCDMA / CDMA2000 / TD-SCDMA / GSM / GPRS / EDGE
Display	Screen	2.4" TFT
	Resolution	480 * 234
	Storage	SD Card
Temperature	Operating	-20°C ~ +50°C
	Storage	20° ~ 80°
Dimensions	Width	50mm
	Height	70mm
Weight	Net Weight	95g
	Gross Weight	307.5g
Packaging	Quantity	238
	Volume	352

**CMS**


**Vehicle with device for test in AC Coach  
Lahore to Sadiq Abad near motorway @ 86Km/h**

Windows PC

IOS & Android OS



Richmor DVR











Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution