

5



□□□□□□□□□□

□□□□□□

□□□□□

□□□□□□□□□□

4□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

1&NBSP□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

264

□□□

D1 / HD1 / CIF□□□

□□□□□□□□

PAL&NBSP□□□□□&NBSP□□NTSC□□

□□□□

□□□□□□□□□□□□□□□□□□

□□□□

SD□□□□□□□□□□64□□□□□□

□□□□

1□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□

□□□□GPRS / 3G

GPS

□□□GPS

□□□□

□□□□□6□48V□70V□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□

□□□□

□□□□□-20 NBSP□□°C□ 70C°

□□□

180□□□□□□* 145□□□□□□* 45□□□□□□&NBSP□□&NBSP□□&NBSP
□□&NBSP□□&NBSP□□&NBSP□□1KG

□□□□□□□□□□



AV Input Cables



AV Output Cable



Power Cable



IO Cables




3G Antenna



GPS Antenna



Remote Control



CD (Manual & Software inside)

The screenshot displays the 'Mobile Device Management Platform' interface. At the top, there is a navigation bar with tabs: 'Main Video', 'Map', 'Replay', 'Log Management', 'DeviceControl', 'Video Wall', and 'Setting'. Below the navigation bar, the interface is divided into several functional areas:

- Left Sidebar:** Contains a tree view of device channels (e.g., '00000-Speed: 10.0km/h', '00001-Speed: 10.0km/h') and a 'GPS Info' table with columns for Device ID, Speed, Log, Lat, Height, Satellite Num, Turn Around, Brake, and Time.
- Main Video Area:** Displays four live camera feeds. The top-left feed shows a large hall with people. The top-right feed shows a room with people. The bottom-left feed shows a close-up of a person. The bottom-right feed shows a person in a red shirt. Each feed has a title bar with device information.
- Bottom Left:** Features a 'PTZ Control' section with buttons for 'Preset', 'Speed', 'Zoom', 'Focus', and 'Lock Time'. It also includes a 'Window/Full' button and a 'Message' section.
- Bottom Right:** Contains a 'Map' section showing a location on a map. The map includes labels for 'Jingyang', 'Majiang', 'Kancheng', 'Yangluo', 'Gantang', 'Kangsheng', and 'Daping'.





□□□□□□□□



Richmor Electronics Co., Ltd.



Richmor

OEM & ODM Service

Brasil World Cup Supplier