

**3G CE FCC RoHS RCM-MDR500**

1

2

3

4

5

6





1. 产品概述

1.1 产品简介

1.2 产品特点

1.3 产品规格

1.4 产品应用

1.5 产品优势

1.6 产品兼容性

1.7 产品性能

1.8 产品功耗

1.9 产品尺寸

1.10 产品重量

1.11 产品接口

1.12 产品认证

1.13 产品保修

1.14 产品售后服务

1.15 产品说明

1.16 产品附件

2. 技术参数

2.1 分辨率: 4CIF / 2CIF / D1 / HD1 / CIF

2.2 帧率: 1~25帧/秒

2.3 压缩格式: H.264

2.4 视频制式: PAL / NTSC

2.5 视频标准: PAL / NTSC

2.6 视频输入: 1路

2.7 视频输出: 1路

2.8 视频接口: BNC / DVI / VGA

2.9 网络接口: GPRS / 3G

2.10 网络协议: TCP/IP

2.11 网络功能: 远程监控

2.12 供电电压: 6V / 48V / 70V

2.13 供电方式: 直流

2.14 工作温度: -20℃ ~ 70℃

2.15 产品尺寸: 180mm \* 145mm \* 45mm  
 2.16 产品重量: 1KG

3. 安装与使用



AV Input Cables



AV Output Cable



Power Cable



IO Cables



3G Antenna



GPS Antenna



Remote Control



CD ( Manual & Software inside )





□□□□□□□□





XXXXXXXXXXXXXXXXXXXXXXXXXXXX



**Richmor**

**OEM & ODM Service**

**Brasil World Cup Supplier**