

カメラ機能	撮像素子	700万画素
	osd	id/gps
	動画形式	h.264
	静止画形式	d1/hd1/cif
メモリ	標準メモリ	726MB
	拡張メモリ	sdカード (1GB ~ 128GB)
ストレージ	フォーマット	fat32
	ファイル形式	jpg
	解像度	2/4/8/16
	色数	24bit
	画角	2.4インチ
ディスプレイ	サイズ	480 * 234
	解像度	3g
無線LAN	標準	lan
GPS	標準	gps
バッテリー	容量	tf
電源	充電時間	2100mah
	使用時間	7.4v
	充電回数	3
動作温度	動作温度	30
	保存温度	40
動作湿度	動作湿度	-20 °C ~ + 50 °C
	保存湿度	20% ~ 90%
サイズ	65 (w) x130 (h) x30 (d) mm	
防水性能	proofings: ip54	
重量	475 g (1.05 lb)	

カメラ







□□□□□□□□□□

Mobile monitoring and management platform

Web: www.gogon.com.cn

System | Video | Map | Favorites | System Set | Log Query | External App

Dev List | Polling | My Menu

Monitor Center (5/10)

- 3G/4G 单具传输终端
- 车载充电器
- 车载充电器电源线
- 车载充电器点烟器
- 车载充电器点烟器电源线
- 车载充电器点烟器插孔
- 车载充电器点烟器插孔电源线
- 车载充电器点烟器插孔插孔
- 车载充电器点烟器插孔电源线
- 车载充电器点烟器插孔插孔
- 车载充电器点烟器插孔电源线
- 车载充电器点烟器插孔插孔
- 车载充电器点烟器插孔电源线
- 车载充电器点烟器插孔插孔
- 车载充电器点烟器插孔电源线

Monitor	PTZ	Color	WSP
Device type	MDVR		
Vehicle name	吉 C 20052		
Vehicle ID	30005		
Company	遵义县万美山物流运输有限公司		
Track Group	Monitor Center		
Status	Online		
Positioning Time	2010-08-11 10:11:50		
Location	贵州省遵义市汇川区汇川大道		
Speed	0.00 km/h (Southwest)		
Color	Normal		

Address

2010 公里

Member: 1 Online, 1 Alarm, 0 Offline, 0 Idling, 0 GPS Disabled

Device	Positioning Time	Position	Speed	Alarm	Sta
3G/4G 单具传输终端	2010-08-11 10:11:49	福建省漳州市龙文区(鹿港西庭公路)	0.00 km/h (Southwest)		001

Monitoring | System Status | System Break

Running: 02:00:01 | Online: 6 / Number of set: 0x0 / Alarms: 0 / Total: 10 | Live Rate: 1.00% / Lock Rate: 1.00%

Mobile monitoring and management platform

Welcome to log in, POYTEST System

Video Map Playback System Set Log Query Extend App

Dev List: [Search]

- Monitor Center(5/12)
 - 桂KY7501
 - 桂KY7502
 - 桂KY7503
 - 桂KY7504
 - 桂KY7505
 - 桂KY7506
 - 桂KY7507
 - 桂KY7508
 - 桂KY7509
 - 桂KY7510
 - 桂KY7511
 - 桂KY7512

System Parameters

Video Parameters

Map Parameters

Alarm Image

Alarm status screen

Real sensor settings

Software status subscription login

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: D:\GPS_DOWNLOAD\CAPTURE browse

Location: 72 (H/C indicates variable loss)

GPS update time: 0 (Unit: s) 2-120

ID Name: Enable

Default choose of online equipment
 Enable multi-screen mode
 Enable multi display
 Display the vehicle of the city

Save

Monitor:1 Online:1 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

Device	Positioning Time	Position	Speed	Alarm	Status	Usage	Other Info
桂KY7502	2015-07-11 10:14:33	福建省福州市仓山区南台街道	52.00 km/h(Northeast)		Online	ACC ON, SC	SD Card:Exi...

Running: 00:05:15 Online: / Number of set loss: / Alarms: / Total:12 Live Rate:41.67% / Lost Rate:41.67%

Mobile monitoring and management platform

Welcome to log in, POYTEST System

Video Map Playback System Set Log Query Extend App

Dev List: [Search]

- Monitor Center(5/12)
 - 桂KY7501
 - 桂KY7502
 - 桂KY7503
 - 桂KY7504
 - 桂KY7505
 - 桂KY7506
 - 桂KY7507
 - 桂KY7508
 - 桂KY7509
 - 桂KY7510
 - 桂KY7511
 - 桂KY7512

System Parameters

Video Parameters

Map Parameters

Alarm Image

Alarm status screen

Real sensor settings

Software status subscription login

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: D:\GPS_DOWNLOAD\CAPTURE browse

Location: 72 (H/C indicates variable loss)

GPS update time: 0 (Unit: s) 2-120

ID Name: Enable

Default choose of online equipment
 Enable multi-screen mode
 Enable multi display
 Display the vehicle of the city

Save

Monitor:2 Online:2 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

Device	Positioning Time	Position	Speed	Alarm	Status	Usage	Other Info
桂KY7509	2015-07-23 11:53:47	广西壮族自治区玉林市博白县兴隆中路10号	0.00 km/h(West)		On		
桂KY7506	2015-07-23 11:53:57	广西壮族自治区玉林市博白县5216	0.00 km/h(Northeast)		On		

Running: 00:02:05 Online: / Number of set loss: / Alarms: / Total:12 Live Rate:50.00% / Lost Rate:33.33%





Richmor

Richmor: rcmctvsales5

whatsapp: + 86-18126263838