

Richmor



SMS Device configure
OTA Remote Updating
5CHANNEL 1080P+720P HD
2TB HDD + 128GB SD






SMS Device configure
OTA Remote Updating
5CHANNEL 1080P+720P HD
2TB HDD + 128GB SD

Richmor





welcome to log in, rctest religin Video Map playback System Set Log Query

Dev List Polling My Map

Monitor Center(3/12)

- 80027
- 80029
- 贵C82868
- 80002
- 80004
- 80035
- 99038
- TH51
- 基808156
- 湘80023
- 贵C87626
- 贵C87628

Status	PTZ	Color	VOIP
DeviceType	MDVR		
Vehicle Name	贵C82868		
Vehicle ID	99057		
Company			
Their group	Monitor Center		
Status	Online		
Positioning Time	2014-12-19 11:16:24		
Vehicle Location	贵州省遵义市桐梓县崇遵高速公路		
Speed	82.40 km/h(North)		
Costs	Normal		

Monitor:12 Online:3 Alarm:0 Offline:9 Idling:0 ACC OFF:0 GPS Invalid:1 Export Auto Sort

Device	Positioning Time	Position	Speed	Alarm
80002	2014-12-10 18:33:08	四川省宜宾市兴文县香山西路59号	1.70 km/h(North)	
贵C87626	2014-12-19 10:48:39	贵州省遵义市桐梓县崇遵高速公路	7.70 km/h(West)	
贵C82868	2014-12-19 11:16:24	贵州省遵义市桐梓县崇遵高速公路	82.40 km/h(North)	
贵C87628	2014-12-17 10:58:58	贵州省遵义市桐梓县崇遵高速公路	0.00 km/h(North)	

Running: 00:02:05 Number of device that was online:0 Online:3 / number of set loss:6 / Areas:0 / Total:12 line rate:25.00% / Lost rate:50.00%



GPS Positioning & Overspeed Alarm

GPS data including Latitude, Longitude, and speed of vehicles will be saved along with video footages on to the SD card or hard disk, while playing the footages you can also check the the locations of your vehicles on map. Besides, alerts would be triggered while driving overspeed.



2TB + 128GB Large Capacity Storage

Up to 2TB hard disk & 128GB SD Card supported at the same time for saving video footages, once the disk is full, the DVR will overwrite the earlier files to make space for new files, which means you can have the DVR recording all the time to look after your vehicle.

Alarm I/O Alarm & Alarm Recording

The DVR supports 6 I/O inputs and 1 alarm output. You can set those Inputs to record vehicle braking, turning left/ right, door opening and more. Also, they can be simply used as a Panic Button, or work with other external sensors to trigger recording or send message to the monitor center.



5ch 720p ☐ **hd** + **1080** ☐ **hdd** ☐ **dvr**

hdd mdvr

□ □ □ □

- * 1ch h.264 1ch 5ch 4ch 720p hd 1ch 1080p;
- * 3ch (2ch cvbs; 1ch vga)
- * dvr, , , , .
- * 6-36v/1012v 5v;

摄像头	4ch 摄像头
接口	2ch 摄像头 bnc 接口
帧率	g. 726 帧 8kb/帧
通道	7ch 摄像头 1ch 摄像头
通道	2ch 摄像头/摄像头/摄像头/摄像头
通道	3ch rs232 pos/led 接口
通道	2ch 485 摄像头 ptz 摄像头
通道	3g wcdma cdma2000 gprs 摄像头
通道	4g tdd-lte fdd-lte 摄像头
gps 接口	摄像头 gps/bd 摄像头
硬盘	摄像头 2.5 "hdd
sd 接口	摄像头 128 摄像头 sd 摄像头
接口	摄像头 usb 摄像头, sd 摄像头, ota 摄像头
接口	h.264
接口	摄像头 fat32 摄像头
usb	u 摄像头 摄像头 usb 摄像头
接口	摄像头
通道	摄像头 4 ch 摄像头/Stop/Fast/Slow 摄像头
通道	x 2 x4 x8 x16 摄像头
通道	摄像头/摄像头 2 摄像头
通道	摄像头
通道	tts 摄像头 tts 摄像头
通道	摄像头 led 摄像头 pos 摄像头 obd 摄像头
通道	摄像头
通道	摄像头/摄像头/摄像头/摄像头/摄像头
通道	dc: + 6v-+ 36v
通道	+ 12v 1.5 a + 5v 1.5 a
通道	摄像头 < 5w
通道	-20 °C-+ 70 °C
通道	20%-80%
通道	200 (d) * 187 (h) * 62 (mm) mm
通道	1.90 摄像头



pc p 10-5s.

acc 24

ups integr y 10-5s.

etc
gps/bd 3g/4g lan
ie web sms
ptz geo
8ch io

2ch
input.

installation
gui
3g/4g
ota

ptz/pos/led

pc

CMSV6

CMSV6

iphone, ,

iphone, ,



gps & 定位系统

定位系统 定位系统

ptz 定位系统 定位系统

fqa

q: 定位系统?
a: 定位系统
1.Net 定位 pc 定位系统
2.Net 定位系统
q: sd 定位 hdd 定位系统?
a: sd 定位 hdd 定位系统
定位系统

q: 如何安装, hdd 如何安装, 如何安装硬盘录像机。

- a: 1. hdd/sd 如何安装
如何安装硬盘录像机-如何安装硬盘录像机-如何
hdd/sd 如何安装
2. 如何安装硬盘录像机
如何安装硬盘录像机
3. hdd 如何安装, hdd/sd 如何安装。



Richmor Brand Package



Standard Package



dhl/ups 如何安装

2-5 如何安装

b. 如何安装 **5-10** 如何安装



MoneyGram

PayPal

HSBC



Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



