

D1 HD 3G GPS WIFI G-Sensor SD

Features

- L H.264 video compression 1080P/720P/480P; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Support SD card up to 32GB; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Support GPS/GPRS/EDGE/WCDMA/CDMA2000/TD-SCDMA ...; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Support 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Support 2D/1D/2D barcode; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L 4 channel video input; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Support RS232/RJ45; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Support ASF/VLC; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Support 2 channel 32GB SD; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Support 20 channel video input; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L 8-36VDC power supply; 12V/1.5A current
- L Power consumption < 5W; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Operating temperature: -30°C +70°C; 1080P/720P/480P resolution; 1080P/720P/480P frame rate
- L Support 1080P/720P/480P resolution; 1080P/720P/480P frame rate





300□□□□□□□□

□□NO	□□
RCM-MDR300D/301D	□□□□
RCM-MDR300DG/301DG	GPS + G□□□□
RCM-MDR300SDG/301SDG	3G□GPS G□□□□
RCM-MDR300WDG/301WDG	3G□GPS WIFI G□□□□□□□□

□□□□□



Richmor Brand Package



Standard Package

CE□FCC ROHS□□□



□□□□□□□□



□□□□□□□□□□□□□□□□□□

□□□□□□ jenny@rcmctv.com □□□□ rcmctvsales4

□□□□ <http://www.richmor.net/jp/products/3G-GPS-4-SD.html> □U9cYhbKcFeB