

4 ch sd 1080p h264 cctv 1080p dvr 1080p

(rcm-MDR210 1080p)

1080p

4 ch 720p 3g 4g 1080p dvr

1. h.264 1080p 4ch 1080p 720p ahd 1080p;
2. 1080p dvr system 1080p, 1080p, sd 1080p, 1080p sd 1080p.
3. 10-36v 1080p;
4. sd 1080p (2sd 1080p 128 gb) 1080p;
5. 1080p gps/bd/g 1080p; 1080p
6. 1080p

rcm-mdr 210 1080p	1080p
rcm-mdr210xxxi	1080p 1080p sd 1080p
rcm-mdr210xgxx	gps 1080p sd 1080p
rcm-mdr210wgsx	3g 1080p sd 1080p
rcm-mdr210fgsx	3g 4g 1080p sd 1080p
rcm-mdr210wgdx	3g lan 1080p sd 1080p
rcm-mdr210fgdx	3g 4g lan 1080p sd 1080p

1080p

4 ch 720p 3g 4g 1080p dvr



Device back view

4 ch 720p 3g 4g dvr



Device front view

4 ch 720p 3g 4g dvr

LED Indicators



4 ch 720p 3g 4g dvr

Back Panel



rcm-MDR210

OS	linux
Codec	h.264
osd	id

gui	XXXXXXXXXXXX XXXX	XX
XXXXXXXXXX	XXXXXX	4ch 720p ahd 00/sd 00/XXXXXXXXXX XXXXXXXXXX1.0 vp-p075w
	XXXXXX	1ch cvbs + 1ch vga 0001.0 vp-p 75wXXXXXXXXXX1ch XXXXXXXXXXXX4ch XXXXXX
	XXXXXX	00001XXXXXXXXX4XXXXXXXXXXXXXXXXX. XXXXXXXXXXXXXXXX/XXXXXXXXXXXXXXXXXXXXXXXXXXXX
	XXX	720p/d1/hd1/cif000: 4 XXXXXXX720p
	XXXXXX	0-7 XXXXX0XXXXXXXXXXXX
	XXXXXX	00: 100f/00CCIR625 000050field; ntsc: 120f/s00CCIR525 000060field; cif: 256kbps ~ 1.5 mbps08XXXXXXXXXXXXXXXXXXXX; hd1: 600kbps ~ 2.5 mbps08XXXXXXXXXXXXXXXXXXXX d1: 800kbps ~ 3mbps08XXXXXXXXXXXXXXXXXXXX; 720p: 4mbps-6mbpsXXXXXXXXXXXXXXXXXXXXXXXX
	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXX	XXXXXXXXXX	4chXXXXXXXXXX
	XXXXXXXXXX	1chXXXXXXXXXX
	00	g. 726 0008kb/0000
XXXX		4ch XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXX		1ch XXXXXXX
XXXXXXXXXXXX		1ch rs232 000 1ch rs485 (00000)
00		XXXXXXXXXXXXX gps/bd XXXXXXXXg XXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXX		XXXXXXXXXXXX 3g/4g XXXXXXXX wcdma0cdma20000tdd-lte0fdd-lte.
XXXXXXXXXX		XXXXXXXXXXXXXXXXXXXXXXXXXXXX (XX)
g XXXXX		XXXX g XXXXX
XXXXXX	sd	XXXX sd XXXXXXXX128XXXX sd XXXXXXXXXXX
	XXXXXXXXXX	XXXX sd XXXXXXXXXXXXXXX
	XXXXXXXXXX	h.264
	XXXXXXXXXXXX	000 fat32 XXXXXXXXXXX
XXXXXX	XXXX	XXXXXXXXXXXXXXXXXXXX
	00	XXXXXXXXXXXX 4 ch 0000/Stop/Fast/Slow 000 x 20x40x80x16 XXXXXXXXXXXXXXXXXXXXXXX

□□□□	□□□□	□□□□□□□□□□□□/□□
	□□□□	dc: + 8v ~ + 36v
	□□□□	□□□□□□□□□□ < □□□□□□□□□□□□ < 0.5 w
	□□	-20 °C ~ + 70 °C
□□□□	□□	20% ~ 80%
	□□□□□□	□□□□□/□□□□2□□□□□□□□□□□□
□□□□□□	□□□□	112 (w) x36 (h) x138 (d) mm
□	□□□□	360g

Richmor □□ gui


The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:



□□□□ □□□□□□□□□□□□



remote 3g 4g dvr



The Professional Mobile DVR Solution For Truck



Professional Mobile DVR Solution for Bus







Richmor Brand Package



Standard Package




Certification





Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



□□□□□□:



Richmor 诚邀全球代理商及经销商加盟：:

richmor@rcmcctv.com
 id: rseasales-5@rcmcctv.com
 skype: rcmcctvsales5
 whatsapp: + 86-18126263838