

[illegible]

► FURTHER READING



Back cover definition




Figure 4

1. Adorn clasp
2. Battery Cover Buckle
3. Battery Cover switch

应用案例/applications





00

0000	00
00000000NBSP000000	000000
000000NBSP000000	Main device: work independently to realize local record Auxiliary device: GPS / 3G, backup battery
00000000NBSP000000NBSP000000NBSP000000NBSP000000NBSP000000NBSP000000	
00000000	0000NBSP0000NBSP00000000NBSP000000NBSP0000NBSP000000NBSP000070°C0NBSP00CMOS0NBSP000000
000	00000000NBSP0000.1Lux
OSD	00000000NBSP0000038;0NBSP00000000NBSP00000000NBSP0000ID0NBSP00GPS0NBSP0
00	2640NBSP00Hisilicon0NBSP000000NBSP00000000NBSP00000000NBSP000000NBSP00000000
0000NBSP00	VGA0NBSP000000NBSP0000000000NBSP00QVGA0NBSP00000000
000	0000NBSP00QVGA0NBSP00400kbps00NBSP000000NBSP001.5Mbps00NBSP0040NBSP000000NBSP000000NBSP000000NBSP00000000
0000NBSP00	VGA0NBSP001000kbps0NBSP000000NBSP002Mbps00NBSP0040NBSP000000NBSP000000NBSP000000NBSP00000000
000	000000NBSP000000NBSP00000000NBSP000000NBSP000000
0NBSP000000	0000NBSP000000NBSP00000000NBSP000000NBSP000000
000000NBSP	000000
00000000	0000NBSP000000
000000	0000NBSP00000000NBSP0000GT; 1W
00	G.726
000000NBSP000000	0000SD0NBSP00000000NBSP00000000NBSP001G0NBSP000000NBSP0032G
000000NBSP	ASF0NBSP00000000NBSP00000000NBSP000000NBSP00FAT320NBSP00000000NBSP000000
00000000/00	
00000000NBSP000000	00000000NBSP000000NBSP0000000000NBSP0000000000NBSP00000000NBSP000000NBSP000000
00000000NBSP000000	0000NBSP000000NBSP00000000NBSP00000000NBSP0000000000NBSP0000000000NBSP000000
00000000NBSP000000	Support fast forward, fast backward, play, pause, support 2, 4, 8, 16 times speed fast forward or fast backward, support playback of file by time
000000NBSP000000NBSP000000NBSP000000	Built-in 3G wireless transmission module, WCDMA, CDMA2000, TD-SCDMA system optional; Compatible with GPRS, EDGE;
GPS0NBSP000000NBSP000000	0000NBSP00GPS;
000000NBSP000000NBSP000000NBSP000000	2.40NBSP000000
000000NBSP000000	TFT
000000NBSP000000	480 * 234
000000NBSP000000NBSP000000NBSP000000	Manual startup/shutdown; support manual off-screen, automatic off- screen
0038;0NBSP000000	0000NBSP0000000000NBSP00001500mAh0NBSP003.7V
00	0000NBSP0000000000NBSP00002100mAh0NBSP007.4V
000000NBSP000000	20NBSP000000
000000NBSP000000	0000NBSP0000000000NBSP00000000NBSP000000NBSP00000000NBSP000040NBSP000000
000000NBSP000000	Working time of complete device (main device and auxiliary device): 5 hours, auxiliary device can supply power to main device
000000NBSP000000	-20°C0NBSP000000NBSP00+ 50°C
00	2000NBSP0000NBSP00000000800
00000000	500W0NBSP00X900H0NBSP00X280D0NBSP000000
000000NBSP000000	700W0NBSP00X1100H0NBSP00X280D0NBSP000000
00	0000NBSP00000000NBSP000000NBSP000000NBSP000000NBSP00950000NBSP000000NBSP000000NBSP00307.5000
	0000NBSP00000000NBSP000000NBSP000000NBSP0023800000NBSP000000NBSP000000NBSP000000NBSP00352000

CEFCC ROHS00

Richmor 锐驰曼

