

Our Mobile DVR project for vehicles

2016

RCM-SP5800

Main Feature

1. DVR
2. WIFI 3G GPS
- 3.
4. SD
5. SD

Pictures



Specification

Item	Specification	Item	Specification
OS	Operating System	OS	Linux
	Kernel	GPS	GPS / 3G
	Memory	Storage	Internal Storage
	RAM	RAM	Internal RAM
Camera	Resolution	Resolution	70° CMOS
	OSD	OSD	OSD & ID GPS
	Codec	Codec	H.264 Hisilicon
	Resolution	Resolution	VGA QVGA
	Resolution QVGA	Resolution QVGA	QVGA 400Kbps 1.5Mbps 4
	Resolution VGA	Resolution VGA	VGA 1000kbps 2Mbps 4
	Resolution	Resolution	Resolution
	Resolution	Resolution	Resolution

音源	音源	MIC
	音源	> 1W
	音源	G.726
メモリ	メモリ	SDメモリ1G~32G
	メモリ/フォーマット	ASFフォーマットFAT32
	メモリ	
	メモリ	
	メモリ	2,4,8,16
USB	USB	USB
通信	通信	3G WCDMA CDMA2000 TD-SCDMA; GPRS EDGE
通信	通信	
ディスプレイ	ディスプレイ	2.4
	ディスプレイ	TFT
	ディスプレイ	480 * 234
ストレージ	ストレージ	Micro-SD
動作温度	動作温度	-20°C + 50°C
	動作温度	20~80
サイズ	サイズ	50W×90H×28D mm
	サイズ	70W×110H×28D mm
重量	重量	95g
	重量	238g~352g

Our CMS software application



Windows PC

IOS & Android OS



Our Mobile DVR project for vehicles



Certification

1. 100% 品質管理
2. DVR 100% 品質管理
3. 12 年經驗
4. 100% 品質管理
5. 100% 品質管理

100% 品質管理 / 100% 品質管理

About Us



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Inner Tranning after study from Alibaba in July



Technical Tranning For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution

EXCELLENT SUPPORT



What is our expectation

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Pls□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ Vicky□□□□□□□□□□□□□□□□

□□□□□□ over□ sales-7@rcmcctv.com Skype□rcmcctvsales7