

车载 dvr gps 摄像头 4ch 3g 4g mdvr 3g sim 硬盘 车载 dvr

(rcm-mdr 7104 摄像头)

远程 摄像头 3g 4g 摄像头 dvr 摄像头摄像头摄像头



 **Factory Audit**

Richmor

SMS Device configure
OTA Remote Updating
AHD 720P/960P
2TB HDD+128GB SD Card

NEW



CE

FC



remote 3g 4g gps wifi hdd dvr

Richmor

Factory Audit

SMS Device configure
OTA Remote Updating
AHD 720P/960P
2TB HDD+128GB SD Card

NEW




CE FCC ROHS



romote 3g 4g gps wifi hdd dvr

Front LED Indicators



romote 3g 4g gps wifi hdd dvr

Back Panel IO Indicators



Richmor GUI

The main menu includes: Search, System setup, Rec setup, Network setup, Alarm setup, Peripheral setup, System Tools, System Information, as below:




rcm-MDR7104

os	linux	
osd	osd id	
gui	gui	
video	video	4ch 720p ahd /sd / 1.0 vp-p 75w
	video	2ch cvbs + vga () 1.0 vp-p 75w 1ch 4ch
	video	1 4 , /
	video	720p/d1/hd1/cif : 4 720p 4 d1
	video	0-7 0
	video	: 100f/ CCIR625 50field; ntsc: 120f/s CCIR525 60field; cif: 256kbps ~ 1.5 mbps 8 ; hd1: 600kbps ~ 2.5 mbps 8 ; d1: 800kbps ~ 3mbps 8 ; 720p: 4mbps-6mbps
	video	; ; ;
audio	audio	4ch
	audio	2ch bnc
	audio	g. 726 8kb/
video	7ch 1ch	
video	2ch / /	
io	io	3ch rs232 pos/ / led
	io	2ch 485 ptz
	io	2ch
io	3g wcdma cdma2000 gprs; 4g tdd-lte fdd-lte	
gps	gps/bd	
hdd	2.5 "2tb hdd	

存储器	sd 容量	≥128MB 支持 sd 扩展
	更新	支持 usb 更新 sd 固件 Updatin ota 更新
	分辨率	h.264
	文件系统	支持 fat32 文件系统
接口	usb	支持 usb 接口 支持 u 盘
	音频	支持 4 ch 音频/Stop/Fast/Slow 控制
尺寸	外形尺寸	200x187x62 mm
	重量	1.90 g
功耗	工作电压	dc: + 6v-+ 36v
	功率	< 5w
环境	工作温度	-20 °C-+ 70 °C
	湿度	20%-80%
其他	尺寸	200 (d) * 187 (h) * 62 (w) mm

产品规格书 (pc 版 CMSV6)



□□□□ CMSV6 □

□□□□□□□□□□□□

□□□□□□□□□□□□□□-□□□□ iphone□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□□□

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



□□□□□□:



EXCELLENT SUPPORT



□□□□□□□□





□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□: overseasales-7@rcmctv.com □□□□: [rcmctvsales7](https://www.rcmctv.com)