

RCM-D360S / IR
3.6 / 2.8 3 1 CCD
1
2
3 1 3 CCD
4 3.6 / 2.8
5 420TVL / 480TVL / 540TVL / 600TVL







IR

Resolution	3001 "CCD
Resolution	420TVL / 480TVL / 540TVL / 600TVL
Sync.Frequency	50HZ
Minimum	1Lux
Size	3.6 / 2.8

□□□□□□□□	50□□1□1 / 10000sec
□□□□□□□□□□	□□□15□□□□
□□□	100
□□□□□	□□□□□□□□□□
□□□□□	-20□60
□□□	DC12V
□□□□□	110□□□□□□□
□□□□□	RXH□93X65mm
□□□□	0.6□□
□□□□□□□□□□	□□□□□/ BNC

□□□□ □□□□□□

Dome Camera



420/600/700TVL

Waterproof Camera



420/600/700TVL

MINI Camera



700TVL

Side View



420/480/600TVL

Back View



420/480/600TVL

Indoor Use




480/600TVL

MINI Dome



420/480/600TVL

Small Car Back



CMOS 380TVL

Small Car Back



CMOS 380TVL

1. We are a factory manufacturing, best production capability, best quality control, Best Service.
2. We are a factory manufacturing, best production capability, best quality control, Best Service.
3. Inspected by the Inspection Institution of Bureau Veritas Certification.
4. 100% QC & shipment.
5. CE / RoHS / FCC &



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰



lecturer for Execution