

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

RCM-SP5800

XXXX

XXXXXXXX1XXXXXXXXDVR

2XXXXXXXX LAN3GGPS

3XXXX XXXXXXXXX

4XXXXXXXXXXXXSDXXXXXX

5XXXXXXXXXXXXXXXXSDXXXXXXXXXXXX

XXXXXXXXXX6recovery

XXX





参数

名称	规格	备注
基本参数	型号	HT-8000
	尺寸	125mm x 65mm x 25mm
	重量	150g
	电池容量	1500mAh
摄像头	镜头	70° CMOS
	OSD	支持038;支持ID GPS
	分辨率	264K Hisilicon
	帧率	支持VGA QVGA
	码率	QVGA 400kbps-1.5Mbps 4
	帧大小	VGA 1000kbps-2Mbps 4
	接口	支持USB
	其他	支持
其他参数	功率	> 1W
	频段	G.726
	其他	

SD	Capacity	1GB / 32GB
	File System	ASF / FAT32
	Resolution	1080P
	Frame Rate	30FPS
USB	Interface	USB 2.0
	Protocol	WCDMA / CDMA2000 / TD-SCDMA / GSM / GPRS / EDGE
Display	Resolution	480 * 234
	Type	TFT
	Size	2.4 inch
Storage	Capacity	500MB
	Type	SD Card
Temperature	Operating	-20°C ~ +50°C
	Storage	20°C ~ 80°C
Dimensions	Height	50mm
	Width	70mm
Weight	Net Weight	95g
	Gross Weight	307.5g
Power	Input	238mA
	Output	352mA

CMS


**Vehicle with device for test in AC Coach
Lahore to Sadiq Abad near motorway @ 86Km/h**

Windows PC

IOS & Android OS



Richmor DVR







Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰曼



lecturer for Execution