

gps dvr

gps lan 3g 4g dvr



RCM-SP5800



Police Use Body Worn DVR

2.4 Inch Color Display Built-in
4 Hours Continuous Recording
GPS/ 3G/ Wi-Fi/ PTT Talkback



- 1) 2.4
- 2) 2100mah
- 3) d1 &
- 4) 128 sd
- 5) gps
- 6) 2 ptt talkback
- 7) pc 3g/4g
- 8) wi-fi

	linux

液晶ディスプレイ	解像度	解像度7000000
	osd	日/月/年 id/gps
	画素数	h.264 画素数
	画素数	画素数
	画素数	d1/hd1/cif 画素数
カメラ	カメラ	カメラ
	カメラ	g. 726 画素数
メモリー	メモリー	メモリー sd メモリー (1g ~ 128g)
	メモリー/フォーマット	asf/fat32
	メモリー	メモリー
	メモリー	日/月/年
	メモリー	メモリー; メモリー 2/4/8/16メモリー/日
tft ディスプレイ	メモリー	2.4 画素数
	メモリー	480 * 234
メモリー	3g 画素数 (4g 画素数)	
wi-fi	メモリー lan 画素数	
gps	メモリー gps 画素数	
メモリー	tf 画素数	
メモリー	メモリー	メモリー2100mah7.4 v
	メモリー	3画素数
	メモリー	4画素数
メモリー	メモリー	-20 °C ~ + 50 °C
	メモリー	20% ~ 90%
メモリー	65 (w) x130 (h) x30 (d) mm	
メモリー proofings	メモリー: ip54	
メモリー	メモリー: 475 g(1.05 画素数)	

メモリー







□□□□□□□□□□



Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(5/12)
- 桂KY7505
- 桂C22762
- 贵C26562
- 贵C26562
- 贵C A6446
- 80319
- 贵C26562
- 贵C A6446
- 80319
- 贵C26562
- 贵C A6446
- 80319
- 贵C26562
- 贵C A6446
- 80319

System Parameters

Video Parameters

Map Parameters

Alarm Image

Alarm status screen

Fuel sensor settings

☐ Software starts automatically login

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: On GPS, On DOWIL, On CAPTURE Browse

Location: 72 (H/C indicates variable loss)

GPS update time: 5 (units: s/2-100)

ID Name: ☐ Enable

☒ Default choose all online equipment

☒ Enable multi-screen mode

☐ Effective multi display

☐ Display the vehicle of the day

Save

Device	Positioning Time	Position	Speed	Alarm	Status	Message	Other Info
贵C22762	2015-05-11 10:14:33	福建省漳州市芫江区G60(厦漳高速)	52.00 km/h(Northeast)		(Online)ACC ON, SC		SD Card Exist

Running: 00:55:15 Online: 6 / Number of set loss: 0 / Arrivals: 0 / Total: 12 / Line Rate: 41.67% / Loc. Rate: 6.67%

Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(5/12)
- 桂KY7569
- CH1
- CH2
- CH3
- CH4
- CH5
- CH6
- CH7
- CH8
- CH9
- CH10
- CH11
- CH12
- 桂KY7599
- 贵C26562
- 贵C26562
- 贵C A6446
- 80319
- 贵C26562
- 贵C A6446
- 80319
- 贵C26562
- 贵C A6446
- 80319

System Parameters

Video Parameters

Map Parameters

Alarm Image

Alarm status screen

Fuel sensor settings

☐ Software starts automatically login

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: On GPS, On DOWIL, On CAPTURE Browse

Location: 72 (H/C indicates variable loss)

GPS update time: 5 (units: s/2-100)

ID Name: ☐ Enable

☒ Default choose all online equipment

☒ Enable multi-screen mode

☐ Effective multi display

☐ Display the vehicle of the day

Save

Device	Positioning Time	Position	Speed	Alarm	Status	Message	Other Info
桂KY7569	2015-07-23 11:53:47	广西壮族自治区玉林市博白县兴隆中路10号	0.00 km/h(West)		(On)		SD Card Exist
桂KY7586	2015-07-23 11:53:57	广西壮族自治区玉林市博白县5216	0.00 km/h(Northeast)		(On)		SD Card Exist

Running: 00:02:05 Online: 6 / Number of set loss: 4 / Arrivals: 0 / Total: 12 / Line Rate: 50.00% / Loc. Rate: 33.33%

□□□□□□□□



Richmor RICHMOR

Richmor: rcmcctvsales5

whatsapp: + 86-18126263838