

4g车载DVR系统解决方案dvr H.264



1. 4 核处理器SD存储DVR
2. 支持 3G/GPS/WIFI/GPRS/UPS
3. 支持 PTZ摄像头
4. 支持 多种语言
5. SD卡存储数据
6. SD卡支持热插拔
7. 支持多种分辨率
8. 支持多种视频格式









产品概述	产品概述	产品概述
1	1	4路视频输入DVR/SD卡存储
主要特性	操作系统	Linux
	视频输入	4路视频输入/输出/报警输入
	视频输出	4路视频输出
	报警输入	4路报警输入
视频参数	视频输入	4ch SDI 1.0Vp-p 75Ω B&W 兼容 1080p
	视频格式	1路 PAL / NTSC 1.0Vp-p 75Ω 兼容 1080p
	视频分辨率	1路 4路
	视频帧率	PAL 25帧/秒 NTSC 30帧/秒
	视频制式	PAL 100帧/秒 NTSC 120帧/秒
音频参数	音频输入	4路音频输入 500Ω
	音频输出	1路音频输出 4路音频输入/输出
	音频电压	1.0-2.2V
	音频增益	≤-30dB
	音频格式	ADPCM
	音频采样率	ADPCM
网络参数	网络接口	4路RJ45网络接口
	网络协议	2路网络协议
	网络带宽	网络带宽
无线参数	无线接口	1路RJ45网络接口
	Wi-Fi	1路Wi-Fi网络接口
	3G	1路WCDMA/CDMA2000网络接口
GPS接口	GPS	GPS接口
接口参数	接口类型	接口类型
	接口协议	接口协议
环境参数	工作电压	DC 8-36V 5V ≤ 10W
	工作温度	-20°C + 85°C ≤ 80%
	工作湿度	工作湿度


Vehicle with device for test in AC Coach Lahore to Sadiq Abad near motorway @ 86Km/h



IOS& Android OS



Richmor DVR





Richmor

OEM & ODM Service
Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer **Richmor 锐驰曼**



lecturer for Execution

E: overseasales-2@rcmcctv.com
Skype: [rcmcctvsales2](https://www.skype.com/en/contacts/rcmcctvsales2)
QQ: [2355778097](https://www.qq.com/2355778097)

MB / Whatsapp☎+86 18929314790

☎☎☎☎☎☎ <http://www.richmor.net/>☐

☎☎☎6☎☎F☎☎☎☎☎☎Xinzhi☎☎☎☎Yangmei☎Bantian☎Longgang☎☎☎