

product specification:

Item		parameter
Operating System		Linux
Language		English/chinese/customized
Video Compression		H.264 Compression
OSD		overlays information such as date time and vehicle ID
GUI	Graphical user interface	setup system parameters with the remote control
	video input	4CH 960P/720P AHD input,aviation connector, 1.0Vp-p, 75Ω
	video output	1 CVBS, 1.0Vp-p, 75Ω,Aviation,Support 1CH Full Screen,4CH Screen view
	preview	Support 1 channel and 4 channels preview., Support Manual/Alarm Trigger full screen preview
	resolution	720P/D1/HD1/CIF, MAX:4 channels of 720P and 4 channels of D1
	image quality	1-4 levels, 1 is the highest level.
Video Record System	video standard	PAL: 100f/s , CCIR625 line,50field; NTSC: 120f/s, CCIR525 line,60field; CIF: 256Kbps ~ 1.5Mbps, 8 level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8 level video quality optional; D1: 800Kbps ~ 3Mbps, 8 level video quality optional; 720P: 4Mbps-6Mbps, multi level video quality optional
	record mode	The default setting is auto recording after power on. Timed recording, alarm trigger recording and manual recording are supported.
Audio	audio input	4CH Aviation Plug Input
	audio output	2CH,headphone connect at front panel, BNC Connect on Back panel
	compression	G.726 compression, 8KB/s speed
Alarm Input		7CH Alarm Input,1CH AD Input,impulse speed input,Alarm Linkage
Alarm Output		2CH Alarm Output,Support Light/Sound alarm sensor,Oil/Power cut off
Interface		3CH RS232, POS/Fuel Sensor/LED Advertisement Connection 1CH 485 Interface,Connect PTZ Camera
Wireless Transmission		Support Built in 3G transmission,, WCDMA, CDMA2000,GPRS, EDGE; Built in 4G module optional, TDD-LTE, FDD-LTE
GPS Position		Support Built GPS/BD Module
Storage	HDD	Max 2.5" 1TB HDD
	SD Card	Max 128GB SD Card Mirror Recording Keep Data Safety
	update	Support USB Updating, SD Card Updating,OTA Remote Updating
	file format	H.264
	file system	Special FAT32 File System
	USB	USB Interface on Front Panel for data back up by U Disk,Hard Disk
Record Replay	video search	Search By Record Time/Record Type etc
	playback	Max support 4CH Replay /Stop/Fast/Slow at same time
		Support forward and backward play at the speed of: x 2,x4,x8,x16.
Security		User/Admin 2 Level Different Password
Optional Functions	voice call	Support voice call each other
	TTS Voice broadcast	Support TTS voice broadcast function.
	serial expand	Support LED Advertisement Panel,Oil Sensor, POS,Bus Station Broadcaster,Car OBD,ect.external device
Voltage & Power	Power Management	Wide Voltage.Support Timed/Delay off
	Input Voltage	DC:+6V - +36V
	Output Voltage	+12V~1.5A,+5V~1.5A
	Power	Working<5W
Working Environment	Temperature	-20℃ - +70℃
	Humidity	20% - 80%

Others	Size	200 (D)* 187(W)* 62(H) mm
	Weight	1.90Kg

Product Show;



OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



Factory Audit

SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card



RICHMOR TECH

Mobile DVR

USB IR AV OUT

PWR CPU HDD SD REC ALM NET








SMS Device configure
OTA Remote Updating
8CH Full D1 Real time monitor
2TB HDD + 128GB SD Card

Richmor

OEM/ODM Customized
Factory Price
Independent R&D Tech
Low Moq



CE

FC






AV Input Cables



AV Output Cable



Power Cable



IO Cables



Remote Control



GPS Antenna



CD (Manual & Software Inside)



SD Mobile DVR



Richmor Brand Package



Standard Package

Client User Graph Interface

移动视频监控平台

欢迎登录, RCMTTEST

终端列表 | 轮询列表 | 我的地图

设备列表:

- 监控中心(3/11)
 - 贵州(1/1)
 - 贵C A6446
 - CH1
 - CH2
 - CH3
 - CH4
 - 桂KY7507
 - 桂KY7569
 - 80024
 - 80119
 - D82868
 - 子NPS001
 - 桂KY7586
 - 桂KY7599
 - 贵B93017
 - 贵C87762

设备信息:

设备类型	MDVR
终端名称	贵C A6446
终端ID	80109
公司	通远集团金融公司
所属分组	贵州
状态	在线
GPS时间	2016-03-14 09:50:09
位置	贵州省遵义市习水县G4215(
速度	74.10 km/h(南)
费用	正常

实时监控:

1. 贵C A6446 - CH1 - 0 KB/S

2. 贵C A6446 - CH2 - 24 KB/S

3. 贵C A6446 - CH3 - 0 KB/S

4. 贵C A6446 - CH4 - 0 KB/S

GPS监控 / 报警信息 / 系统事件 / 抓拍图片

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(遵遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

系统信息:

运行时长: 00:01:04 | 在线数: 3 / 定损数: 1 / 欠费: 0 / 总数: 11 | 在线率: 27.27% / 定损率: 9.09%

Applacation

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus



Police Car
Taxi



Support
All Vehicles

certificate

VERIFICATION OF CONFORMITY

Verification of Conformity

Reference No.: LC0100000010

Responsible Party	Shenzhen Richcore Technology Development Co., LTD.
Address	3/F No. 101 West Langshan Road, Longhua New District, Shenzhen, China
Product	Cables
Model No.	RCH-PD70W, RCH-PD70W, RCH-LVPCW, RCH-LVPCW, RCH-IMP40L, RCH-IMP40L, RCH-SM, RCH-MS, RCH-HS, RCH-JAES, RCH-JAES, RCH-AHSS, RCH-AHSS, RCH-AHSS, RCH-BSDTWS, RCH-BSDTWS, RCH-C2400SW
Trade Mark	Richcore
Standards	CCC/CNCA at PRC# 19 Subject B: SPSI, AHSI ISO 14001

Important note:

This device is in compliance with part II of the FCC Rules and Regulations for safety hazardous devices. Operation of it has analyzed as follows following two scenarios:

(1) This device may not cause harmful interference; and (2) this device must accept all interference received, including interference that may cause operational degradation.
In order to conform to the applicable FCC Rules and Regulations, the method of testing used is accordance to the most accurate measurement available to practice, and that all necessary steps have been followed to ensure that an evaluation copy of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Manager

April 10, 2012

Shenzhen LCT Compliance Testing Laboratory Ltd
#1, Anping Industrial Park, Pingtan Town, Baoan Dist., Shenzhen
Guangdong, China
Tel: +86(0) 755 26591 930
http://www.lct.com.cn Email: admin@lct.com.cn

VERIFICATION OF CONFORMITY  Verification of Conformity Reference No.: LCC0300000719	
Responsible Party	Shenzhen Wuxinor Technology Development Co., LTD.
Address	37 No.4 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile USB
Model No.	WXC-M00000, WXC-M00001, WXC-M00002, WXC-M00003, WXC-M00004, WXC-M00005, WXC-M00006, WXC-M00007, WXC-M00008, WXC-M00009, WXC-M00010
Trade Mark	Shenzhen
Standards	FCC, CE, EN 60950, EN 60950-1, EN 60950-2, EN 60950-3, EN 60950-4, EN 60950-5, EN 60950-6, EN 60950-7, EN 60950-8, EN 60950-9, EN 60950-10, EN 60950-11, EN 60950-12, EN 60950-13, EN 60950-14, EN 60950-15, EN 60950-16, EN 60950-17, EN 60950-18, EN 60950-19, EN 60950-20, EN 60950-21, EN 60950-22, EN 60950-23, EN 60950-24, EN 60950-25, EN 60950-26, EN 60950-27, EN 60950-28, EN 60950-29, EN 60950-30, EN 60950-31, EN 60950-32, EN 60950-33, EN 60950-34, EN 60950-35, EN 60950-36, EN 60950-37, EN 60950-38, EN 60950-39, EN 60950-40, EN 60950-41, EN 60950-42, EN 60950-43, EN 60950-44, EN 60950-45, EN 60950-46, EN 60950-47, EN 60950-48, EN 60950-49, EN 60950-50, EN 60950-51, EN 60950-52, EN 60950-53, EN 60950-54, EN 60950-55, EN 60950-56, EN 60950-57, EN 60950-58, EN 60950-59, EN 60950-60, EN 60950-61, EN 60950-62, EN 60950-63, EN 60950-64, EN 60950-65, EN 60950-66, EN 60950-67, EN 60950-68, EN 60950-69, EN 60950-70, EN 60950-71, EN 60950-72, EN 60950-73, EN 60950-74, EN 60950-75, EN 60950-76, EN 60950-77, EN 60950-78, EN 60950-79, EN 60950-80, EN 60950-81, EN 60950-82, EN 60950-83, EN 60950-84, EN 60950-85, EN 60950-86, EN 60950-87, EN 60950-88, EN 60950-89, EN 60950-90, EN 60950-91, EN 60950-92, EN 60950-93, EN 60950-94, EN 60950-95, EN 60950-96, EN 60950-97, EN 60950-98, EN 60950-99, EN 60950-100, EN 60950-101, EN 60950-102, EN 60950-103, EN 60950-104, EN 60950-105, EN 60950-106, EN 60950-107, EN 60950-108, EN 60950-109, EN 60950-110, EN 60950-111, EN 60950-112, EN 60950-113, EN 60950-114, EN 60950-115, EN 60950-116, EN 60950-117, EN 60950-118, EN 60950-119, EN 60950-120, EN 60950-121, EN 60950-122, EN 60950-123, EN 60950-124, EN 60950-125, EN 60950-126, EN 60950-127, EN 60950-128, EN 60950-129, EN 60950-130, EN 60950-131, EN 60950-132, EN 60950-133, EN 60950-134, EN 60950-135, EN 60950-136, EN 60950-137, EN 60950-138, EN 60950-139, EN 60950-140, EN 60950-141, EN 60950-142, EN 60950-143, EN 60950-144, EN 60950-145, EN 60950-146, EN 60950-147, EN 60950-148, EN 60950-149, EN 60950-150, EN 60950-151, EN 60950-152, EN 60950-153, EN 60950-154, EN 60950-155, EN 60950-156, EN 60950-157, EN 60950-158, EN 60950-159, EN 60950-160, EN 60950-161, EN 60950-162, EN 60950-163, EN 60950-164, EN 60950-165, EN 60950-166, EN 60950-167, EN 60950-168, EN 60950-169, EN 60950-170, EN 60950-171, EN 60950-172, EN 60950-173, EN 60950-174, EN 60950-175, EN 60950-176, EN 60950-177, EN 60950-178, EN 60950-179, EN 60950-180, EN 60950-181, EN 60950-182, EN 60950-183, EN 60950-184, EN 60950-185, EN 60950-186, EN 60950-187, EN 60950-188, EN 60950-189, EN 60950-190, EN 60950-191, EN 60950-192, EN 60950-193, EN 60950-194, EN 60950-195, EN 60950-196, EN 60950-197, EN 60950-198, EN 60950-199, EN 60950-200, EN 60950-201, EN 60950-202, EN 60950-203, EN 60950-204, EN 60950-205, EN 60950-206, EN 60950-207, EN 60950-208, EN 60950-209, EN 60950-210, EN 60950-211, EN 60950-212, EN 60950-213, EN 60950-214, EN 60950-215, EN 60950-216, EN 60950-217, EN 60950-218, EN 60950-219, EN 60950-220, EN 60950-221, EN 60950-222, EN 60950-223, EN 60950-224, EN 60950-225, EN 60950-226, EN 60950-227, EN 60950-228, EN 60950-229, EN 60950-230, EN 60950-231, EN 60950-232, EN 60950-233, EN 60950-234, EN 60950-235, EN 60950-236, EN 60950-237, EN 60950-238, EN 60950-239, EN 60950-240, EN 60950-241, EN 60950-242, EN 60950-243, EN 60950-244, EN 60950-245, EN 60950-246, EN 60950-247, EN 60950-248, EN 60950-249, EN 60950-250, EN 60950-251, EN 60950-252, EN 60950-253, EN 60950-254, EN 60950-255, EN 60950-256, EN 60950-257, EN 60950-258, EN 60950-259, EN 60950-260, EN 60950-261, EN 60950-262, EN 60950-263, EN 60950-264, EN 60950-265, EN 60950-266, EN 60950-267, EN 60950-268, EN 60950-269, EN 60950-270, EN 60950-271, EN 60950-272, EN 60950-273, EN 60950-274, EN 60950-275, EN 60950-276, EN 60950-277, EN 60950-278, EN 60950-279, EN 60950-280, EN 60950-281, EN 60950-282, EN 60950-283, EN 60950-284, EN 60950-285, EN 60950-286, EN 60950-287, EN 60950-288, EN 60950-289, EN 60950-290, EN 60950-291, EN 60950-292, EN 60950-293, EN 60950-294, EN 60950-295, EN 60950-296, EN 60950-297, EN 60950-298, EN 60950-299, EN 60950-300, EN 60950-301, EN 60950-302, EN 60950-303, EN 60950-304, EN 60950-305, EN 60950-306, EN 60950-307, EN 60950-308, EN 60950-309, EN 60950-310, EN 60950-3

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity

Reference No.: **CC-2014010475**

Applicant:	Shenzhen Ectonic Technology Development Co., LTD.
Address:	2/F, No.44 Road, Longgang Road, Longgang New District, Shenzhen, China
Product:	Mobile USB
Model:	ECM-M00000, ECM-M00001, ECM-M00002, ECM-M00003, ECM-M00004, ECM-M00005, ECM-M00006, ECM-M00007

Trade Mark: Reference:

The certified products have been tested by us with the latest procedure and found in compliance with the following European Directives:

The EMC Directive (2004/108/EC)

EN 55022, EN 55024, EN 50361-1

The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific mode tested on. This certificate applies specifically to the sample investigated in our test laboratory number only.

The CE marking can otherwise not be affixed to the product until presentation of necessary technical documentation.

(Your relevant Directives have to be attached)

Manager
(April 16, 2014)

Shenzhen CCC Compliance Testing Laboratory Ltd.
 1/F, Engineer Industrial Park, Xingye Road, Nan-shi, Bao'an Dist., Shenzhen (Guangdong)
 China
 Tel: 86-(755) 8327-1151
 Fax: 86-(755) 8327-1152
 E-mail: admin@ccc-test.com.cn
 Web: www.ccc-test.com.cn

CERTIFICATE OF CONFORMITY

 CERTIFICATE <i>of Conformity</i> Reference No.: CCB0104000019	
Applicant:	Shenzhen Monitor Technology Development Co., LTD.
Address:	# 304B West Longgang Road, Longgang New District, Shenzhen, China
Product:	Display
Model(s):	MON-PC101, MON-PC115, MON-LC115, MON-PC116, MON-MP101, MON-MP115, MON-SAL, MON-SAL, MON-SAL, MON-LC101, MON-LC115, MON-SAL, MON-SAL, MON-SAL, MON-MP101, MON-MP115, MON-MP115, MON-MP115
Title Work:	Reference
The submitted products have been tested by us with the latest standards and found to conform to the following European Directive: The EMC Directive 2004/108/EC (EN 60950, EN 55022, EN 55024) The tests were performed in normal operation mode. The test results comply with the technical sample standard and/or the specific basic test method. This certificate applies exclusively to the samples investigated in our test reference number 2010. The CE marking we placed below can be affixed on the product after inspection of necessary technical documentation. (This relevant Declaration form is to be attached)	
 	
Shenzhen LCC Compliance Testing Laboratory Ltd. #7 Jingdong Industrial Park, Jingdong Road, Bao'an Dist., Shenzhen City, Guangdong China Tel: 86(0)755 26201133 http://www.lcc-test.com Fax: 86(0)755 26201133 Email: info@lcc-test.com	

CERTIFICATE OF CONFORMITY

CERTIFICATE

of Conformity

2017/2019 RoHS of Various Devices

Reference No.: **1-017-0000278**

When listed as recorded, the supplier certifies compliance with the requirements of Commission Decision of 21 July 2007 amending Directive 2002/95/EC.

Applicant	Shenzhen Electronic Technology Development Co., LTD.
Address	3F Huai Xing Longgang Road, Longgang New District, Shenzhen, China
Trade Mark	Redmine
Product	Camera
Model(s)	ROM-PC701, ROM-PC701A, ROM-PC701B, ROM-PC701C, ROM-PC701D, ROM-PC701E, ROM-PC701F, ROM-PC701G, ROM-PC701H, ROM-PC701I, ROM-PC701J, ROM-PC701K, ROM-PC701L, ROM-PC701M, ROM-PC701N, ROM-PC701O, ROM-PC701P, ROM-PC701Q, ROM-PC701R, ROM-PC701S, ROM-PC701T, ROM-PC701U, ROM-PC701V, ROM-PC701W, ROM-PC701X, ROM-PC701Y, ROM-PC701Z, ROM-PC701AA, ROM-PC701AB, ROM-PC701AC, ROM-PC701AD, ROM-PC701AE, ROM-PC701AF, ROM-PC701AG, ROM-PC701AH, ROM-PC701AI, ROM-PC701AJ, ROM-PC701AK, ROM-PC701AL, ROM-PC701AM, ROM-PC701AN, ROM-PC701AO, ROM-PC701AP, ROM-PC701AQ, ROM-PC701AR, ROM-PC701AS, ROM-PC701AT, ROM-PC701AU, ROM-PC701AV, ROM-PC701AW, ROM-PC701AX, ROM-PC701AY, ROM-PC701AZ, ROM-PC701BA, ROM-PC701BB, ROM-PC701BC, ROM-PC701BD, ROM-PC701BE, ROM-PC701BF, ROM-PC701BG, ROM-PC701BH, ROM-PC701BI, ROM-PC701BJ, ROM-PC701BK, ROM-PC701BL, ROM-PC701BM, ROM-PC701BN, ROM-PC701BO, ROM-PC701BP, ROM-PC701BQ, ROM-PC701BR, ROM-PC701BS, ROM-PC701BT, ROM-PC701BU, ROM-PC701BV, ROM-PC701BW, ROM-PC701BX, ROM-PC701BY, ROM-PC701BZ, ROM-PC701CA, ROM-PC701CB, ROM-PC701CC, ROM-PC701CD, ROM-PC701CE, ROM-PC701CF, ROM-PC701CG, ROM-PC701CH, ROM-PC701CI, ROM-PC701CJ, ROM-PC701CK, ROM-PC701CL, ROM-PC701CM, ROM-PC701CN, ROM-PC701CO, ROM-PC701CP, ROM-PC701CQ, ROM-PC701CR, ROM-PC701CS, ROM-PC701CT, ROM-PC701CU, ROM-PC701CV, ROM-PC701CW, ROM-PC701CX, ROM-PC701CY, ROM-PC701CZ, ROM-PC701DA, ROM-PC701DB, ROM-PC701DC, ROM-PC701DD, ROM-PC701DE, ROM-PC701DF, ROM-PC701DG, ROM-PC701DH, ROM-PC701DI, ROM-PC701DJ, ROM-PC701DK, ROM-PC701DL, ROM-PC701DM, ROM-PC701DN, ROM-PC701DO, ROM-PC701DP, ROM-PC701DQ, ROM-PC701DR, ROM-PC701DS, ROM-PC701DT, ROM-PC701DU, ROM-PC701DV, ROM-PC701DW, ROM-PC701DX, ROM-PC701DY, ROM-PC701DZ, ROM-PC701EA, ROM-PC701EB, ROM-PC701EC, ROM-PC701ED, ROM-PC701EE, ROM-PC701EF, ROM-PC701EG, ROM-PC701EH, ROM-PC701EI, ROM-PC701EJ, ROM-PC701EK, ROM-PC701EL, ROM-PC701EM, ROM-PC701EN, ROM-PC701EO, ROM-PC701EP, ROM-PC701EQ, ROM-PC701ER, ROM-PC701ES, ROM-PC701ET, ROM-PC701EU, ROM-PC701EV, ROM-PC701EW, ROM-PC701EX, ROM-PC701EY, ROM-PC701EZ, ROM-PC701FA, ROM-PC701FB, ROM-PC701FC, ROM-PC701FD, ROM-PC701FE, ROM-PC701FF, ROM-PC701FG, ROM-PC701FH, ROM-PC701FI, ROM-PC701FJ, ROM-PC701FK, ROM-PC701FL, ROM-PC701FM, ROM-PC701FN, ROM-PC701FO, ROM-PC701FP, ROM-PC701FQ, ROM-PC701FR, ROM-PC701FS, ROM-PC701FT, ROM-PC701FU, ROM-PC701FV, ROM-PC701FW, ROM-PC701FX, ROM-PC701FY, ROM-PC701FZ, ROM-PC701GA, ROM-PC701GB, ROM-PC701GC, ROM-PC701GD, ROM-PC701GE, ROM-PC701GF, ROM-PC701GG, ROM-PC701GH, ROM-PC701GI, ROM-PC701GJ, ROM-PC701GK, ROM-PC701GL, ROM-PC701GM, ROM-PC701GN, ROM-PC701GO, ROM-PC701GP, ROM-PC701GQ, ROM-PC701GR, ROM-PC701GS, ROM-PC701GT, ROM-PC701GU, ROM-PC701GV, ROM-PC701GW, ROM-PC701GX, ROM-PC701GY, ROM-PC701GZ, ROM-PC701HA, ROM-PC701HB, ROM-PC701HC, ROM-PC701HD, ROM-PC701HE, ROM-PC701HF, ROM-PC701HG, ROM-PC701HH, ROM-PC701HI, ROM-PC701HJ, ROM-PC701HK, ROM-PC701HL, ROM-PC701HM, ROM-PC701HN, ROM-PC701HO, ROM-PC701HP, ROM-PC701HQ, ROM-PC701HR, ROM-PC701HS, ROM-PC701HT, ROM-PC701HU, ROM-PC701HV, ROM-PC701HW, ROM-PC701HX, ROM-PC701HY, ROM-PC701HZ, ROM-PC701IA, ROM-PC701IB, ROM-PC701IC, ROM-PC701ID, ROM-PC701IE, ROM-PC701IF, ROM-PC701IG, ROM-PC701IH, ROM-PC701II, ROM-PC701IJ, ROM-PC701IK, ROM-PC701IL, ROM-PC701IM, ROM-PC701IN, ROM-PC701IO, ROM-PC701IP, ROM-PC701IQ, ROM-PC701IR, ROM-PC701IS, ROM-PC701IT, ROM-PC701IU, ROM-PC701IV, ROM-PC701IW, ROM-PC701IX, ROM-PC701IY, ROM-PC701IZ, ROM-PC701JA, ROM-PC701JB, ROM-PC701JC, ROM-PC701JD, ROM-PC701JE, ROM-PC701JF, ROM-PC701JG, ROM-PC701JH, ROM-PC701JI, ROM-PC701JJ, ROM-PC701JK, ROM-PC701JL, ROM-PC701JM, ROM-PC701JN, ROM-PC701JO, ROM-PC701JP, ROM-PC701JQ, ROM-PC701JR, ROM-PC701JS, ROM-PC701JT, ROM-PC701JU, ROM-PC701JV, ROM-PC701JW, ROM-PC701JX, ROM-PC701JY, ROM-PC701JZ, ROM-PC701KA, ROM-PC701KB, ROM-PC701KC, ROM-PC701KD, ROM-PC701KE, ROM-PC701KF, ROM-PC701KG, ROM-PC701KH, ROM-PC701KI, ROM-PC701KJ, ROM-PC701KK, ROM-PC701KL, ROM-PC701KM, ROM-PC701KN, ROM-PC701KO, ROM-PC701KP, ROM-PC701KQ, ROM-PC701KR, ROM-PC701KS, ROM-PC701KT, ROM-PC701KU, ROM-PC701KV, ROM-PC701KW, ROM-PC701KX, ROM-PC701KY, ROM-PC701KZ, ROM-PC701LA, ROM-PC701LB, ROM-PC701LC, ROM-PC701LD, ROM-PC701LE, ROM-PC701LF, ROM-PC701LG, ROM-PC701LH, ROM-PC701LI, ROM-PC701LJ, ROM-PC701LK, ROM-PC701LL, ROM-PC701LM, ROM-PC701LN, ROM-PC701LO, ROM-PC701LP, ROM-PC701LQ, ROM-PC701LR, ROM-PC701LS, ROM-PC701LT, ROM-PC701LU, ROM-PC701LV, ROM-PC701LW, ROM-PC701LX, ROM-PC701LY, ROM-PC701LZ, ROM-PC701MA, ROM-PC701MB, ROM-PC701MC, ROM-PC701MD, ROM-PC701ME, ROM-PC701MF, ROM-PC701MG, ROM-PC701MH, ROM-PC701MI, ROM-PC701MJ, ROM-PC701MK, ROM-PC701ML, ROM-PC701MM, ROM-PC701MN, ROM-PC701MO, ROM-PC701MP, ROM-PC701MQ, ROM-PC701MR, ROM-PC701MS, ROM-PC701MT, ROM-PC701MU, ROM-PC701MV, ROM-PC701MW, ROM-PC701MX, ROM-PC701MY, ROM-PC701MZ, ROM-PC701NA, ROM-PC701NB, ROM-PC701NC, ROM-PC701ND, ROM-PC701NE, ROM-PC701NF, ROM-PC701NG, ROM-PC701NH, ROM-PC701NI, ROM-PC701NJ, ROM-PC701NK, ROM-PC701NL, ROM-PC701NM, ROM-PC701NN, ROM-PC701NO, ROM-PC701NP, ROM-PC701NQ, ROM-PC701NR, ROM-PC701NS, ROM-PC701NT, ROM-PC701NU, ROM-PC701NV, ROM-PC701NW, ROM-PC701NX, ROM-PC701NY, ROM-PC701NZ, ROM-PC701OA, ROM-PC701OB, ROM-PC701OC, ROM-PC701OD, ROM-PC701OE, ROM-PC701OF, ROM-PC701OG, ROM-PC701OH, ROM-PC701OI, ROM-PC701OJ, ROM-PC701OK, ROM-PC701OL, ROM-PC701OM, ROM-PC701ON, ROM-PC701OO, ROM-PC701OP, ROM-PC701OQ, ROM-PC701OR, ROM-PC701OS, ROM-PC701OT, ROM-PC701OU, ROM-PC701OV, ROM-PC701OW, ROM-PC701OX, ROM-PC701OY, ROM-PC701OZ, ROM-PC701PA, ROM-PC701PB, ROM-PC701PC, ROM-PC701PD, ROM-PC701PE, ROM-PC701PF, ROM-PC701PG, ROM-PC701PH, ROM-PC701PI, ROM-PC701PJ, ROM-PC701PK, ROM-PC701PL, ROM-PC701PM, ROM-PC701PN, ROM-PC701PO, ROM-PC701PP, ROM-PC701PQ, ROM-PC701PR, ROM-PC701PS, ROM-PC701PT, ROM-PC701PU, ROM-PC701PV, ROM-PC701PW, ROM-PC701PX, ROM-PC701PY, ROM-PC

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity ISSUED BY: Association of Test Houses	
	Reference No. 11/0194103818	
When tested on specified, the submitted sample conforms with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU.		
Applicant	Shenzhen Ruitest Technology Development Co., Ltd.	
Address	3F No.44 West Longgang Road, Longhua New District, Shenzhen, China	
Trade Mark	Ruitest	
Product	Screen Jack	
Material	NICKEL-ALLOY, NICKEL-ALLOY, NICKEL-ALLOY, NICKEL-ALLOY, NICKEL-ALLOY, NICKEL-ALLOY, NICKEL-ALLOY	
The test report is issued to the Company subject to its General Conditions of Service and no further alteration is given to the limitations of liability, misstatement and unintentional errors unless stated. The results shown in this test report only (i.e. the samples) tested under reference stated. This Test Report cannot be reproduced, copied or full, without your written permission of the Company.		
Other relevant documents have to be obtained.		
RoHS		
 <i>John Lee</i> Manager April 16, 2012		
Shenzhen LIT Compliance Testing Laboratory Ltd. 32, Guangguo Industrial Park, Tanggou Road, Nanshan District, Shenzhen, Guangdong, China Tel: +86 (755) 42291102 www.shenzhen-lit.com		
Fax: +86 (755) 42291102 Email: shenzhen@lit.com.cn		

company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Welcome to contact **Susie** for more details

By Email/wechat, Wechat: Jobs2lovers

By Skype: rcmccvtsales4

By Trademanager: cn1001765398

By Mobile phone/Whatsapp: +86-18126263832 (Susie Zhou)