

1DIN 4ch/8ch hdd sd card 1080P mobile dvr with build-in monitor showing gps 3g data


Product Specifications:

project		parameter
operating system		Linux
Language		English / Chinese / custom
Video compression		H.264 compression
OSD		Overlaying date and time and vehicle ID and other information
GUI	GUI	Set the system parameters with the remote control
Video recording system	Video input	4CH 1080P/960P / 720P AHD Input, Aviation Connectors, 1.0Vp-p, 75Ω
	Video output	1 CVBS, 1.0Vp-p, 75Ω, aviation, support 1CH full screen, 4CH screen view
	Preview	Supports preview of 1 channel and 4 channels. Support manual / alarm trigger full-screen preview
	Resolution	720P / D1 / HD1 / CIF, MAX: 4 720P and 4 D1
	Picture quality	Level 1-4, Level 1 is the highest level.
	Video standard	PAL: 100f / s, CCIR625 line, 50field; NTSC: 120f / s, CCIR525 line, 60 fields; CIF: 256Kbps ~ 1.5Mbps, 8-level video quality optional; HD1: 600Kbps ~ 2.5Mbps, 8-level video quality optional; D1: 800Kbps ~ 3Mbps, 8-level video quality optional; 720P: 4Mbps-6Mbps, multi-level video quality optional
Audio	Recording mode	After power on the default setting for automatic recording. Support timer recording, alarm trigger recording and manual recording.
	Audio input	4CH aviation plug input
	Audio output	2CH, the front panel connects to the headphones, the rear panel connects to the BNC
compression		G.726 compression, 8KB / s speed
Alarm input		7CH alarm input, 1CH AD input, pulse speed input, alarm linkage
Alarm Output		2 alarm output, support for light / sound alarm sensor, oil / power off
interface		3CH RS232, POS / Fuel Sensor / LED Advertising Connection
		1CH 485 interface, connect the PTZ camera
Wireless transmission		Support built-in 3G transmission, WCDMA, CDMA2000, GPRS, EDGE; Built-in 4G module optional, TDD-LTE, FDD-LTE
GPS location		Support built-in GPS / BD module
storage	hard disk	Maximum 2.5 "1TB hard drive
	SD card	Maximum 128GB SD card image record keeping data safe
	Updated	Support USB update, SD card update, OTA remote update
	file format	H.264
	File system	Special FAT32 file system
	USB	USB interface on the front panel data backup U disk, hard disk
Record replay	Video search	Search by recording time / record type, etc.
	Playback	Max also supports 4CH Replay / Stop / Fast / Slow Support for x 2, x 4, x 8, x 16 forward and backward playback.
Safety		User / Administrator 2 different passwords

Optional features	Voice calls	Support each other voice calls
	TTS voice broadcast	Support TTS voice playback.
	Serial extension	Support LED advertising screen, oil level sensor, POS, bus station broadcasting, car OBD and other external equipment
Voltage & Power	Energy management	Wide voltage. Support timing / delay off
	Input voltage	DC: + 6V - + 36V
	The output voltage	+ 12V ~ 1.5A, + 5V ~ 1.5A
	power	Working & It; 5W
working environment	temperature	-20 °C - +70 °C
	humidity	20% - 80%
other	size	200 (D) * 187 (W) * 62 (H) mm
	weight	1.90 kg

Product Image:






Richmor 锐驰曼


Do Our Best To Be Better For You !

Product Introduction

Device Series



Product Advantage



Client user graphical interface



移动视频监控平台

欢迎登录, RCMTES
系统

实时预览
电子地图
回放管理
信息管理
系统设置

终端列表

贵州(1/1)

- 贵C A6446
 - CH1
 - CH2
 - CH3
 - CH4
- 桂KY7507
- 桂KY7569
- 80024
- 80119
- D82868
- 子NP5001
- 桂KY7586
- 桂KY7599
- 贵B93017
- 贵C87762

状态	云台	色彩	语音
设备类型	MDVR		
终端名称	贵C A6446		
终端ID	80109		
公司	通运集团金融公司		
所属分组	贵州		
状态	在线		
GPS时间	2016-03-14 09:50:09		
位置	贵州省遵义市习水县G4215(遵遵高速公路)		
速度	74.10 km/h(南)		
费用	正常		

1 贵C A6446 - CH1 - 0 KB/S

2 贵C A6446 - CH2 - 24 KB/S

3 贵C A6446 - CH3 - 0 KB/S

4 贵C A6446 - CH4 - 0 KB/S

GPS时间: 2016-03-14 09:50:09 | 位置: 贵州省遵义市习水县G4215(遵遵高速公路) | 速度: 74.10 km/h(南) | 报警: 0

终端	GPS时间	位置	速度	报警
贵C A6446	2016-03-14 09:50:09	贵州省遵义市习水县G4215(遵遵高速公路)	74.10 km/h(南)	
桂KY7507	2016-03-14 09:50:17	广西壮族自治区玉林市博白县人民中路38号	11.00 km/h(北)	
桂KY7569	2016-03-14 09:50:38	广西壮族自治区玉林市博白县X403	27.00 km/h(西北)	
桂KY7599	2016-03-14 09:49:03	广西壮族自治区玉林市博白县S216	0.00 km/h(东)	

地址: 马临镇政府

贵C A6446

时间: 2016-03-14 09:50:09 | 速度: 74.10 | 公司: 通运集团金融公司 | 司机: 陈国忠 | 13511881529

位置: 贵州省遵义市习水县G4215(遵遵高速公路) | 状态: 在线, 3G, ACC开启, SD卡(存在), 视频 | 对讲 | 监听 | 抓拍 | 更多

运行时长: 00:01:04 | 在线数: 3 | 定损数: 1 | 欠费: 0 | 总数: 11 | 在线率: 27.27% | 定损率: 9.09%

Our mdvr supports PC, mobile phone and other mobile client monitoring.

Anasayfa
İndir
Soru
Language

İstemci İndirme

Windows

İndir

Version: 7.4.0.15
Güncelle: 20151123

Apple

İndir

Version: 7.0.3
Güncelle: 20150523

Android

İndir

Version: 7.0.0.10
Güncelle: 20150801

Uygun Program İndir

Program 1

Program 2

Appliacion

FUNCTIONS

- Video& Audio real-time monitoring
- Online Vehicle Status
- Satellite Map
- GPS
- Video Storage
- Tracking Display
- Intercom
- Fuel Sensor
- G-Sensor
- Temperature-Sensor

Richmor

OEM & ODM Service

Brasil World Cup Supplier
www.rcmcctv.com



Truck
Coach



School Bus
Bus




Police Car
Taxi





Support
All Vehicles

certificate

 Verification of Conformity <small>Reference No.: L100000000000</small>	
Responsible Party	Shenzhen Richour Technology Development Co., LTD.
Address	3F of A1 West (Longgang Road, Longgang New District), Shenzhen, China
Product	Cables
Model No.	RGZ-PG01, RGZ-PG02, RGZ-PG03, RGZ-PG04, RGZ-PG05, RGZ-AP01, RGZ-AP02, RGZ-AP03, RGZ-AP04, RGZ-AP05, RGZ-AP06, RGZ-AP07, RGZ-AP08, RGZ-AP09, RGZ-AP10, RGZ-AP11, RGZ-AP12, RGZ-AP13, RGZ-AP14, RGZ-AP15, RGZ-AP16, RGZ-AP17, RGZ-AP18, RGZ-AP19, RGZ-AP20, RGZ-AP21, RGZ-AP22, RGZ-AP23, RGZ-AP24, RGZ-AP25, RGZ-AP26, RGZ-AP27, RGZ-AP28, RGZ-AP29, RGZ-AP30, RGZ-AP31, RGZ-AP32, RGZ-AP33, RGZ-AP34, RGZ-AP35, RGZ-AP36, RGZ-AP37, RGZ-AP38, RGZ-AP39, RGZ-AP40, RGZ-AP41, RGZ-AP42, RGZ-AP43, RGZ-AP44, RGZ-AP45, RGZ-AP46, RGZ-AP47, RGZ-AP48, RGZ-AP49, RGZ-AP50, RGZ-AP51, RGZ-AP52, RGZ-AP53, RGZ-AP54, RGZ-AP55, RGZ-AP56, RGZ-AP57, RGZ-AP58, RGZ-AP59, RGZ-AP60, RGZ-AP61, RGZ-AP62, RGZ-AP63, RGZ-AP64, RGZ-AP65, RGZ-AP66, RGZ-AP67, RGZ-AP68, RGZ-AP69, RGZ-AP70, RGZ-AP71, RGZ-AP72, RGZ-AP73, RGZ-AP74, RGZ-AP75, RGZ-AP76, RGZ-AP77, RGZ-AP78, RGZ-AP79, RGZ-AP80, RGZ-AP81, RGZ-AP82, RGZ-AP83, RGZ-AP84, RGZ-AP85, RGZ-AP86, RGZ-AP87, RGZ-AP88, RGZ-AP89, RGZ-AP90, RGZ-AP91, RGZ-AP92, RGZ-AP93, RGZ-AP94, RGZ-AP95, RGZ-AP96, RGZ-AP97, RGZ-AP98, RGZ-AP99, RGZ-AP100
Trade Mark	Richour
Standards	1. IEC 60332-1-2, IEC 60332-3-2, IEC 60332-3-10, IEC 60332-3-11, IEC 60332-3-12, IEC 60332-3-13, IEC 60332-3-14, IEC 60332-3-15, IEC 60332-3-16, IEC 60332-3-17, IEC 60332-3-18, IEC 60332-3-19, IEC 60332-3-20, IEC 60332-3-21, IEC 60332-3-22, IEC 60332-3-23, IEC 60332-3-24, IEC 60332-3-25, IEC 60332-3-26, IEC 60332-3-27, IEC 60332-3-28, IEC 60332-3-29, IEC 60332-3-30, IEC 60332-3-31, IEC 60332-3-32, IEC 60332-3-33, IEC 60332-3-34, IEC 60332-3-35, IEC 60332-3-36, IEC 60332-3-37, IEC 60332-3-38, IEC 60332-3-39, IEC 60332-3-40, IEC 60332-3-41, IEC 60332-3-42, IEC 60332-3-43, IEC 60332-3-44, IEC 60332-3-45, IEC 60332-3-46, IEC 60332-3-47, IEC 60332-3-48, IEC 60332-3-49, IEC 60332-3-50, IEC 60332-3-51, IEC 60332-3-52, IEC 60332-3-53, IEC 60332-3-54, IEC 60332-3-55, IEC 60332-3-56, IEC 60332-3-57, IEC 60332-3-58, IEC 60332-3-59, IEC 60332-3-60, IEC 60332-3-61, IEC 60332-3-62, IEC 60332-3-63, IEC 60332-3-64, IEC 60332-3-65, IEC 60332-3-66, IEC 60332-3-67, IEC 60332-3-68, IEC 60332-3-69, IEC 60332-3-70, IEC 60332-3-71, IEC 60332-3-72, IEC 60332-3-73, IEC 60332-3-74, IEC 60332-3-75, IEC 60332-3-76, IEC 60332-3-77, IEC 60332-3-78, IEC 60332-3-79, IEC 60332-3-80, IEC 60332-3-81, IEC 60332-3-82, IEC 60332-3-83, IEC 60332-3-84, IEC 60332-3-85, IEC 60332-3-86, IEC 60332-3-87, IEC 60332-3-88, IEC 60332-3-89, IEC 60332-3-90, IEC 60332-3-91, IEC 60332-3-92, IEC 60332-3-93, IEC 60332-3-94, IEC 60332-3-95, IEC 60332-3-96, IEC 60332-3-97, IEC 60332-3-98, IEC 60332-3-99, IEC 60332-3-100

Important note:
 This document is in compliance with Part 11 of the TSC Rules and Regulations for safety listings.
 Description of the product is supplied in the following key elements:
 (1) this device can be used for fire protection; and (2) the device shall accept any mechanical treatment, including crushing, without any visible external degradation.
 You need to conform to the applicable TSC Rules and Regulations. The method of testing was in accordance to the most appropriate measurement standards provided, and that all necessary steps have been followed to ensure that all manufacturer's of the same equipment will continue to comply with the Technical Commission's Commitment to Responsibility.



 Manager
 April 10, 2012

Shenzhen LUT Compliance Testing Service Ltd.
 10/F, Longgang Technology Park, Longgang Road, Bao'an Dist., Shenzhen
 Guangdong, China
 Tel: +86 (0)755 2309 8888
 Fax: +86 (0)755 2309 8889
 Email: info@lut.com.cn
 Web: www.lut.com.cn

(For: 2012/04/10/12)
 Email: info@lut.com.cn
 Web: www.lut.com.cn

[illegible]

CERTIFICATE OF CONFORMITY

CERTIFICATE of Conformity

Reference No.: C237047032475

Applicant	Shenzhen Renshou Technology Development Co., LTD.
Address	2/F, 1001 West Longgang Road, Longgang New District, Shenzhen, China
Product	Mobile PDA
Model	NCM-8000P, NCM-8000M, NCM-8000S, NCM-8000T, NCM-8000L, NCM-8000E, NCM-8000F, NCM-8000G
Trade Mark	Renshou

The mentioned products have been tested by us with the follow standards and found in compliance with the following European Directives:

The EMC Directive 2004/108/EC

EN 55022, EN 55024, EN 55025

The tests were performed in normal operating mode. The test results apply only to the particular sample tested and to the specific test carried out. This certificate applies specifically to the sample investigated in our test reference number only.

The CE marking as shown below can be affixed on the product after completion of necessary technical investigations.

(This relevant Declaration has to be attached)

Manager
April 18, 2011

Shenzhen CETA Compliance Testing Laboratory Ltd.
17, Senguen Industrial Park, Senguen Street, Nantun Street, Baoan District, Shenzhen
Guangdong, China
Tel: 0086-755-26274111
http://www.ceta.com.cn Fax: 0086-755-26274122
Email: admin@ceta.com.cn

[illegible][illegible]

CERTIFICATE OF CONFORMITY	 CERTIFICATE of Conformity ISSUED IN ACCORDANCE WITH ISO 9001:2015	
	Reference No.: 13101041000128	
When issued on receipt, the supplier hereby certifies compliance with the requirements of Commission Decision of 21 July 2011 amending Directive 2011/65/EU.		
Supplier	Shenzhen Ruitong Technology Development Co., Ltd.	
Address	3F No. 44 West Longgang Road, Longgang New District, Shenzhen, China	
Trade Mark	Ruitong	
Product	Books (ink)	
Material	NON-MATERIAL, NON-MATERIAL, NON-MATERIAL, NON-MATERIAL, NON-MATERIAL, NON-MATERIAL, NON-MATERIAL	
The test report is issued to the Company subject to its General Conditions of Service and/or contract. Subject to the limitations of liability, manufacturer and/or supplier shall remain solely responsible for the validity of the test report. The results shown in this test report may only be used for the purposes stated on the certificate. The test report cannot be reproduced, copied or full without your written permission of the Company.		
Other relevant documents have to be obtained.		
<h1>RoHS</h1> <div style="display: flex; justify-content: space-around; align-items: center;">  <div style="text-align: right;">  Date: 10.10.2012 </div> </div>		
Shenzhen: 1310 Shenzhen Testing Laboratory, Ltd. 12, Guangming Industrial Park, Tanggou Road, Baoan District, Shenzhen, Guangdong, China Tel: 0086-755-26615555 http://www.1310.com.cn Beijing: 4610 Beijing SGS Tel: 0086-10-6379-1100 E-mail: china@sgs.com.cn		

Company and factory



Richmor

OEM & ODM Service

Brasil World Cup Supplier



exhibition:

Richmor

CPSE2012 in Shenzhen



CPSE2013

10.29-10.31

4 Booth we have

Welcome you !!!



CPSE2012-- Guangdong TV Report-Shenzhen Richmor



Welcome to contact us for more details

Best Regards
Amily Zhang

HAND US YOUR TRUST, OFFER YOU OUR BEST!!!

Shenzhen Richmor Technology Development Co.,LTD

Email: overseasales-2@rcmcctv.com

Skype: rcmcctvsales2

QQ: 2355778097

MB/Whatsapp: +86 18929314790

Website: <http://www.richmor.net/>

ADD: 6th Floor, F Building, Xinzhi Industrial Park, Yangmei,Bantian,Longgang, Shenzhen

